

		<b>CONTRACT PRICING WORKSHEET</b>		<b>Contract No.:</b> <b>113021-RVG-1</b>		<b>Date Prepared:</b> <b>6/4/2025</b>	
<b>Buying Agency:</b>	City of Madison / Madison Fire and Rescue			<b>Contractor:</b>	E-ONE, Inc.		
<b>Contact Person:</b>	Brandy Williams, Fire Chief			<b>Prepared By:</b>	Rick Stuardi		
<b>Phone:</b>	(256) 464-8421			<b>Phone:</b>	(251) 929-9523		
<b>Fax:</b>	N/A			<b>Fax:</b>	(251) 928-9933		
<b>Email:</b>	brandy.williams@madisonal.gov			<b>Email:</b>	rstuardi@sunbeltfire.com		
Fire & Emergency Category				Model Used		Discount Offered	
Commercial Mini Pumps				VMMP-COMM		\$5,000.00	
Commercial Pumps - VM models				VMRP-COMM; VMRP-SPAR		\$15,000.00	
Commercial Pumps				PAEM-COMM; PAEU-COMM; PRAL-COMM; PRAL-SPAR; PTAL-COMM; PTAL-SPAR; PMRM-COMM; PSEM-COMM; PRSS-COMM; PRSS-SPAR; PSTE-COMM; PTSS-COMM; PTSS-SPAR		5%	
Custom Pumps (ValueOne)				XPSS-TYPN; XRSS-TYPN		15%	
Custom Pumps				PRAL-CYCN; PRAL-TYPN; PTAL-CYCN; PTAL-TYPN; PRSS-CYCN; PRSS-TYPN; PTSS-CYCN; PTSS-TYPN		17%	
Custom Pumps (EMAX)				PSEM-CYCN; PSEM-TYPN; PAEM-CYCN; PAEM-TYPN		16%	
Custom Urban Interface				PAEU-CYCN; PAEU-TYPN		16%	
Commercial Wetside Tankers				WTSS-COMM; WTRSS-SPAR; WTTS-COMM; WTTS-SPAR		\$15,000.00	
Commercial Tankers				TSAL-COMM; TSAL-SPAR; TSSA-COMM; TSSA-SPAR; TSSS-COMM; TSSS-SPAR; TSTE-COMM; TTAL-COMM; TTAL-SPAR; TTSS-COMM; TTSS-SPAR		6%	
Commercial Tankers (VM Models)				VMT2-COMM; VMT3-COMM		\$10,000.00	
Custom Tankers				TSAL-CYCN; TSAL-TYPN; TSSS-CYCN; TSSS-TYPN; TTAL-CYCN; TTAL-TYPN; TTSS-CYCN; TTSS-TYPN		17%	
Commercial Light Rescues				RELN-COMM; RELW-COMM; RSLN-COMM; VMRM-COMM		\$5,000.00	
Commercial Heavy Rescues				REHN-COMM; REHN-SPAR; REHW-COMM; REHW-SPAR; RSHN-COMM; RSHN-SPAR; RSHW-COMM; RSHW-SPAR		5%	
Custom Heavy Rescues				REHN-CYCN; REHN-TYPN; REHW-CYCN; REHW-TYPN; RSHN-CYCN; RSHN-TYPN; RSHW-CYCN; RSHW-TYPN		15%	
Custom Aerial Booms				AEMM-CYCN-050B; AEMM-TYPN-050B		17%	

Custom Aerial Ladder (Typhoon Only)	AERM-TYPN-075L	20%	
Custom Aerial Ladders	AERM-CYCN-075L; ASRM-CYCN-075L; ASRM-TYPN-075L; AERM-CYCN-078L; ASRM-CYCN-078L; AERM-TYPN-078L; ASRM-TYPN-078L; AERS-CYCN-100L; ASRS-CYCN-100L; AERT-CYCN-100L; ASRT-CYCN-100L; AERS-TYPN-100L; ASRS-TYPN-100L; AERT-TYPN-100L; ASRT-TYPN-100L; AERS-CYCN-110L; ASRS-CYCN-110L; AERT-CYCN-110L; ASRT-TYPN-110L; AERS-TYPN-110L; ASRS-TYPN-110L; AERT-TYPN-110L; ASRT-TYPN-110L; AERM-CYCN-137L; AERM-TYPN-137L	17%	1
Custom Aerial Platforms	AERM-CYCN-092P; AERM-TYPN-092P; AERM-CYCN-100P; ASRM-CYCN-100P; AERM-TYPN-100P; ASRM-TYPN-100P	17%	
Custom Aerial Platforms (Mid-Mount)	AEMM-CYCN-095P; AEMM-TYPN-095P	12%	
Custom Aerial TDA (Tillers)	AETI-CYCN-100L; AETI-TYPN-100L; AETR-TYPN-110L	13%	
WaterMaster	WMSS-COMM	\$15,000.00	
Wildlands	IAVA-COMM; IAVS-COMM; WLBT-COMM; WLMP-COMM; VM34-COMM	\$5,000.00	
Wildlands (Type III)	WLSP-COMM	7%	
Industrial Commercial Pumper	ITAL-COMM	5%	
Industrial Custom Pumpers	ITAL-CYCN; ITAL-TYPN; ITSS-CYCN; ITSS-TYPN	12%	
Industrial Custom Booms	AEIM-CYCN-050B; AEIM-TYPN-050B	12%	
Industrial Custom Ladders & Platforms	AEIR-CYCN-078L; AEIR-TYPN-078L; AEIR-CYCN-100P; AEIR-TYPN-100P	13%	
ARFF (4x4)	ARFF-4XP8; ARFF-4XP8-HRET	7%	
ARFF (6x6)	ARFF-6XP8; ARFF-6XP8-HRET	7%	
ARFF (Ecologic & Rhino Turret)		0%	
Vehicle Shop Order/Quote No.:	Q140434 / SO148985	Vehicle List Price:	\$ 2,173,965.00
		Discount Amount:	(\$369,574.00)
		Discounted Subtotal:	\$ 1,804,391.00
		Contract Fee:	\$ 2,000.00
Est. Delivery Date:	1320 ARO	Total Price:	\$ 1,806,391.00

Sourcwell Contract 113021-RVG-1 - E-ONE, Inc.

Pricing Updated 4/25/25

Date Sold	4/11/2025
Projected Del Date	1320 ARO
Number of Vehicles on this Sale	1
Total Contract Price	\$ 1,806,391
Total Contract Purchase Pricing (per vehicle):	\$ 1,806,391

Customer Name:	City of Madison Fire and Rescue

BASE UNIT

Item	Description	List Price
AERT-CYCN-100L	Custom CR100 Aerial Ladder on a Custom Cyclone Chassis	\$ 2,173,965.00

CONFIGURATION

Item No	Description	Price
1001-0103	The E-ONE supplied components of the vehicle shall meet the requirements of NFPA 1900, 2024 edition.	\$ -
3090-0002	OAH. Unit has no overall height restrictions.	\$ -
3090-0004	OAL. Unit has no overall length restrictions.	\$ -
3090-0006	The hose bed is to have the capacity for the following hose. Hose load shall be listed from driver to officer.	\$ -
3340-1137-12C	Equipment allowance on the apparatus shall be 2500 lbs. This allowance is in addition to the weight of the hoses and ground ladders listed in the shop order as applicable.	\$ -
1002-0001	Final inspection trip.	\$ -
1160-0014	20" Front Bumper Gravel Shield Extension.	\$ 990.00
1160-0140	3/16" diamond plate Front Bumper Gravel Shield for heavy duty bumper. Includes 1" turn down around perimeter of HD bumper.	\$ 695.00
1160-0345	Heavy duty, formed, 10" front bumper with full wrap around. Corners to be tapered for up to an 8.5" wide mounting area (Units with drop style frame extension and recess notch mayl reduce size of mounting area). Includes support wings for outboard sides (as applicable). To be painted as specified.	\$ 4,494.00
1160-0347-198	Bumper to have a 5.625" deep x 10.5" wide notch for recessed mechanical siren. Location: driver's side	\$ 1,097.00
1150-0095	Hinged diamond plate lid for center bumper tray. Includes: seal, D-Ring latch and gas shock hold open device.	\$ 673.00
1150-0120	Bumper tray center of bumper with slats 12 inches deep (approx 11 inches to slats).	\$ 923.00
1250-0005	Frame - Torque box for tandem axle RM aerial.	\$ 43,012.00
1250-0092	GEOMET coated frame assembly fasteners.	\$ -
1025-0002	Dana D-2200W 22,800 lb. front axle. Includes maintenance free bushings. For use with disc brakes only.	\$ 38,714.00
1025-0023	Meritor RT-50-160 rear tandem axle 54,000 lb. capacity.	\$ 78,799.00
1025-0027	Driver controlled rear differential.	\$ 1,680.00
1025-0028	Koni shock absorbers for front axle - adjustable.	\$ 733.00
1025-0030	Stemco sight glass for front axle hubs. Inboard wheel seals will be Chicago Rawhide (or equivalent).	\$ 248.00
1070-0015	Ridewell Dynalastic rear suspension (48-54K) rated equal to the capacity of the axles.	\$ 26,156.00
1050-0001	Alcoa aluminum wheels for front axle (2).	\$ 2,623.00
1050-0005	Alcoa aluminum wheels for rear axles (8).	\$ 8,389.00
1050-0007	Front axle wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. Note: Center cap will have an inspection port IPO a logo if equipped with Stemco oil seals.	\$ 504.00

1050-0009	Rear axle (tandem) wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center caps with E-ONE logo. E-ONE custom chassis w/steel wheels will have chrome plated plastic lug covers.	\$ 1,369.00
1050-0018	Each inside wheel of the tandem rear axles shall have valve stem extensions.	\$ 502.00
1060-0008	Eight Michelin 12R tires model XZE for rear axles	\$ 14,661.00
1060-0119	RWC AirGuard LED tire pressure monitoring valve stem caps (10) for tandem rear axle applications.	\$ 569.00
1060-0212	Two Michelin 425 tires model XZE for front axle.	\$ 4,690.00
1100-0006	Parking brake release mounted on the driver's side lower dash.	\$ -
1100-0008	Brake system air 6X4/6X6.	\$ 17,530.00
1100-0014	ArvinMeritor 16-1/2" x 7" S-cam brakes with cast brake drums for a tandem rear axle.	\$ 781.00
1100-0026	G4 Electronic Stability Control (6x4), Includes RSC and ATC. Not available on 6x6 or commercial chassis.	\$ 8,498.00
1100-0031	Dana/Bendix ADB22X 17" disc brakes for front axle.	\$ 2,513.00
1110-0000-001	Inlet for air system. Location: driver door jamb.	\$ 768.00
1110-0002	Air dryer Bendix AD-9.	\$ 1,000.00
1110-0006	Air lines nylon.	\$ -
1110-0026	Air horns Hadley e-tone recessed in bumper (PR).	\$ 1,693.00
1200-0017	Push-button transmission shift selector.	\$ -
1200-0021	TranSynd, Shell Spirax S6ATF A295, or equivalent synthetic transmission fluid for EVS4000 series.	\$ 612.00
1200-0096	Electronic speed limiting set at 60 MPH. Note: Axle gear ratio will be as low as possible while allowing for 60 MPH top speed to improve acceleration.	\$ -
1200-0490	Eng/Trans Cummins X10 450HP/1650TQ with EVS4000P transmission. 2027 EPA Compliant. Includes Acumen telematics and Certified Clean Idle holographic decal. Note: Until the 2027 EPA engine integration is finalized, option availability and body design relative to engine and aftertreatment are subject to change. Additional costs associated with the 2027 EPA engine will be passed on to the end user. No exceptions.	\$ 320,491.00
1200-0495	Transmission cooler. Required with 2027 EPA engine/trans w/o trans retarder.	\$ 3,166.00
1125-0002	Jacobs engine compression brake. Note: Brake lights will illuminate when auxiliary brake is activated.	\$ 3,574.00
1125-0023	Transmission to seek second gear when Jacobs engine brake or Telma retarder is engaged. N/A with Trans retarder.	\$ -
1225-0086	Firwin exhaust blanket from the turbo down to the DPF and between the DPF and SCR. Required on 2027 EPA engines.	\$ 1,872.00
1800-0041	Cooling system for use with Typhoon and Cyclone chassis. For use with 2027 EPA engines. Includes fan clutch.	\$ 19,214.00
1350-0013	Racor fuel/water separator to be a bottom drop out style. Shall include indicator light and audible alarm.	\$ 1,478.00
1350-0022	Fuel line hose rubber.	\$ -
1350-0050	Fuel system 60 gallon saddle tanks.	\$ 6,187.00
1350-0102	Fuel shut-off valves (3). Locate each side of fuel / water separator and at tank.	\$ 680.00
1700-0019	Alternator Niehoff 360 amp (360 amp SAE/320 NFPA rating). Available on X10, X12 and X15.	\$ 6,496.00
1400-0032	Battery five group 31 1000 CCA (two left / three right). For use with below cab DEF tank only.	\$ 2,523.00
1680-0007	Drivelines 1810. Required on 1550 lb/ft torque or greater engines. N/A with EVS3000 transmission.	\$ 3,313.00
1680-0008	Tow eyes front painted below bumper/cab (PR). Tow eyes will be integral when used with a drop style frame extension.	\$ 543.00
1680-0012	Tow eyes rear frame painted black.	\$ 1,100.00
1680-0017	Hot shift PTO.	\$ 3,938.00
1680-0188	Aerial hydraulics installed on bottom port of EVS4000/4500 transmission (to allow for flat rear cab floor).	\$ 3,269.00
1680-0250-M58	Diesel Exhaust Fluid (DEF) 5 gallon tank. Location: left side below rear of cab.	\$ 3,458.00
1680-0284	Radiator mounted power steering cooler.	\$ 975.00
1520-0243	Cyclone medium cab - 100" wide (58" CA).	\$ 115,737.00

1615-0004	Cab roof to be "flat" with trough for waterway. Required with HM100 (with waterway), HP100 (all), CR100/92 Pltfrm (SdStckr and W/O/P) or HP/HPS100 Pltfrm (all).	\$ -
1610-0000	Cab and body to have applicable E-ONE logos.	\$ -
1550-0003	Rear crew cab doors in the medium position.	\$ -
1550-0084	All cab exterior entry doors to have 1250 keyed locks.	\$ -
1550-0157	Anodize aluminum protective trim on rear edge of cab door openings. E-ONE custom chassis only.	\$ 476.00
1550-0159	Interior cab door locks - manual. Will be individually actuated from each respective door. Includes key lock on each exterior cab door handle.	\$ -
1550-0180	Cab door panels stainless steel. Includes upper and lower panels with seam below handrail.	\$ 3,142.00
1550-0285	Driver and officer door windows to be power actuated with HD regulators. Switches to be located at center dash. For use with new Typhoon and 100" wide Cyclone cabs.	\$ 3,067.00
1550-0286	Rear crew cab door windows to be power actuated with HD regulators. Switches to be located on each door with add'l switches accessible by driver. For use with new Typhoon and 100" wide Cyclone cabs.	\$ 3,067.00
1550-0288	Cab doors to extend down to cover lower step well. For use with new Typhoon cab and 100" wide Cyclone only.	\$ 781.00
1550-0331-000-J7	Red/Fluorescent Yellow Green Diamond Grade chevron "A" stripe on lower cab door panel of an extended door. Stainless steel/painted door panels only. E-ONE cabs only.	\$ 913.00
1550-0377	All cab doors shall have exterior pull style handles with integral key lock (glass reinforced nylon).	\$ -
1550-0395	Door mounted 5" Amdor model ALS-W red LED flashing lights (4). Locate lights horizontally on each cab door in the outboard position. Each individual light to be activated by corresponding cab door ajar circuit.	\$ 959.00
1640-0047	Lower steps to extend 3.5" past cab. For use with legacy Typhoon / Cyclone with barrier style doors and new Typhoon / Cyclone with barrier style or extended doors.	\$ -
1670-0001-275	Ramco 8001FFR mirrors. Remote controlled with top CAS750 manual convex. Location: mounted on cab doors.	\$ 3,110.00
1670-0088	Driver and officer Ramco cab mirrors to be heated. Includes all surfaces (flat and convex, as applicable).	\$ 671.00
1670-0091	Cab mirrors to have black finish IPOS. (Does not apply to tubular S/S arms and convex look down mirrors.)	\$ 357.00
1535-0464	Paint Drip Rails. All exterior drip rails over cabinets, etc including vertical drip rails ahead of front cab doors to be painted job color (two tone as applicable).	\$ 516.00
1550-0020	Windows cab side fixed driver's side.	\$ -
1550-0033	Windows cab side fixed officer's side.	\$ -
1675-0022	Pair of 18" handrails located just behind driver and officer front door one each side.	\$ 753.00
1675-0023	Pair of 18" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	\$ 753.00
1675-0030	Mud flaps, front, black with E-ONE logo.	\$ 323.00
1675-0047	Rear cab wall to be 3/16" aluminum diamond plate.	\$ -
1675-0053	Stainless steel scuff plates full height on rear cab corners (PR)	\$ 492.00
1675-0201	Large radius cab wheel well. Includes bolt-on adjustable wheel well trim.	\$ -
1675-0202	Mounting plate for battery charger receptacle, indicator, air inlet, etc (if applicable). Plate to be removable brushed stainless steel.	\$ -
1675-0399	Hansen knurled grip surface handrails shall be black in place of standard clear anodized handrails on cab. Handrails shall be anodized black from the factory. Quantity to match the number of handrails on cab exterior.	\$ 1,215.00
1515-0133	Air conditioning with roof top mounted condenser. Includes reduced profile evaporator w/powder coated cover, brushless motors and a rear fan speed switch on the driver side of the rear air distribution housing. Requires A/C controls in multiplex display.	\$ 16,432.00
1510-0003	Seats, Inc. brand 911 cab seats.	\$ -
1510-0008	Seat color gray.	\$ -
1510-0038	(Obsolete; use sales code 1510-0642) Driver seat 911 air ride.	\$ 2,426.00
1510-0042	Officer seat to be 911 fixed SCBA.	\$ 1,940.00

1510-0050	Rear facing 911 seat with SCBA driver's side.	\$ 1,795.00
1510-0053	Rear facing 911 seat with SCBA officer's side.	\$ 1,795.00
1510-0203-147	Bracket SCBA IMMI SmartDock Gen2 restraint system. Location: officer's seat.	\$ 1,327.00
1510-0203-148	Bracket SCBA IMMI SmartDock Gen2 restraint system. Location: rear facing driver's side.	\$ 1,327.00
1510-0203-215	Bracket SCBA IMMI SmartDock Gen2 restraint system. Location: rear facing officer's side.	\$ 1,327.00
1510-0234	Seat cover material Turnout Tuff.	\$ -
1685-0031	Seating capacity tag of four occupants.	\$ -
1535-0030	Roll-up medical cabinet doors selected on the cab to be ROM brand.	\$ 279.00
1535-0032	All medical cabinet RUD for the cab to be locking with 1250 key	\$ 289.00
1535-0202	Finish. Cab medical/storage cabinet(s) finish to be multi-tone gray. Includes interior/exterior of cabinet and shelves/trays if equipped.	\$ -
1535-0844-3C7	Shelf, Medical cabinet. Location: rear wall medical cabinet.	\$ 915.00
1535-0872-3C7	Interior roll up door with satin finish. Location(s): rear wall medical cabinet.	\$ 1,835.00
1535-0873	Medical cabinet mounted on rear wall of cab full height x 40 x 24. Lower door opening raised to provide hand clearance (door not included).	\$ 4,233.00
1540-0013	All map boxes in the cab to be painted multi-tone gray finish.	\$ -
1540-0015	Map box suspended with drop-down door. Box offset to rear to allow engine access door to open further.	\$ 1,159.00
1685-0005	Lexan sun visors, driver and officer's side overhead.	\$ -
1685-0187	Severe duty engine cover, molded polyurethane.	\$ -
1685-0192	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on back wall of cab each side outboard of inboard seating positions.	\$ 2,928.00
1685-0285	Cup holder / tray for engine cover painted to match cab interior. Approx 14" wide x 10" long with tapered front corners and cup holders at each rear corner. For use in Typhoon and CII with severe duty engine cover.	\$ 825.00
1685-0446	Severe duty overhead console. Includes driver, center and officer overhead ahead of air conditioning plenum. Center overhead includes siren mounting locations. Overhead to match cab interior.	\$ 2,668.00
1685-0531	Reduced profile rear engine cover for increased legroom.	\$ -
1685-0669	Severe duty dash package with low profile center section. Cast alum construction. Includes smooth plate alum lower kick panels; all painted to match cab interior.	\$ 2,196.00
1685-0692	Cab insulation package. Includes insulation for ceiling, front wall, rear wall, side walls, below seat risers and in doors.	\$ 1,940.00
1685-0891	Cab interior padding to be gray.	\$ -
1750-0024-179-02	Auto-Eject receptacle inlet 20 amp located outside driver's door next to handrail with a Red cover.	\$ 1,139.00
1750-0029	Switch horn button two position DOT/air horn.	\$ 407.00
1750-0046-195	Cab Headlights. Position: lower.	\$ -
1750-0166	ATC override switch.	\$ -
1750-0198-A31	Battery charger to be located behind driver's seat.	\$ -
1750-0423-09V	Programming instructions for auxiliary switch 1 on steering wheel switch pod. Switch function: Q2B.	\$ 186.00
1750-0424-0YM	Programming instructions for auxiliary switch 2 on steering wheel switch pod. Switch function: 12V flood light at tip of aerial.	\$ 186.00
1750-0425-09W	Programming instructions for auxiliary switch 3 on steering wheel switch pod. Switch function: Q2B Brake.	\$ 186.00
1750-0449	Momentary DPF regeneration override switch.	\$ 407.00
1750-0451	Steering wheel with switch pods IPOS. Includes wiper functions, master warning sw, air horn sw, aux brake on/off and (3) aux switches. For use only with Typhoon and Cyclone NOT equipped with 4Front. (Requires separate programming options to activate aux switches)	\$ 1,800.00
1750-0482	Control push-button switch officer switch panel for Q2B siren.	\$ 407.00
1750-0483	Control push-button switch on officer's switch panel for Q2B siren brake.	\$ 407.00
1750-0485	Control push-button switch officer switch panel for air horns.	\$ 407.00
1750-0554	FireTech LED cab headlights.	\$ 2,780.00

1750-0659-172	Turn signal Federal Signal FireRay model FR6-ARROW LED amber pair located upper headlight bezel.	\$ 968.00
1750-0764	Daytime Running Light TecNiq LED strip (PR) with polished alum housing located between quad headlight bezels (New Typhoon and Cyclone only).	\$ 311.00
1750-0768	TecNiq D07 LED cab door step area lighting. Includes (2) lights at each door area. Lights to be switched with door ajar.	\$ 396.00
1750-0827	Quad headlight bezels (4) black ipos. Includes strip light mounting bezel between quad housings.	\$ 1,018.00
1750-0833	Install E-ONE supplied radio interface cable for 2 way radio. Radio model to be specified by sales. Run cable from intercom base to location specified by sales leaving a service loop at each end.	\$ 1,242.00
1750-0936	Dome Lts TecNiq Red/White LED. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	\$ 1,018.00
1750-1004	Battery charger Kussmaul Chief Series. 120/240 volt inlet, 40 amp output. Includes remote and built-in touch screen displays.	\$ 2,449.00
1750-1013-593	Dual port USB charging receptacle in the cab wired battery hot. Includes USB-A and USB-C ports. Location: officer side dash.	\$ 319.00
1750-1013-765	Dual port USB charging receptacle in the cab wired battery hot. Includes USB-A and USB-C ports. Location: center rear wall of center rear medical compartment up high.	\$ 638.00
1750-1016	Digital dash display for driver.	\$ 4,020.00
3060-0027	Body aerial CR100/137/95-Platform SideStacker for use with 300 tank. Includes driver and officer side full height compartments, extended height L1/L2/L3 and R1/R2 compartments, extended hosebed (to rear), individual rear side compartments, left rear staircase with pocket style drop down step and 34" wide ladder tunnel. Requires separate pump module option.	\$ 130,002.00
3065-0001	Body modification - Combine left rear side compartments. This modification affects compartment dimensions and numbering in specs. Includes short compartment down low behind the rear stabilizer (if rear perimeter is not raised).	\$ 1,780.00
3065-0009	Body modification - Raise the rear perimeter aft of rear jack legs 4" for improved angle of departure. Reduces height of rear side compartments and may eliminate the small lower storage area with combined rear side compartment option.	\$ 693.00
3110-0360	Rear of body to have un-painted smooth plate overlay style body panels to facilitate rear body striping.	\$ 2,602.00
3310-0032	Recessed tubes for (6) pike poles. Not available on HP75 SideStacker.	\$ 1,275.00
3310-0069	Rear ladder tunnel doors. Vertically hinged smooth plate to match rear body finish.	\$ 1,737.00
3310-0076	Body wheelwell compartments (4) approx 24" W x 6" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$ 2,790.00
3310-0096	Doors for rear master and jack control controls. Doors will match rear body finish.	\$ 800.00
3310-0226	Jack leg opening covers smooth plate painted job color (4) sets. Includes painted plate outrigger covers and fixed painted plate filler panels. HM100/HR100/110 requires surface mount warning lights.	\$ 3,480.00
3310-0303	Auxiliary jack pad 24X24 (4) with 20 degree formed handle. Includes (4) mounting brackets.	\$ 4,612.00
3310-0513	Fuel fill hinged door and fixed panel below door each side to rear of rear axle to be diamond plate.	\$ -
3310-1184	Crosslays with multiple lays. Includes slats and S/S rollers (if applicable). Refer to sales drawing/layout for number of lays, depth and widths. Includes storage pan to rear of crosslays (if applicable).	\$ 11,900.00
3300-0007-017	Door single vertical hinged painted. Location(s): R3	\$ 1,485.00
3300-0011-005	Door single horizontal hinged lift-up box pan configuration painted. Location(s): L3	\$ 1,445.00
3300-0011-006	Door single horizontal hinged lift-up box pan configuration painted. Location(s): L4	\$ 1,445.00
3300-0021-007	Door roll up short (up to 45") with painted finish ROM. Location(s): L5.	\$ 2,809.00
3300-0022-003	Door roll up tall (greater than 45") with painted finish ROM. Location(s): L1.	\$ 3,516.00
3300-0022-004	Door roll up tall (greater than 45") with painted finish ROM. Location(s): L2.	\$ 3,516.00
3300-0022-015	Door roll up tall (greater than 45") with painted finish ROM. Location(s): R1.	\$ 3,516.00

3300-0022-016	Door roll up tall (greater than 45") with painted finish ROM. Location(s): R2.	\$ 3,516.00
3300-0107-005	Pull down straps for lift-up door. Loc: L3.	\$ 218.00
3300-0107-006	Pull down straps for lift-up door. Loc: L4.	\$ 218.00
3300-0188-003	Drip pan (E-ONE style) for a roll-up door (EA). Location(s): L1.	\$ 387.00
3300-0188-004	Drip pan (E-ONE style) for a roll-up door (EA). Location(s): L2.	\$ 387.00
3300-0188-007	Drip pan (E-ONE style) for a roll-up door (EA). Location(s): L5.	\$ 387.00
3300-0188-015	Drip pan (E-ONE style) for a roll-up door (EA). Location(s): R1.	\$ 387.00
3300-0188-016	Drip pan (E-ONE style) for a roll-up door (EA). Location(s): R2.	\$ 387.00
3300-0289-018	Door double vertical hinged w/rotary latches - painted . Location(s): R4 Includes latch handle extension installed on secondary door's interior latch with "PULL" tags using .125 plate.	\$ 1,650.00
3300-0368	Pull-down bungee type straps for full height and high side roll-up door(s) on body / pump module. For use with ROM and AMDOR doors only.	\$ -
3370-0247	Tracks for adjustable shelf and/or adjustable tray in a compartment. Location:	\$ 1,004.00
3370-0263	Adjustable shelf w/ HD front lip for non-transverse compartments. Location:	\$ 2,349.00
3390-0557	Partition, bolt-in vertical partition wall. Location:	\$ 902.00
3380-0508	Adjustable heavy duty tool board with 500 lbs. capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location:	\$ 9,064.00
3380-0566	Floor mounted aluminum SlideMaster roll-out/tilt down model MT with aluminum tray. Note: May require spacer/s on floor due to striker (With lift-up door, tray latch to be offset as required to clear striker). Location(s):	\$ 1,633.00
3380-0720	Floor mounted aluminum SlideMaster model AM3 with aluminum tray. Location(s):	\$ 2,414.00
3305-0034-000-13	Vinyl Black hose bed cover without rear flap(s). Requires rear cover option.	\$ 1,450.00
3305-0038-000-13	Vinyl Black crosslay cover top only.	\$ 515.00
3305-0353	Heavy duty black nylon cargo netting with airline style quick release buckles shall be installed at the rear apparatus hose bed.	\$ 1,493.00
3305-0419	Nylon black cargo net on sides for crosslay cover. Includes seat belt style buckles at each upper corner of flap attached to a lanyard pull release to extend down and join to a common pull point. Pulling lanyard shall release both buckles and allow net to drop down for rapid deployment.	\$ 830.00
3130-0723	Pump panel opening is 46" wide.	\$ -
3130-1087	Side mount pump module for aerials. Extruded aluminum with runningboards.	\$ 11,103.00
3134-0016	Stainless steel driver and officer side pump panels.	\$ -
3134-0143	Officer side pump panel to be vertical hinged on forward extrusion. Panel to be (3) pieces with upper (2) panels secured in the closed position with push button latches. Upper panel to be held open with gas shock.	\$ 338.00
3134-0152	The pump panels including gauge panels shall be coated with LINE-X.	\$ 2,572.00
4460-0003	Pump panel tags color coded per NFPA compliance.	\$ -
3136-0000-202	Air horn switch at pump panel. Switch to be labeled "Evacuation Alert". Location: driver side pump panel.	\$ 407.00
3136-0001	Backboard storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged diamond plate access door each side.	\$ 2,062.00
3136-0005	The crosslay divider(s) to be notched both ends for bail handle nozzles.	\$ 251.00
3136-0011	P-Rubber in flex joint(s) between pump module and/or body modules.	\$ 1,198.00
4010-0030	300 Gallon Water "T" Tank. For use with Aerial applications only.	\$ 10,151.00
4450-0011	2.5" tank fill Akron manual valve. At pump panel.	\$ 2,359.00
4450-0022	3" tank to pump Akron manual valve.	\$ 2,318.00
3365-0013-607	Center mounted ladder tunnel. Ladder rack to hold: (2)PEL-35, PEL-28, PEL-24, PRL-20, PRL-16 and FL-10 (with rubber block feet).	\$ 10,490.00
3330-0075-050	Slideout platform - SlideMaster. Location: below driver side pump panel.	\$ 3,549.00
3330-0484	Hansen knurled grip surface handrails shall be black in place of standard clear anodized handrails on body and pump module (as applicable). Handrails shall be anodized black from the factory.	\$ 2,098.00
3340-0027	Diamond plate corner guards for the driver and officer front compartment face. Guards to wrap around the corner and be full height of side assembly or to a max of 96".	\$ 437.00



3340-0093	Mud flaps, rear, black with E-ONE logo.	\$ 344.00
3340-0735-003	The L1 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-004	The L2 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-005	The L3 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-006	The L4 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-007	The L5 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-015	The R1 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-016	The R2 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-017	The R3 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0735-018	The R4 compartment to have .187" smooth plate floor IPO diamond plate.	\$ 368.00
3340-0975	Smooth plate painted tandem axle wheel well. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes.	\$ 6,251.00
3340-1632	Diamond plate corner guard for the rear compartment face forward of staircase(s). Guard to wrap around the corner. SideStacker or NPNT w/ side staircase aerial bodies only.	\$ -
3340-1648	Anodized aluminum trim on bottom edge of all body compartment openings including pump enclosure if applicable with painted edges.	\$ -
3340-2746	The painted SideStacker aerial body side panels shall be FRP overlays.	\$ -
3320-0018	SCBA Bottle Storage. (8) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (4) officer side and (4) driver side in wheel well area.	\$ 3,438.00
3320-0100	Strap, loop style to retain SCBA bottle(s). Locate one per bottle in each exterior body storage compartment.	\$ -
3320-0191	Door(s), Wheel Well storage area to be brushed stainless steel in place of standard.	\$ 671.00
4005-0033	Rating 2000 GPM	\$ -
4005-0196	Hale QMAX 1000-2250 GPM single stage pump. Requires primer option.	\$ 50,167.00
4475-0000	Pump certification 750-2250 GPM (or metric/imperial equivalent).	\$ 5,154.00
4015-0014	Thermal Relief Valve - Hale TRV120.	\$ 1,658.00
4015-0022	Mechanical pump seal - Hale.	\$ -
4015-0053-198	Steamers to be Flush + 1". Location: driver's side.	\$ -
4015-0053-199	Steamers to be Flush + 1". Location: officer's side.	\$ -
4015-0073	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location below running board on driver side (or area directly to rear of panel if no room below panel).	\$ -
4015-0210	Pump cooler with Innovative Control 1/4 turn valve with "T" handle and label.	\$ 329.00
4015-0242	Trident primer W/3 barrel push button control. For use with 1250 GPM and larger pumps. Requires 15.6 CFM or larger engine air compressor.	\$ 3,637.00
4015-0384	2-Button electric pump shift.	\$ -
4440-0005	2.5" Left Intake Akron Manual Valve.	\$ 2,216.00
4440-0006	2.5" Right intake Akron manual valve.	\$ 2,216.00
4445-0048	Intake pressure relief valve, Task Force Tips.	\$ 894.00
4415-0008	1.5" Front bumper discharge Akron manual valve.	\$ 3,140.00
4415-0012-654	1.5" Crosslay with Akron manual valve. Location: crosslay 1 & 2.	\$ 3,916.00
4415-0014-581	2.5" Left Pump Panel Discharge Akron Manual Valve. Location: left side discharge 1.	\$ 2,041.00
4415-0014-582	2.5" Left Pump Panel Discharge Akron Manual Valve. Location: left side discharge 2.	\$ 2,041.00
4415-0016-584	2.5" Right Pump Panel Discharge Akron Manual Valve. Location: right side discharge 2.	\$ 2,263.00
4415-0034-583	3" Right Pump Panel Discharge Akron Manual Valve (Waterous pumps noted location to be forward lower port). Location: right side discharge 1.	\$ 3,272.00
4415-0051	4" Waterway Discharge with 3" Akron Manual Valve.	\$ 4,529.00
4415-0058-655	2.5" Crosslay Akron Manual Valve. Location: crosslay 3.	\$ 2,359.00
4415-0176-210	Brass Swivel in Tray center front bumper for Front Bumper Discharge.	\$ -
4417-0175	Innovative Controls push/pull valve controls with locking T handles.	\$ -
4417-0177	Innovative Controls 3/4" bleeder/drain valve include 1/4 turn T-handle.	\$ -
4417-0185	Innovative Controls discharge and intake bezels with integral color code and verbiage for side mount pump panel.	\$ 983.00
4465-0011	Class 1 TPG pressure governor. Includes, water, oil, volt and tachometer.	\$ 4,483.00

4435-0347-527	IC 10 LED SL series/Whelen PSTank2 water tank level gauge package. Location of Whelen PSTank2 Strip Lights: each side of cab rear of front doors.	\$ 4,216.00
4435-0451	Innovative Controls TC Series 2.5" (63MM) pressure gauge with chrome bezel.	\$ 2,604.00
4435-0453	Innovative Controls TC Series 4" (100MM) Master pressure gauges with dual chrome bezel. Includes integrated test ports and alarm.	\$ 805.00
4435-0458	Pump panel pressure gauges to be 0-400 / Master Intake gauge to be 30-0-400.	\$ -
5010-0049	Vehicle data recorder - 2009 / 2016 / 2024 NFPA compliant. Includes occupant detection shown in multiplex display. E-ONE chassis only.	\$ 4,424.00
5010-0094	Nanoprotech (or equivalent) corrosion inhibiting spray coating to be applied on all exposed electrical connections.	\$ -
5010-0141	V-MUX2 DTD Electrical system for aerials.	\$ 13,977.00
5010-0144-649	7" UltraView display for multiplex electrical system. Location: driver's side engine cover.	\$ 4,774.00
5010-0145	HVAC Controlled through multiplex display(s). For use with VMUX DTD.	\$ -
5300-0543-034	Light bar Federal Signal Navigator model NVG25-0001 (PR). Includes (2) SLR red/white rotators and (1) red QL64 in each bar with clear lenses. Location: front cab corners	\$ 7,170.00
5300-0549	2" standard mount for mini front Federal Navigator light bars (4).	\$ 294.00
5550-0067	Flash rate for Federal QuadraFlare and/or FireRay LED lower level warning lights to be set at QuadFlash 75 - Simultaneous.	\$ 191.00
5600-0346	All warning lights to have black bezels ipo chrome where applicable.	\$ -
5600-0680-3RE-4T	Warning light Federal Signal FireRay model FR6 LED (PR) RED with CLEAR lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone front facing.	\$ 1,338.00
5600-0680-3RF-4T	Warning light Federal Signal FireRay model FR6 LED (PR) RED with CLEAR lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone forward side facing.	\$ 1,338.00
5600-0680-3RG-4T	Warning light Federal Signal FireRay model FR6 LED (PR) RED with CLEAR lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone midship side facing.	\$ 1,338.00
5600-0680-3RI-4T	Warning light Federal Signal FireRay model FR6 LED (PR) RED with CLEAR lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side NFPA/ULC required lower zone rear facing.	\$ 1,338.00
5600-0680-460-4T	Warning light Federal Signal FireRay model FR6 LED (PR) RED with CLEAR lenses (Note: Split LEDs are not available). Surface mounted with bezel. Location: (1) each side of cab centered over wheel well.	\$ 1,338.00
5600-0773-3RH-4T	Warning light Federal Signal Micro Pulse Ultra model MPS3 LED w/ bezel (PR) RED with CLEAR lenses. Location: (1) each side NFPA/ULC required lower zone rear side facing. Note: MicroPulse Series lights are only available with clear lenses.	\$ 718.00
5600-0850-170	Hazard (door ajar) light TecNiq S38 LED red. Location: center overhead.	\$ 165.00
5600-0904-290-4T	Federal Signal PRO LED beacon. Model 300TMP (PR) RED with CLEAR lenses. Location: above L2/R2 compartments offset rearward to supplement upper rear warnings.	\$ 1,691.00
5600-0904-479-4T	Federal Signal PRO LED beacon. Model 300TMP (PR) RED with CLEAR lenses. Location: rear upper body on aerial style brackets.	\$ 1,691.00
5500-0009	Federal PA300 electronic siren recessed (if applicable) mounted.	\$ 1,424.00
5500-0010-209	Federal Q2B siren - flush mounted in bumper. Location: driver side front bumper. Requires activation switch.	\$ 6,049.00
5500-0024-170	The primary electronic siren control is to be located center overhead.	\$ -
5500-0134	Federal Q2B and/or EQ2B siren - Black Chrome in place of standard.	\$ 1,130.00
5510-0029-211	Speaker, Federal Signal Dynamax ES100 with "E-ONE" grille through bumper. Location: officer side front bumper.	\$ 1,106.00
5150-0017	License plate light LED with chrome housing located at the rear of the body.	\$ 286.00
5150-0080-462	Weldon auxiliary turn signal model 9186-8580 LED (PR). Location: (1) each side in center of rear tandem wheel well.	\$ 574.00
5150-0207	Federal Signal FireRay LED horizontal mount taillights. Includes LED stop/tail, arrow turn and backup lights, individually mounted with weatherproof connectors.	\$ 2,032.00

5150-0232	Marker light package cab / body LED. Body lights to be .75" Dia for custom cab with aerial ladder or Mid-Mount platform only.	\$ 2,369.00
5380-0280	Ground light package TecNiq T440 4" LED - large.	\$ 1,650.00
5380-0285	Step light package body TecNiq T440 4" LED - small.	\$ 1,038.00
5380-0309	Compartment light package Hansen LED for large bodies. Includes one light per compartment (two if transverse).	\$ 5,351.00
5380-0315	Compartment light Hansen WHITE LED for medical cabinet (EA).	\$ 366.00
5380-0325	EON LED ladder tunnel light (EA).	\$ 473.00
5390-0007	Deck/scene light circuit wiring through chassis reverse. Requires rear deck or scene light.	\$ 253.00
5390-0169-457	Deck light FireTech, model FT-WL3500-FT LED (PR) with black housing. Switched with work light switch in cab. Location: (1) each side of body rear facing up high.	\$ 1,554.00
5390-0251	Hose bed light Federal Signal 64LEDSCENE. Locate at the front area of hose bed. Switched with work light switch in cab.	\$ 949.00
5400-0185	LED pump compartment light (EA).	\$ 146.00
5400-0224	Engine compartment light Optronics LED Series ILL22 (EA).	\$ 263.00
5400-0259	TecNiq model E10 pump panel LED light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$ 1,092.00
5100-0165	Audible door ajar alarm wired through door ajar light. For use with multiplex display(s) only.	\$ -
5350-0060	Diamond plate camera shield.	\$ 440.00
5350-0192	Safety Vision back-up camera wired through multiplex display. Video displays automatically when transmission is in reverse. Camera only - does not include monitor.	\$ 1,835.00
5350-0244-X45	FRC ACT 3-way aerial intercom to provide communications between the turntable control station, the aerial tip and driver side on forward most compartment face.	\$ 6,308.00
5350-0400	FireCom (4) position, (1) which is wireless. Intercom kit to include a digital intercom model 5200D, one (1) base transmit unit with up to 5 radio/intercom only transmission, (3) plug in modules and (4) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$ 8,899.00
5110-0017	Back-up alarm 97 dB.	\$ 218.00
5250-0026-128	Generator Smart Power 10KW hydraulic model ER110. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: officer side of open storage area.	\$ 35,170.00
5255-0001	Testing - Line voltage power source (generator / inverter) on units with rated water pump. (3rd Party)	\$ 192.00
5200-0002-474	Breaker Box 20 Place Single Phase. Includes main breaker. Locate L1 back wall horizontally mounted above offset.	\$ 1,842.00
5450-0805-063	FireTech FT-SL-GESM-B LED Pole Mount Guardian Elite Scene Light. Head only (Requires separate pole option). Location: officer side back of cab.	\$ 2,666.00
5450-0805-064	FireTech FT-SL-GESM-B LED Pole Mount Guardian Elite Scene Light. Head only (Requires separate pole option). Location: driver side back of cab.	\$ 2,666.00
5450-0915-063	FRC model 530 external push up pole. Includes up indicator switch (-SW). Requires seperate light head option. Location: officer side back of cab.	\$ 1,336.00
5450-0915-064	FRC model 530 external push up pole. Includes up indicator switch (-SW). Requires seperate light head option. Location: driver side back of cab.	\$ 1,336.00
5130-0002-872	Cord reel electric with 200' of 10/3 yellow cable. Locate ceiling mounted in driver side compt over front axle of rear tandem offset forward	\$ 4,862.00
5130-0014-872	Circle D wall/floor mounting box. Mount at final or ship loose (customer preference). For use with reel located in or on ceiling mounted in driver side compt over front axle of rear tandem offset forward.	\$ 301.00
5130-0024-392	Electric cord reel rewind switch. Switch located on wall near cord reel.	\$ 407.00
5130-0028	Rollers, captive for cord reel mounted on reel. May include a bracket (as required).	\$ 710.00
5130-0042-872	Junction box Circle-D with four (4) 3-wire Nema 5-20 110Volt 20 Amp duplex receptacles. Located on cord for reel in ceiling mounted in driver side compt over front axle of rear tandem offset forward.	\$ 1,650.00
6100-0170	Ladder CR100 with waterway. Includes fabricated SideStacker style turntable deck, left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$ 546,538.00

6150-0003-216	Gauge aerial hydraulic oil level. Electronic display to be located on pump operator's panel.	\$ 1,177.00
6150-0020	Aerial hydraulic pump to be upgraded to a variable displacement style pump with a drive through provision. For use with Harrison and Smartpower up to 10kw and Onan up to 15 kw. On 6-jack HP95MM up to 10kw Harrison generator only and requires 260" WB.	\$ 5,239.00
6850-0031	Advanced Aerial Control System - Ladder deluxe. Includes color display at turntable, body protection, wway flow / pressure, cradle and rung alignment indicators, air horn sw and monitor stow / deploy.	\$ 53,562.00
6300-0041	Monitor controls on pump operators panel. Requires AACS on platforms. Note: Grayhill switchpad will be provided on units with AACS.	\$ 1,742.00
6300-0145	Monitor on aerial ladder to be upgraded for extended elevation range. For use with Akron StreamMaster II, Elkhart Cobra EXM and Boa EXM and TFT Flex monitors only.	\$ 292.00
6300-0234	Monitor TFT Flex electric for ladder. Includes shut off valve at tip (VUM) with 2.5" discharge elbow and monitor controls at tip and base. Monitor and VUM have a powder coated silver finish. Requires 6300-0245 interface with direct hyd aerial controls. Requires separate nozzle option and high flow W/W relief vlv (6350-0159 on rear mount).	\$ 22,993.00
6300-0240	Nozzle TFT 1500 GPM automatic (electric). For use with Flex electric monitor(s).	\$ 3,529.00
6350-0000	Pinned waterway - upgrade. Waterway pins to section 2 or 3 on HP75 / HP78 and to section 3 or 4 on LTH100, HM100, HR100 and CR100.	\$ 14,792.00
6350-0005	Rear 4" NST waterway inlet for rear mounted aerials. Includes chrome cap.	\$ 2,050.00
6350-0159	Waterway pressure relief valve to be Trident Air Max IPOS. Includes two intake relief valves and single controller with adjustment knob and pressure gauge. For use on ladders with tip valve option.	\$ 2,873.00
6350-0162	Innovative Controls TC Series 2.5" (63MM) waterway inlet pressure gauge (0-400) with chrome bezel.	\$ 290.00
6550-0080	Outrigger warning lights (4) LED. Whelen M6V2RC Super LED.	\$ 6,737.00
6560-0041	Whelen LED model PFBP12C at base (PR).	\$ 2,483.00
6560-0081-000-03	Ladder climbing lights Luma-Bar Pathfinder LED strip for 4 section aerial (both sides). Color: Blue.	\$ 17,839.00
6560-0203-231	FireTech model FT-WL-X-9-FT-B-SH2 LED flood/spot light with black housing. Includes switch on lighthouse and turntable console. Location: left side tip.	\$ 1,690.00
6560-0203-232	FireTech model FT-WL-X-9-FT-B-SH2 LED flood/spot light with black housing. Includes switch on lighthouse and turntable console. Location: right side tip.	\$ 1,690.00
6570-0024	Laser jack pad spotting lights (4).	\$ 9,283.00
6500-0149-1CE-DQ	Stokes basket storage brackets for use with CMC Model 726101 Stokes. The stokes basket shall mount to the base section on the left side towards front. Stokes not included.	\$ 781.00
6500-0165-139	PAC TRAC positive locking brackets (PR) for (1) 6' pike pole. Location: right side fly section.	\$ 698.00
6500-0172	Lifting eyes each side at ladder tip. Rating is 250 lbs ea / 500 lbs pr.	\$ 1,451.00
6600-0035-248	Lift out slim profile style roof ladder bracket. Locate outside base section for a PRL/DRL-14 on left side of base section. Available on 95RM, 110, CR100/137, HR100 and LTH100.	\$ 3,626.00
6750-0002-000-39	Aerial sign plates 22 x 144 (PR) painted non-metallic color. Does not include lettering. Color: Job Color.	\$ 3,812.00
6900-0000	Aerial flow test - 3rd party.	\$ 922.00
6900-0007	Aerial NFPA certification.	\$ 7,321.00
7400-0004	Elbow 30 degree chrome swivel w/2.5"FNST x 2.5"MNST.	\$ 621.00
7800-0002	Alco-Lite FL-10, 10' folding ladder without shoes.	\$ 530.00
7800-0007	Alco-Lite PRL-14' roof ladder.	\$ 891.00
7800-0010	Alco-Lite PRL-16' roof ladder.	\$ 1,071.00
7800-0016	Alco-Lite PEL-24' 2-section extension ladder.	\$ 1,813.00
7800-0021	Alco-Lite PEL-28' extension ladder.	\$ 2,354.00
7800-0024	Alco-Lite PEL-35' extension ladder.	\$ 5,839.00
7800-0038	Alco-Lite PRL-20' roof ladder.	\$ 1,259.00
7900-0014	DOT Required Drive Away Kit - Kit includes three (3) triangular warning reflectors with carrying case. This kit is for the end user and is to remain with the truck.	\$ 69.00
7900-0210	FireCom headset. One (1) model UH-51 (intercom ordered separately).	\$ 1,027.00
7900-0215	FireCom headset. One (1) model UH-54 (intercom ordered separately).	\$ 2,053.00

7900-0291	FireCom model UHW505 under helmet wireless radio transmit headset.	\$ 2,163.00
8100-0062	Paint Sample Spray Out - Dealer is responsible for returning written approval prior to order release. Base color of cab / chassis. Qty one in BOM will supply a pair of paint samples (one for dealer/customer, one for factory).	\$ 241.00
8100-0084	All applicable pump/pre-connect application modules are to have a job color finish. Includes upper and lower pump modules, crosswalk module and/or speedlay/pre-connect module (as applicable). Rear mounted body/pump module to be painted job color.	\$ 1,245.00
8100-0116	Rear body surface to have a sanded finish (not painted job color). Includes hinged doors that do not have discrete sales codes and removable panels.	\$ -
8100-0354	Paint lift cylinders, extension cylinders and upper turntable steelwork primary job color (does not apply to TT deck).	\$ -
8100-0838	PPG brand paint will be used on the E-ONE supplied components.	\$ -
8100-0841	Paint Body - Large - For Aerials, T/A Tankers, Rear Mounts and Rescues (non-metallic) paint. Color:	\$ 8,638.00
8100-0851	Paint E-ONE cab - (non-metallic) paint. Color:	\$ 11,327.00
8150-0011	The interior of the cab to be painted multi-tone gray finish.	\$ -
1160-0149	LINE-X bumper package: Includes all visible diamond plate/smooth aluminum surfaces including gravel shield, exterior surface of trays and lids(flat or raised). If equipped, exterior of the fabricated booster reel housing, fabricated box for booster reel rollers and winch access door shall be included in this package.	\$ 1,813.00
1640-0036	LINE-X package for custom cab steps: Includes cab step wells (everything below the cab floor) and all welded and bolt on steps including stirrup and swing out steps as applicable. Steps hanging below the cab shall have LINE-X coating inside and outside. DEF tank door or any other access doors are also included in this package if located in the step well area below the cab floor.	\$ 1,853.00
1675-0217	LINE-X package for custom cab roof: All roof plate surfaces including the rear lip over the back wall and trough plates if applicable shall have LINE-X coating. All plate work (risers, boxes, etc) fabricated at E-ONE and installed on the roof shall be included in this package.	\$ 3,377.00
1675-0219	LINE-X package for custom cab fenderettes.	\$ 293.00
3130-0645	LINE-X package for side mount pump module: Includes exterior surfaces of all running boards (including speedlay running boards if applicable), integral running board platforms (underbody style not included), exterior surface of runningboard trays and lids, intermediate steps and all fabricated mounting plates installed under the module or body for plumbing options like drains, bleeders, etc. as applicable.	\$ 911.00
3340-1017	LINE-X package for Tandem Axle Aerial, see specification for details.	\$ 16,349.00
3340-1019	LINE-X package for Aerial body miscellaneous parts: Includes wheel well plates, outrigger covers, diamond plate filler panels, diamond plate fuel fill doors and aerial control doors as applicable.	\$ 2,032.00
6100-0086	LINE-X package for Aerial turntable deck access steps only.	\$ 1,855.00
6100-0174	LINE-X package for Aerial Turntable: Includes turntable console and hinged cover only, installed on the turntable.	\$ 1,205.00
8100-0495	LINE-X: One or more components installed on this unit shall have LINE-X coating. Color shall be Black unless otherwise specified.	\$ -
8175-0133	Poly-Elastomer (Line-X) coating shall be applied on the exterior of the body or cab as specified by the customer. Up to three (3) square feet of surface will be to painted. (EA)	\$ 957.00
8175-0134	Poly-Elastomer (Line-X) coating shall be applied on the exterior of the body as specified by the customer. From four (4) to eight (8) square feet of surface will be to painted. (EA)	\$ 901.00
8300-0001	NFPA required reflective striping to be dealer/customer applied.	\$ -
8300-0101	Black rubrail scotchlite insert.	\$ 438.00
8300-0146-000-J7	Chevron "A" style 6" 3M "Diamond Grade" striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be Red/Fluorescent Yellow Green.	\$ 4,825.00
8300-0166-000-J7	Diamond Grade reflective tape on (4) outriggers. Striping to alternate in an "A" pattern when viewed from the front or rear of the truck. Colors to be: Red/Fluorescent Yellow Green.	\$ 1,792.00

8300-0381	Yellow perimeter marking to indicate designated standing / walking areas above 48" high in compliance with NFPA 1900/1901 consisting of individual Reflexite diamonds approximately 1" wide. Steps, ladders and areas with a railing or structure at least 12" high are excluded from this requirement.	\$ -
8400-0033	Logo E-ONE (PR) on aerial lift cylinder. Logo to be sign gold material approx 14" long located midway along outward surface of cylinder.	\$ 178.00
9100-0102	Meritor 5 year unlimited miles, parts and labor rear drive single or rear drive tandem axle warranty.	\$ -
9100-0104	Dana 5 year unlimited miles, parts and labor front axle warranty.	\$ -
9100-0117	General One (1) year or 24,000 Miles Limited Warranty (RFW0001)	\$ -
9100-0126	Custom chassis One (1) Year or 18,000 Miles Limited Warranty (RFW0101).	\$ -
9100-0132	Electrical One (1) Year or 18,000 Miles Limited Warranty (RFW0201).	\$ -
9100-0135	Aerial Ladder Structure Twenty (20) years or 100,000 Miles Limited Warranty (RFW0403).	\$ -
9100-0136	Body Structure Aluminum Ten (10) years or 100,000 Miles Limited Warranty (RFW0502).	\$ -
9100-0138	Cab Structural Ten (10) Years or 100,000 Miles Limited Warranty (RFW0602).	\$ -
9100-0139	Plumbing and piping (Stainless Steel) Ten (10) years or 100,000 Miles Limited Warranty (RFW0800).	\$ -
9100-0140	Paint and Finish (Exterior Clear coated) Ten (10) Years Limited Warranty (RFW0710).	\$ -
9100-0165	Frame Rail Lifetime (50) Years or 250,000 Miles Limited Warranty (RFW0305).	\$ -
9100-0168	Regulated Emissions Systems Ten (10) Years or 450,000 Miles or 22,000 Engine Hours Limited Warranty (RFW0144).	\$ -
9100-0169	Regulated Emissions Two (2) Year or 24,000 Miles Tire Warranty (RFW0145).	\$ -
9100-0170	Regulated Emissions Five (5) Year or 100,000 Miles AC Leak Warranty (RFW0146).	\$ -
9300-0000	Vehicle familiarization aerial (Domestic). 3 consecutive days. Use 9300-0315 for additional days.	\$ 12,494.00
9300-0009	Manuals, Operator and Service in digital format.	\$ 695.00
9300-0012	Pump panel approval drawings. Will be provided on purchased units prior to construction.	\$ -
9300-0016	Approval Drawings-Standard.	\$ -
9300-0031	Dash/Console panel layout approval drawings. Will be provided on purchased units prior to construction.	\$ -
9300-0316	Fire Apparatus Safety Guide published by FAMA, latest edition.	\$ -