

Mangum Regional

Project Description

*Mangum Regional Hospi
access for data mining &
network accessible devic*

Instructions: RFQ Disc

*All quoted equipment mu
Vendor Response Sectic
listed as optional; vendor
licensing, etc... Vendor's
OWNERSHIP FOR FUN*

Total 5-Year Proposal F

*Proposal Price MUST inc
including, but not limited*

Total Proposal Price:

Vendor Agreement

Please ensure that includ
If deployed monitoring sy

Vendor Name:

Authorized Signatory

Name:

Title:

Signature

Mangum Regional Hospital Patient Monitoring System Requirements (Networking, Server, Software Licensing, Integration, Test Environment & Professional Services Req's)		Does QUOTED item FULLY comply w/ Required Bid Specs & Guidelines as STATED BY HOSPITAL?			If quoted product varies in name, description or functionality from that requested, provide complete and accurate description	Extended Price
		Yes	No	Partial		
Networking	<p>Hard Wired : It is preferred that all Physiologic Monitoring equipment will reside on the HOSPITAL LAN. Hospital will provide network drops at each monitor, & central location. If vendor requires proprietary network, it is the sole responsibility of equipment vendor to disclose and include all costs of design & labor to create this network. ALL COSTS FOR FUNCTIONING NETWORK MUST BE INCLUDED HEREIN</p>	x			<p>customer choosing to pull their own cable have the following responsibilities Customer is responsible for: Purchasing cable and hardware as required; Pulling the cable runs per specified drawing; Testing the cable runs and providing a verification report ; Hanging the network equipment in locations specified by the design</p>	see quote
	<p>Wireless : It is preferred that all Physiologic (Transport) Monitoring equipment will reside on the HOSPITAL 802.11 WLAN. If vendor requires proprietary network, it is the sole responsibility of equipment vendor to disclose and include all costs of design & labor to create this network. ALL COSTS FOR FUNCTIONING NETWORK MUST BE INCLUDED HEREIN Hospital will provide a wireless site survey and cable pulling.</p>		x		<p>Covers cable pulls, access points, & material for the installation, setup of a 2.4/5GHz network Quantity equals the total square footage of the coverage area divided by 100. Customer pulling their own cable qualifies for a 35% discount off list price.</p>	see quote
	<p>Telemetry : It is REQUIRED that telemetry equipment will reside on a 1.4GHZ WMTS network. 608MHz and / or Wi-Fi telemetry will not be accepted or considered. It is the responsibility of equipment vendor to cover all costs and labor to create this network except for cable pulling. Hospital will provide cable pulling.</p>	x				see quote
	<p>WAN Connectivity to ALL Mangum Regional Hospital facilities: Vendor must provide the ability for equipment to communicate across the hospital wide area network to remotely monitor patient monitoring devices and capture all data required in the sections below. This includes capturing data from all monitored departments through Mangum Regional Hospital.</p>	x				see quote
	<p>Traffic Segmentation : It is preferred that all vendor equipment residing on the Mangum Regional Hospital network will be segmented onto its own VLAN.</p>	x				see quote
	<p>Remote Displays : HOSPITAL to provide network for remote displays including audio-video transmitters/receivers and cable for connectivity from central stations to the associated remote displays. HOSPITAL will also provide the TV's/Displays and mounts for these remote displays.</p>					
Servers	<p>Server Location: Vendor must provide Network architecture, including all server infrastructure, WAN / LAN requirements, physical location requirements, data flow diagram, and EMR [CPSI] integration, as specified by Mangum Regional Hospital IT staff</p>	x				see quote
	<p>Server Virtualization : Vendor is allowed to utilize hospital's virtual server environment. Vendors must provide access to their software to hospital Clinical Engineering & IT personnel for support.</p>		x		Gateway server quoted as virtual. Mindray . Server install will build 1/2 rack or use existing 1/2 rack.	see quote
	<p>Physical Servers : In the event vendor doesn't support virtualization, vendor is required to provide all servers necessary for the operation and interfacing of their system. This includes redundant servers. Vendors must provide access to their servers & software to hospital Clinical Engineering & IT personnel for support.</p>	x				see quote
Software Licensing	<p>Device Interfacing/Integration : Vendors shall provide licensing for ALL devices included in this RFP to communicate with the electronic medical record.</p>	x				see quote
	<p>Device Software : Vendors shall provide licensing for "unlimited" software updates, for the life of the system, required for interoperability in the event additional items are purchased in the future. This includes monitor, central and server software.</p>	x				see quote
	<p>Patient Data Transfer : CONTINUOUS FULL DISCLOSURE RECORD ACROSS ALL DEPTS. System shall provide continuous Full Disclosure record for ALL monitoring devices (telemetry, bedside, wireless), across ALL departments, including those where central monitors are not required in hospital provided specifications. All Full Disclosure records MUST be accessible from any central monitor located on patient monitoring network. This is a site license.</p>	x				see quote
	<p>Remote Access Software : Vendors will provide Remote Access ability from any mobile device or hospital PC, for unlimited users (or as specified in dept tabs), this remote access must be available for ALL quoted bedside monitors, compact monitors, and telemetry. Data to be available to remote users include: Raw Waveforms, Arrhythmia Analysis, Alarms, Custom Trend Creation & Display (Graphical and Tabular), Diagnostic 12 Lead EKG Reports with interpretation, Saved Events, Printed Item Audit Trail (Auto and Manual). Additionally, user must have ability to print the following all required data from any PC connected to the HOSPITAL network. This may be accomplished through a web interface or client application.</p>	x			CMS viewer quoted	see quote
Integration	<p>ADT Integration: Vendor to provide ADT connection to the Mangum Regional Hospital ADT system.</p>	x				see quote
	<p>Barcode Scanning: allows all quoted bedside monitors, compact monitors, transport monitors, and central monitors to utilize hospital provided barcode scanner for patient admission through ADT integration</p>	x				see quote
	<p>Electronic Strip Export to EMR [CPSI]: All bedside, compact, transport, and central monitors must print electronic waveform strip (pdf) and reports directly to EMR [CPSI] patient folder</p>	x			Print to PDF set up quoted	see quote
	<p>Alarm / Event Notification System : All monitoring devices must be able to transmit alarms to the middleware communication system allowing for alarms to be forwarded on to clinician phones.</p>			x	additional fees might be experienced due to 3rd party requirements.	see quote
	<p>EMR [CPSI] Interface via HL7: This interface allows for transmission of numerics to the EMR [CPSI] system</p>	x				see quote
	<p>Full Disclosure Integration with EMR [CPSI]: Allows vendor's full disclosure application to be opened "in context" within the EMR [CPSI] view a staff member will be accessing.</p>	x				see quote
Test System	<p>Vendor will provide a separate test system for validating all interfaces listed above as well as remote access. HOSPITAL will provide information regarding test requirements as well as the virtual space requirements for the test system.</p>	x				see quote
Professional Services	<p>Vendors will provide a project manager to manage and coordinate all aspects of the project. Please include all costs for design and travel, implementation, and all other associated professional services required for a successful implementation and go-live.</p>	x				see quote
	<p>Vendors will provide project plan with minimal disruption to existing patient monitoring devices until new network goes live.</p>	x				see quote

Mangum Regional Hospital

*surprise-level
note Clinician*

Patient Monitor RFP Product Disclosure

MINIMUM REQUIRED BID SPECIFICATIONS & GUIDELINES

As a reference of standard of quality, functionality and operation, the Hospital requests that bids be based on the specific products listed below. All equipment will be NEW and of the bidding manufacturer's most current model utilizing their latest technology. Vendor must include details for satisfactory



Hospital: **Mangum Regional Hospital- Mangum, OK**

Extended Price

Central Monitors and / or Full Disclosure

Number of Nurses Stations in Unit Requiring Centrals (touchscreens ≥22")	
Total Number of Centrally Monitored Patients per Nurses Station #1	
Total Number of Centrally Monitored Patients per Nurses Station #2	
Total Number of Centrally Monitored Patients per Nurses Station #3	
Total Number of Centrally Monitored Patients per Nurses Station #4	
Total Number of Centrally Monitored Patients per Nurses Station #5	
Total Number of Centrally Monitored Patients per Nurses Station #6	
Central Station Remote Display (non-functioning), ≥22"	
Remote Full Disclosure Terminals / Workstations (in addition to central monitors)	
Uninterruptible Power Supply (UPS)	
≥72-hour Full Disclosure at all Central Stations	
≥72-hour Full Disclosure capture all monitored parameters (bed quantity)	

Bedside & Transport Monitors



HIGH-ACUITY Bedside 8 trace, ≥19" touch screen	
HIGH-ACUITY Bedside 6 trace, ≥17" touch screen	
MID-ACUITY Bedside 6 traces, ≥15" touch screen	
MID-ACUITY Bedside 6 traces, ≥12" touch screen	
MID-ACUITY Bedside 6 traces, ≥12" touch screen	
LOW-ACUITY Bedside 4 trace, ≥12" touch screen	
MID-ACUITY Bedside 6 traces, ≥8" touch screen	
LOW-ACUITY Bedside 4 trace, ≥8" touch screen	
LOW-ACUITY, Non-ECG Vital Signs Monitor, ≥7" touch screen	
Secondary Configurable Display (or Dock w/ Display) 8 trace, ≥19" touch screen	
Add 802.11 wireless / Wi-Fi for portable or transport	
Transport 802.11 Wireless Coverage Area (hospital or dedicated WLAN - provide plans)	
Mounts (provide description)	
Mounts (provide description)	

Bedside Monitor Acuity Options

ECG	
Basic Cardiac Arrhythmia	
Advanced Cardiac Arrhythmia	
ST-segment Analysis	
Custom Trending (Sepsis, ST, Histograms, etc.)	
Respiration	
Nellcor / Covidien Pulse oximetry	
Masimo Pulse oximetry	
NIBP	
2 invasive pressure capability, at each bedside monitor	
4 invasive pressure capability, at each bedside monitor	
Core temperature (surface - rectal) at each bedside monitor	
Cardiac Output - thermodilution, at each bedside monitor	
12-lead ECG - interpretive & diagnostic	
ETCO2 stationary bedside (# of modules & sensors / beds equipped for concurrent use)	
ETCO2 functional on transport (# of modules & sensors / beds equipped for concurrent use)	
BISx (# of modules / beds equipped for concurrent use)	
Multi-Gas / Anesthetic Gas Analysis	
SVO2	
ECG 3 lead cable & lead wires (snap or clip)	
ECG 5 lead cable & lead wires (snap or clip)	
ECG 12 lead cable & lead wires (snap or clip)	
Supplies: ALL required cables, wires, accessories for functional go-live (Qty indicates# weeks)	

Telemetry

Workflow: Device, Communication, Documentation Management System	
ECG only	
ECG & Pulse Oximetry	
Integrated Display	
Basic Cardiac Arrhythmia	

Mangum Regional Hospital Patient Monitor RFP Product Disclosure MINIMUM REQUIRED BID SPECIFICATIONS & GUIDELINES		Mangum Regional Hospital enterprise-wide Bedside Monitors & Telemetry with Seamless Patient Full Disclosure (Data Transfer) across all departments, Ent patient data aggregation and access for data mining & reports, Mangum Regional Hospital / Enterprise-Level Bi-Directional Vital Signs & ADT Integration, Rer Access to monitor data from any networked or network accessible device									
As a reference of standard of quality, functionality and operation, the Hospital requests that bids be based on the specific products listed below. All equipment will be NEW and of the bidding manufacturer's most current model utilizing their latest technology.		VENDOR RESPONSE SECTION Vendor Response Section MUST be completed in full for consideration; all products must precisely align with official quote; requested items must be included in official quote total and may NOT be listed as optional; ve any/all additional items required for fully functioning solution; including, but not limited to network, design, Professional Services, installation, hardware, software, licensing, etc... Vendor's representative shall be responsible for installation of the complete and functioning system. ALL VENDOR QUOTES MUST INCLUDE 5-YEAR TOTAL COST OF OWNERSHIP FOR FUNCTIONING SOLUTION AS SPECIFIED									
  Hospital: Mangum Regional Hospital- Mangum, OK	ISO/COVID		Does QUOTED item FULLY comply w/ Required Bid Specs & Guidelines as STATED BY HOSPITAL?			If quoted product varies in name, description or functionality from that requested, provide complete and accurate description		Specific Product Quoted			
	Configuration 08/03/20	Confirmed by Daniel/Zach	Yes	No	Partial	Details / Functional Description		Qty	Model / Part #	Product Name	
Central Monitors and / or Full Disclosure											
Number of Nurses Stations in Unit Requiring Centrals (touchscreens ≥22")											
Total Number of Centrally Monitored Patients per Nurses Station #1											
Total Number of Centrally Monitored Patients per Nurses Station #2											
Total Number of Centrally Monitored Patients per Nurses Station #3											
Total Number of Centrally Monitored Patients per Nurses Station #4											
Total Number of Centrally Monitored Patients per Nurses Station #5											
Total Number of Centrally Monitored Patients per Nurses Station #6											
Central Station Remote Display (non-functioning), ≥22"											
Remote Full Disclosure Terminals / Workstations (in addition to central monitors)											
Uninterruptible Power Supply (UPS)											
≥72-hour Full Disclosure at all Central Stations											
≥72-hour Full Disclosure capture all monitored parameters (bed quantity)											
Bedside & Transport Monitors											
HIGH-ACUITY Bedside 8 trace, ≥19" touch screen											
HIGH-ACUITY Bedside 6 trace, ≥17" touch screen											
MID-ACUITY Bedside 6 traces, ≥15" touch screen											
MID-ACUITY Bedside 6 traces, ≥12" touch screen											
MID-ACUITY Bedside 6 traces, ≥12" touch screen											
LOW-ACUITY Bedside 4 trace, ≥12" touch screen											
MID-ACUITY Bedside 6 traces, ≥8" touch screen											
LOW-ACUITY Bedside 4 trace, ≥8" touch screen											
LOW-ACUITY, Non-ECG Vital Signs Monitor, ≥7" touch screen											
Secondary Configurable Display (or Dock w/ Display) 8 trace, ≥19" touch screen											
Add 802.11 wireless / Wi-Fi for portable or transport											
Transport 802.11 Wireless Coverage Area (hospital or dedicated WLAN - provide plans)											
Mounts (provide description)											
Mounts (provide description)											
Bedside Monitor Acuity Options											
ECG											
Basic Cardiac Arrhythmia											
Advanced Cardiac Arrhythmia											
ST-segment Analysis											
Custom Trending (Sepsis, ST, Histograms, etc.)											
Respiration											
Nellcor / Covidien Pulse oximetry											
Masimo Pulse oximetry											
NIBP											
2 invasive pressure capability, at each bedside monitor											
4 invasive pressure capability, at each bedside monitor											
Core temperature (surface - rectal) at each bedside monitor											
Cardiac Output - thermodilution, at each bedside monitor											
12-lead ECG - interpretive & diagnostic											
ETCO2 stationary bedside (# of modules & sensors / beds equipped for concurrent use)											
ETCO2 functional on transport (# of modules & sensors / beds equipped for concurrent use)											
BISx (# of modules / beds equipped for concurrent use)											
Multi-Gas / Anesthetic Gas Analysis											
SVO2											
ECG 3 lead cable & lead wires (snap or clip)											
ECG 5 lead cable & lead wires (snap or clip)											
ECG 12 lead cable & lead wires (snap or clip)											
Supplies: ALL required cables, wires, accessories for functional go-live (Qty indicates# weeks)											
Telemetry											
Workflow: Device, Communication, Documentation Management System											
ECG only											
ECG & Pulse Oximetry											
Integrated Display											
Basic Cardiac Arrhythmia											

Mangum Regional Hospital

*surprise-level
note Clinician*

Patient Monitor RFP Product Disclosure

MINIMUM REQUIRED BID SPECIFICATIONS & GUIDELINES

As a reference of standard of quality, functionality and operation, the Hospital requests that bids be based on the specific products listed below. All equipment will be NEW and of the bidding manufacturer's most current model utilizing their latest technology. Vendor must include bid price for satisfactory



Hospital: Mangum Regional Hospital- Mangum, OK

Extended Price

Central Monitors and / or Full Disclosure

Number of Nurses Stations in Unit Requiring Centrals (touchscreens ≥22")	
Total Number of Centrally Monitored Patients per Nurses Station #1	
Total Number of Centrally Monitored Patients per Nurses Station #2	
Total Number of Centrally Monitored Patients per Nurses Station #3	
Total Number of Centrally Monitored Patients per Nurses Station #4	
Total Number of Centrally Monitored Patients per Nurses Station #5	
Total Number of Centrally Monitored Patients per Nurses Station #6	
Central Station Remote Display (non-functioning), ≥22"	
Remote Full Disclosure Terminals / Workstations (in addition to central monitors)	
Uninterruptible Power Supply (UPS)	
≥72-hour Full Disclosure at all Central Stations	
≥72-hour Full Disclosure capture all monitored parameters (bed quantity)	

Bedside & Transport Monitors

HIGH-ACUITY Bedside 8 trace, ≥19" touch screen	
HIGH-ACUITY Bedside 6 trace, ≥17" touch screen	
MID-ACUITY Bedside 6 traces, ≥15" touch screen	
MID-ACUITY Bedside 6 traces, ≥12" touch screen	
MID-ACUITY Bedside 6 traces, ≥12" touch screen	
LOW-ACUITY Bedside 4 trace, ≥12" touch screen	
MID-ACUITY Bedside 6 traces, ≥8" touch screen	
LOW-ACUITY Bedside 4 trace, ≥8" touch screen	
LOW-ACUITY, Non-ECG Vital Signs Monitor, ≥7" touch screen	
Secondary Configurable Display (or Dock w/ Display) 8 trace, ≥19" touch screen	
Add 802.11 wireless / Wi-Fi for portable or transport	
Transport 802.11 Wireless Coverage Area (hospital or dedicated WLAN - provide plans)	
Mounts (provide description)	
Mounts (provide description)	

Bedside Monitor Acuity Options

ECG	
Basic Cardiac Arrhythmia	
Advanced Cardiac Arrhythmia	
ST-segment Analysis	
Custom Trending (Sepsis, ST, Histograms, etc.)	
Respiration	
Nellcor / Covidien Pulse oximetry	
Masimo Pulse oximetry	
NIBP	
2 invasive pressure capability, at each bedside monitor	
4 invasive pressure capability, at each bedside monitor	
Core temperature (surface - rectal) at each bedside monitor	
Cardiac Output - thermodilution, at each bedside monitor	
12-lead ECG - interpretive & diagnostic	
ETCO2 stationary bedside (# of modules & sensors / beds equipped for concurrent use)	
ETCO2 functional on transport (# of modules & sensors / beds equipped for concurrent use)	
BISx (# of modules / beds equipped for concurrent use)	
Multi-Gas / Anesthetic Gas Analysis	
SVO2	
ECG 3 lead cable & lead wires (snap or clip)	
ECG 5 lead cable & lead wires (snap or clip)	
ECG 12 lead cable & lead wires (snap or clip)	
Supplies: ALL required cables, wires, accessories for functional go-live (Qty indicates# weeks)	

Telemetry

Workflow: Device, Communication, Documentation Management System	
ECG only	
ECG & Pulse Oximetry	
Integrated Display	
Basic Cardiac Arrhythmia	

Mangum Regional Hospital

*surprise-level
note Clinician*

Patient Monitor RFP Product Disclosure

MINIMUM REQUIRED BID SPECIFICATIONS & GUIDELINES

As a reference of standard of quality, functionality and operation, the Hospital requests that bids be based on the specific products listed below. All equipment will be NEW and of the bidding manufacturer's most current model utilizing their latest technology. Vendor must include a price for satisfactory



Hospital: **Mangum Regional Hospital- Mangum, OK**

Extended Price

Central Monitors and / or Full Disclosure

Number of Nurses Stations in Unit Requiring Centrals (touchscreens ≥22")	
Total Number of Centrally Monitored Patients per Nurses Station #1	
Total Number of Centrally Monitored Patients per Nurses Station #2	
Total Number of Centrally Monitored Patients per Nurses Station #3	
Total Number of Centrally Monitored Patients per Nurses Station #4	
Total Number of Centrally Monitored Patients per Nurses Station #5	
Total Number of Centrally Monitored Patients per Nurses Station #6	
Central Station Remote Display (non-functioning), ≥22"	
Remote Full Disclosure Terminals / Workstations (in addition to central monitors)	
Uninterruptible Power Supply (UPS)	
≥72-hour Full Disclosure at all Central Stations	
≥72-hour Full Disclosure capture all monitored parameters (bed quantity)	

Bedside & Transport Monitors

HIGH-ACUITY Bedside 8 trace, ≥19" touch screen	
HIGH-ACUITY Bedside 6 trace, ≥17" touch screen	
MID-ACUITY Bedside 6 traces, ≥15" touch screen	
MID-ACUITY Bedside 6 traces, ≥12" touch screen	
MID-ACUITY Bedside 6 traces, ≥12" touch screen	
LOW-ACUITY Bedside 4 trace, ≥12" touch screen	
MID-ACUITY Bedside 6 traces, ≥8" touch screen	
LOW-ACUITY Bedside 4 trace, ≥8" touch screen	
LOW-ACUITY, Non-ECG Vital Signs Monitor, ≥7" touch screen	
Secondary Configurable Display (or Dock w/ Display) 8 trace, ≥19" touch screen	
Add 802.11 wireless / Wi-Fi for portable or transport	
Transport 802.11 Wireless Coverage Area (hospital or dedicated WLAN - provide plans)	
Mounts (provide description)	
Mounts (provide description)	

Bedside Monitor Acuity Options

ECG	
Basic Cardiac Arrhythmia	
Advanced Cardiac Arrhythmia	
ST-segment Analysis	
Custom Trending (Sepsis, ST, Histograms, etc.)	
Respiration	
Nellcor / Covidien Pulse oximetry	
Masimo Pulse oximetry	
NIBP	
2 invasive pressure capability, at each bedside monitor	
4 invasive pressure capability, at each bedside monitor	
Core temperature (surface - rectal) at each bedside monitor	
Cardiac Output - thermodilution, at each bedside monitor	
12-lead ECG - interpretive & diagnostic	
ETCO2 stationary bedside (# of modules & sensors / beds equipped for concurrent use)	
ETCO2 functional on transport (# of modules & sensors / beds equipped for concurrent use)	
BISx (# of modules / beds equipped for concurrent use)	
Multi-Gas / Anesthetic Gas Analysis	
SVO2	
ECG 3 lead cable & lead wires (snap or clip)	
ECG 5 lead cable & lead wires (snap or clip)	
ECG 12 lead cable & lead wires (snap or clip)	
Supplies: ALL required cables, wires, accessories for functional go-live (Qty indicates# weeks)	

Telemetry

Workflow: Device, Communication, Documentation Management System	
ECG only	
ECG & Pulse Oximetry	
Integrated Display	
Basic Cardiac Arrhythmia	

Mangum Regional Hospital Patient Monitoring System Requirements 1.4GHz WMTS Telemetry Coverage Area			Does QUOTED item FULLY comply w/ Required Bid Specs & Guidelines as STATED BY HOSPITAL?			If quoted product varies in name, description or functionality from that requested, provide complete and accurate description	Extended Price
Building	Department	Coverage Area (Sq. Ft.)	Yes	No	Partial	Details / Functional Description	
Mangum Regional Hospital	Areas Specified	10,000	X				
		**Approximate, please confirm					
Total		10,000					\$0.00

*See attached drawings

Mangum Regional Hospital Patient Patient Monitoring System Wireless Transport & Wireless Monitor Coverage Area			Does QUOTED item FULLY comply w/ Required Bid Specs & Guidelines as STATED BY HOSPITAL?			If quoted product varies in name, description or functionality from that requested, provide complete and accurate description	Extended Price
Building	Department	Coverage Area (Sq. Ft.)	Yes	No	Partial	Details / Functional Description	
Mangum Regional Hospital	Areas Specified	10,000	X				
		**Approximate, please confirm					
Total		10,000					\$0.00

*See attached drawings

Num	Product	List Unit Price	Quantity
1	NTI	USD 0.00	1
2	BeneVision DMS Server Closet Setup	USD 0.00	1
3	New 2U Server	USD 0.00	1
4	CS host package (2U Rack)	USD 6,000.00	1
5	BeneVision CS Bed License (FD, Bed, Adv)	USD 400.00	16
6	BeneVision CS Server License	USD 9,700.00	1
7	TENTING (CONTAINMENT ONLY)	USD 11,330.00	1
8	BeneVision 04.04 Media Kit	USD 0.01	1
9	Project Management Tiers	USD 0.00	1
10	Project Management Services Tier 3	USD 1,000.00	12
11	BeneVision R4 CMS Viewer bed license Sal	USD 18,000.00	1
12	Professional Services	USD 284.00	2
13	BeneVision R3 PDF Printing	USD 0.01	1
14	Professional Services	USD 284.00	2
15	Hospital Network Integration Services	USD 4,532.00	1
16	WMTS/HW System Design & Implementation	USD 19,500.00	1
17	WMTS Controller Redundancy	USD 9,422.00	1
18	NTI	USD 0.00	1
19	BeneVision DMS Expansion Of Current System	USD 0.00	1
20	Workstation Expansion	USD 0.00	1
21	WS host package (mini PC)	USD 3,000.00	1
22	OEM UPS APCBR800	USD 186.00	1
23	WorkStation/Tower Install&Setup w/o CABL	USD 2,670.00	1
24	BeneVision Widescreen Display	USD 2,975.00	1
25	BeneVision WS Server License	USD 3,400.00	1
26	WS one bed	USD 300.00	16
27	Number of Hardwired Bedside Monitors for this department	USD 0.00	2
28	Device Install & Setup w/o CABL	USD 761.00	2
29	HP LaserJet Enterprise M608n Printer	USD 3,700.00	1
30	Device Install & Setup w/o CABL	USD 761.00	1
31	Number of Wireless Bedside Monitors for this department	USD 0.00	2
32	Device Install & Setup w/o CABL	USD 761.00	2
33	N1's for this department	USD 0.00	2
34	N1 Install & Setup	USD 180.00	2
35	N12,WL,EWS Sales BOM	USD 9,605.00	2
36	N12 Mounting Accessories	USD 0.00	1
37	N12 roll stands(With iPM/iMEC adapter)	USD 445.00	2
38	N1, Nellcor, ST, Glasgow, CO2 Sales BOM	USD 15,700.00	2
39	N Series ECG Accessories	USD 0.00	1
40	12-Lead Leadset,Limb,AHA,Clip	USD 65.00	2
41	NTI	USD 0.00	1
42	BeneVision DMS Expansion Of Current System	USD 0.00	1
43	Workstation Expansion	USD 0.00	1
44	WS host package (mini PC)	USD 3,000.00	1
45	OEM UPS APCBR800	USD 186.00	1
46	WorkStation/Tower Install&Setup w/o CABL	USD 2,670.00	1

47	BeneVision Widescreen Display	USD 2,975.00	1
48	BeneVision WS Server License	USD 3,400.00	1
49	WS one bed	USD 300.00	16
50	Number of Hardwired Bedside Monitors for this department	USD 0.00	2
51	Device Install & Setup w/o CABL	USD 761.00	2
52	HP LaserJet Enterprise M608n Printer	USD 3,700.00	1
53	Device Install & Setup w/o CABL	USD 761.00	1
54	Number of Wireless Bedside Monitors for this department	USD 0.00	2
55	Device Install & Setup w/o CABL	USD 761.00	2
56	N1's for this department	USD 0.00	2
57	N1 Install & Setup	USD 180.00	2
58	N12,WL,EWS Sales BOM	USD 9,605.00	2
59	N12 Mounting Accessories	USD 0.00	1
60	N12 roll stands(With iPM/iMEC adapter)	USD 445.00	2
61	N1, Nellcor, ST, Glasgow, CO2 Sales BOM	USD 15,700.00	2
62	N Series ECG Accessories	USD 0.00	1
63	12-Lead Leadset,Limb,AHA,Clip	USD 65.00	2
64	BeneVision TM70 Telemeter Sales BOM	USD 4,600.00	1
65	5-Lead, New Telemetry, AHA, Snap, 24"	USD 135.00	1
66	Nellcor SpO2 module	USD 1,175.00	12
67	SENSOR,SPO2,NELL,ADULT,DS100A	USD 277.00	12
68	TP Li-ion battery Package	USD 325.00	16
69	Charger Package(US cord)	USD 2,200.00	1
70	Telepack Install & Setup	USD 92.00	1
71	WMTS Installation per 100 SQFT	USD 275.00	100
72	eGateway	USD 0.00	1
73	eGateway SW Spot Check/Surgery 32bd BOM	USD 10,000.00	1
74	Spot Check Mapping	USD 5,500.00	1
75	Professional Services	USD 284.00	5
76	eGateway Mapping Fees	USD 0.00	1
77	No Mapping Required for Spot Check	USD 0.00	1
78	Hospital Network Integration Services	USD 4,532.00	1

Net Total	\$ Net Price	Product Code	Pre Discount Price	SAP Department Code
USD -26,075.02	(\$26,075.02)	NTI	USD -26,075.02	Z063-IT
USD 0.00	\$0	GRP-DMS-SERVER	USD 0.00	Z063-IT
USD 0.00	\$0	New-2Userver	USD 0.00	Z063-IT
USD 3,300.00	\$3,300	115-051209-00	USD 3,300.00	Z063-IT
USD 3,520.00	\$220	121-001373-00	USD 3,520.00	Z063-IT
USD 5,885.00	\$5,885	121-001372-00	USD 5,885.00	Z063-IT
USD 9,621.00	\$9,621	5000-CS-ABMT-01	USD 9,621.00	Z063-IT
USD 0.01	\$0.01	045-003660-02	USD 0.01	Z063-IT
USD 0.00	\$0	GRP-PROJECT-MGMT	USD 0.00	Z063-IT
USD 12,000.00	\$1,000	803-070875-00	USD 12,000.00	Z063-IT
USD 18,000.00	\$18,000	121-001405-01	USD 18,000.00	Z063-IT
USD 568.00	\$284	803-070485-00	USD 568.00	Z063-IT
USD 0.01	\$0.01	803-070282-00	USD 0.01	Z063-IT
USD 568.00	\$284	803-070485-00	USD 568.00	Z063-IT
USD 4,532.00	\$4,532	803-070492-00	USD 4,532.00	Z063-IT
USD 19,500.00	\$19,500	803-040080-00	USD 19,500.00	Z063-IT
USD 9,422.00	\$9,422	803-040081-00	USD 9,422.00	Z063-IT
USD -22,958.00	(\$22,958)	NTI	USD -22,958.00	Z019-Emergency
USD 0.00	\$0	GRP-DMS-EXP-DEPARTMENT	USD 0.00	Z019-Emergency
USD 0.00	\$0	Exp-WorkStation	USD 0.00	Z019-Emergency
USD 3,000.00	\$3,000	115-050935-00	USD 3,000.00	Z019-Emergency
USD 186.00	\$186	0992-00-0002-04	USD 186.00	Z019-Emergency
USD 2,670.00	\$2,670	803-040052-00	USD 2,670.00	Z019-Emergency
USD 2,975.00	\$2,975	121-001453-00	USD 2,975.00	Z019-Emergency
USD 3,400.00	\$3,400	121-001375-00	USD 3,400.00	Z019-Emergency
USD 4,800.00	\$300	110-004115-00	USD 4,800.00	Z019-Emergency
USD 0.00	\$0	HW-QTY	USD 0.00	Z019-Emergency
USD 1,522.00	\$761	803-040040-00	USD 1,522.00	Z019-Emergency
USD 3,700.00	\$3,700	023-001566-00	USD 3,700.00	Z019-Emergency
USD 761.00	\$761	803-040040-00	USD 761.00	Z019-Emergency
USD 0.00	\$0	WB-QTY	USD 0.00	Z019-Emergency
USD 1,522.00	\$761	803-040040-00	USD 1,522.00	Z019-Emergency
USD 0.00	\$0	N1-QTY	USD 0.00	Z019-Emergency
USD 360.00	\$180	803-070877-00	USD 360.00	Z019-Emergency
USD 19,210.00	\$9,605	121-001522-00	USD 19,210.00	Z019-Emergency
USD 0.00	\$0	GRP-N12-MOUNTING	USD 0.00	Z019-Emergency
USD 890.00	\$445	045-003255-00	USD 890.00	Z019-Emergency
USD 31,400.00	\$15,700	121-001528-00	USD 31,400.00	Z019-Emergency
USD 0.00	\$0	GRP-ECG-NSERIES	USD 0.00	Z019-Emergency
USD 130.00	\$65	0010-30-42902	USD 130.00	Z019-Emergency
USD -40,104.00	(\$40,104)	NTI	USD -40,104.00	Z037-Medical/Surg
USD 0.00	\$0	GRP-DMS-EXP-DEPARTMENT	USD 0.00	Z037-Medical/Surg
USD 0.00	\$0	Exp-WorkStation	USD 0.00	Z037-Medical/Surg
USD 3,000.00	\$3,000	115-050935-00	USD 3,000.00	Z037-Medical/Surg
USD 186.00	\$186	0992-00-0002-04	USD 186.00	Z037-Medical/Surg
USD 2,670.00	\$2,670	803-040052-00	USD 2,670.00	Z037-Medical/Surg

USD 2,975.00	\$2,975	121-001453-00	USD 2,975.00	Z037-Medical/Surg
USD 3,400.00	\$3,400	121-001375-00	USD 3,400.00	Z037-Medical/Surg
USD 4,800.00	\$300	110-004115-00	USD 4,800.00	Z037-Medical/Surg
USD 0.00	\$0	HW-QTY	USD 0.00	Z037-Medical/Surg
USD 1,522.00	\$761	803-040040-00	USD 1,522.00	Z037-Medical/Surg
USD 3,700.00	\$3,700	023-001566-00	USD 3,700.00	Z037-Medical/Surg
USD 761.00	\$761	803-040040-00	USD 761.00	Z037-Medical/Surg
USD 0.00	\$0	WB-QTY	USD 0.00	Z037-Medical/Surg
USD 1,522.00	\$761	803-040040-00	USD 1,522.00	Z037-Medical/Surg
USD 0.00	\$0	N1-QTY	USD 0.00	Z037-Medical/Surg
USD 360.00	\$180	803-070877-00	USD 360.00	Z037-Medical/Surg
USD 19,210.00	\$9,605	121-001522-00	USD 19,210.00	Z037-Medical/Surg
USD 0.00	\$0	GRP-N12-MOUNTING	USD 0.00	Z037-Medical/Surg
USD 890.00	\$445	045-003255-00	USD 890.00	Z037-Medical/Surg
USD 31,400.00	\$15,700	121-001528-00	USD 31,400.00	Z037-Medical/Surg
USD 0.00	\$0	GRP-ECG-NSERIES	USD 0.00	Z037-Medical/Surg
USD 130.00	\$65	0010-30-42902	USD 130.00	Z037-Medical/Surg
USD 4,600.00	\$4,600	121-001921-00	USD 4,600.00	Z037-Medical/Surg
USD 135.00	\$135	009-004782-00	USD 135.00	Z037-Medical/Surg
USD 14,100.00	\$1,175	125-000015-00	USD 14,100.00	Z037-Medical/Surg
USD 3,324.00	\$277	9000-10-05161	USD 3,324.00	Z037-Medical/Surg
USD 5,200.00	\$325	115-030107-00	USD 5,200.00	Z037-Medical/Surg
USD 2,200.00	\$2,200	115-030108-00	USD 2,200.00	Z037-Medical/Surg
USD 92.00	\$92	803-040050-00	USD 92.00	Z037-Medical/Surg
USD 27,500.00	\$275	803-040082-00	USD 27,500.00	Z037-Medical/Surg
USD 0.00	\$0	GRP-eGATEWAY	USD 0.00	Z063-IT
USD 10,000.00	\$10,000	121-001473-00	USD 10,000.00	Z063-IT
USD 5,500.00	\$5,500	803-070244-00	USD 5,500.00	Z063-IT
USD 1,420.00	\$284	803-070485-00	USD 1,420.00	Z063-IT
USD 0.00	\$0	GRP-eGWY-Mapping	USD 0.00	Z063-IT
USD 0.00	\$0	SPOT-CHECK-ONLY	USD 0.00	Z063-IT
USD 4,532.00	\$4,532	803-070492-00	USD 4,532.00	Z063-IT