

COHESIVE HEALTHCARE MANAGEMENT & CONSULTING Mangum Regional Medical Center

TITLE			POLICY	
Probiotic Protocol		DRM-054		
Manual	EFFECTIVE DATE	REVIEW DATE		
Drug Room	10-1-2020	10-1-2020		
DEPARTMENT	REFERENCE			
Drug Room	Oklahoma Pharmacy Law Book			

SCOPE

This policy applies to all patients receiving care and treatment at MANGUM REGIONAL MEDICAL CENTER.

PURPOSE

The purpose of this protocol is to pro-actively replace healthy gastrointestinal tract flora with probiotic supplementation for patients prescribed broad spectrum antibiotic(s).

DEFINITIONS

N/A

POLICY

A formulary probiotic will be ordered on patients to reduce the risk of Antibiotic-associated Diarrhea/*Clostridium difficile* prophylaxis.

PROCEDURE

- 1. Dosing/Administration:
 - a. Formulary probiotic will be ordered two capsules daily
 - b. Initiate therapy within 48 hours of antibiotic being started and continue for at least 5 days after antimicrobial therapy is completed or upon patient discharge from the hospital (whichever comes first)
- 2. Indications for ordering probiotic (based on antimicrobial ordered)
 - a. Clindamycin
 - b. Broad Spectrum Penicillin
 - c. Cephalosporin
 - d. Fluoroquinolones

- e. Carbapenems
- f. Any antimicrobial ordered for the treatment of Osteomyelitis or Endocarditis
- 3. Contra-indications:
 - a. Immunosuppression WBC equal to or less than 2
- 4. Other Considerations:
 - a. Probiotics will not be ordered for one-time antimicrobial orders
 - b. Probiotics will not be ordered for any patient under the age of 18; providers will be required to order a probiotic for this patient population.

REFERENCES

N/A

ATTACHMENTS

N/A

REVISIONS/UPDATES

Date	Brief Description of Revision/Change	