


Copyright © 2022 Kimley-Horn and Associates, Inc. All rights reserved

CUF	CURVE TABLE						CURVE TABLE							
NO.	DELTA	RADIUS	LENGTH	CHORD BEARING	CHORD	NO. DELTA RADIUS LENGTH CHORD BEARING CHO								
C1	23°23'02"	1060.00'	432.61'	N74°07'26"W	429.62'	C29	90°00'00"	15.00'	23.56'	S72°34'05"W	21.21'			
C2	90°00'00"	20.00'	31.42'	N17°25'55"W	28.28'	C30	85°53'11"	15.00'	22.48'	N05°07'08"E	20.44'			
C3	90°00'00"	20.00'	31.42'	S72°34'05"W	28.28'	C31	90°00'00"	15.00'	23.56'	N72°34'05"E	21.21'			
C4	90°00'00"	20.00'	31.42'	N17°25'55"W	28.28'	C32	90°00'00"	15.00'	23.56'	N17°25'55"W	21.21'			
C5	90°00'00"	20.00'	31.42'	S72°34'05"W	28.28'	C33	90°00'00"	15.00'	23.56'	N72°34'05"E	21.21'			
C6	89°58'58"	30.00'	47.11'	N17°26'26"W	42.42'	C34	52°01'12"	15.00'	13.62'	S01°33'29"W	13.16'			
C7	3°32'59"	475.00'	29.43'	S41°22'30"W	29.42'	C35	38°45'29"	50.00'	33.82'	N64°24'17"E	33.18'			
C8	116°34'23"	50.00'	101.73'	N33°50'04"E	85.07'	C36	52°01'12"	15.00'	13.62'	N36°25'19"W	13.16'			
C9	52°01'12"	15.00'	13.62'	N01°33'29"E	13.16'	C37	90°00'00"	15.00'	23.56'	S17°25'55"E	21.21'			
C10	13°09'09"	625.00'	143.47'	N20°59'31"E	143.16'	C38	90°00'00"	15.00'	23.56'	S72°34'05"W	21.21'			
C11	52°01'12"	15.00'	13.62'	N40°25'32"E	13.16'	C39	90°00'00"	15.00'	23.56'	S72°34'05"W	21.21'			
C12	194°02'25"	50.00'	169.33'	N30°35'04"W	99.25'	C40	90°00'00"	15.00'	23.56'	N17°25'55"W	21.21'			
C13	52°01'12"	15.00'	13.62'	S78°24'20"W	13.16'	C41	90°00'00"	15.00'	23.56'	S72°34'05"W	21.21'			
C14	16°04'35"	50.00'	14.03'	N23°12'46"W	13.98'	C42	90°00'00"	15.00'	23.56'	N17°25'55"W	21.21'			
C15	9°22'14"	325.00'	53.15'	N09°43'49"E	53.09'	C43	8°45'38"	300.00'	45.87'	N66°48'44"W	45.83'			
C16	12°48'20"	187.98'	42.01'	N19°48'38"W	41.93'	C44	8°45'38"	300.00'	45.87'	S66°48'44"E	45.83'			
C20	90°24'09"	25.00'	39.45'	S17°37'57"E	35.48'	C45	84°22'04"	25.50'	37.55'	S75°22'49"W	34.25'			
C21	8°45'38"	300.00'	45.87'	N58°03'06"W	45.83'	C46	24°36'28"	275.00'	118.11'	S50°07'41"E	117.20'			
C22	8°45'38"	300.00'	45.87'	S58°03'06"E	45.83'	C47	24°38'05"	325.00'	139.74'	S50°06'52"E	138.66'			
C23	90°00'00"	15.00'	23.56'	N72°34'05"E	21.21'	C48	13°00'49"	525.00'	119.24'	N49°39'24"E	118.99'			
C24	48°30'09"	15.00'	12.70'	N03°19'01"E	12.32'	C49	12°33'03"	475.00'	104.05'	N49°25'31"E	103.84'			
C25	40°32'43"	50.00'	35.38'	S65°17'54"W	34.65'	C50	28°35'44"	475.00'	237.07'	S41°51'57"W	234.61'			
C26	52°01'12"	15.00'	13.62'	S36°25'19"E	13.16'	C51	20°29'39"	525.00'	187.79'	S37°48'54"W	186.79'			
C27	86°30'08"	15.00'	22.65'	S81°02'54"E	20.56'									
C28	90°00'00"	15.00'	23.56'	S17°25'55"E	21.21'									

LIN	E TABLE		LINE TABLE						
NO.	BEARING	LENGTH	NO.	BEARING	LENGTH				
L1	N85°38'46"W	84.38'	L26	N10°01'41"W	62.95'				
L2	N62°25'55"W	35.45'	L27	N28°39'06"W	63.56'				
L3	N62°25'55"W	50.00'	L28	N49°35'26"W	70.81'				
L4	N62°25'55"W	50.00'	L29	N75°55'00"W	97.58'				
L5	N62°25'55"W	104.53'	L30	S73°30'03"W	97.58'				
L6	N62°26'57"W	114.00'	L31	N62°26'32"W	56.90'				
L8	S62°25'55"E	114.00'	L32	N27°33'28"E	124.35'				
L9	S56°45'49"E	126.56'	L33	S62°25'55"E	12.99'				
L10	S50°24'00"E	110.66'	L34	S62°25'55"E	10.45'				
L11	N48°32'15"E	67.42'	L35	N13°54'04"E	56.60'				
L12	N75°35'04"W	76.95'	L36	N62°25'55"W	10.45'				
L13	N02°46'19"W	105.59'	L37	N62°26'09"W	12.67'				
L14	S79°59'57"W	123.83'	L38	S27°34'05"W	50.00'				
L15	N56°08'09"E	115.62'	L39	S27°34'05"W	54.74'				
L16	N16°08'29"W	38.98'	L40	N04°05'25"E	59.13'				
L17	N53°32'59"W	99.32'	L41	S70°46'22"E	116.20'				
L18	S84°44'51"W	127.43'	L42	S88°54'18"E	90.02'				
L19	N14°24'56"E	120.00'	L43	N07°10'59"E	102.39'				
L20	N75°35'04"W	130.00'	L44	N07°10'59"E	98.68'				
L21	N14°24'56"E	3.70'	L45	S66°33'01"E	260.67'				
L22	S84°57'18"E	136.15'	L46	S62°25'55"E	140.68'				
L23	N08°48'51"W	163.90'	L47	S27°34'05"W	79.54'				
L24	S75°39'03"W	125.95'	L48	S04°05'25"W	54.08'				
L25	N56°03'48"E	140.41'							



Scale

1" = 100'

<u>Drawn by</u>

DJG

Checked by

JGM

Date

02/04/2022

Sheet No.

6 OF 8

Project No.

069255703

THE STATE OF TEXAS § § KNOW ALL MEN BY THESE PRESENTS:	NERAL NOTES:			
COUNTY OF TRAVIS § WHEREAS, FORESTAR (USA) REAL ESTATE GROUP INC., A DELAWARE CORPORATION, THE OWNER OF 106.055 ACRE TRACT LOCATED IN THE A.C. CALDWELL SURVEY NUMBER 52, ABSTRACT NUMBER 154, AND THE LEMUEL KIMBRO SURVEY NO. 64,	<ol> <li>PROPERTY OWNERS OF THE LOTS ON WHICH THE PUBLIC UTILITY I DRAINAGE FACILITIES EASEMENT ARE LOCATED AS SHOWN ON THI MANOR IN ORDER FOR THE CITY OF MANOR TO INSPECT AND MAIN ANY OF SUCH EASEMENTS.</li> </ol>			
ABSTRACT NO. 456, CITY OF MANOR, TRAVIS COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN 157.9603 ACRE TRACT OF LAND CONVEYED TO FORESTAR (USA) REAL ESTATE GROUP INC., A PORTION OF THAT CERTAIN 90.0886 ACRE TRACT OF LAND	2. A 10' PUBLIC UTILITY EASEMENT IS HEREBY DEDICATED ALONG AN			
CONVEYED TO FORESTAR (USA) REAL ESTATE GROUP INC., AS DESCRIBED IN DOCUMENT NUMBER 2019171725, CORRECTED IN DOCUMENT NUMBER 2019176021, OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS, AND A PORTION OF A 3.469 ACRE TRACT OF LAND CONVEYED TO FORESTAR (USA) REAL ESTATE GROUP INC., AS DESCRIBED IN DOCUMENT NUMBER 2019171724, OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS, AND DO HEREBY SUBDIVIDE SAID, HAVING BEEN APPROVED FOR SUBDIVISION, PURSUANT TO THE PUBLIC NOTIFICATION AND HEARING PROVISION OF CHAPTER 212 AND 232 OF THE LOCAL GOVERNMENT CODE.	3. PUBLIC SIDEWALKS BUILT TO CITY OF MANOR STANDARDS, ARE RE SUBDIVISION, THESE SIDEWALKS SHALL BE IN PLACE PRIOR TO TH CONSTRUCT THE REQUIRED SIDEWALKS MAY RESULT IN THE WITH PERMITS, OR UTILITY CONNECTIONS BY THE GOVERNING BODY OR			
NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS: THAT THE UNDERSIGNED OWNER OF THE LAND SHOWN ON THIS	4. DRIVEWAY AND DRAINAGE CONSTRUCTION STANDARDS SHALL BE CITY OF MANOR STANDARDS UNLESS OTHERWISE SPECIFIED AND			
PLAT, AND DESIGNATED HEREIN AS "MANOR HEIGHTS PHASE 3, SECTION 1" OF THE CITY OF MANOR, TRAVIS COUNTY, TEXAS, AND WHOSE NAME IS SUBSCRIBED HERETO, HEREBY SUBDIVIDES SAID 106.055 ACRES OF LAND OF SAID IN ACCORDANCE WITH THE ATTACHED MAP OR PLAT TO BE KNOW AS "MANOR HEIGHTS PHASE 3, SECTION 1" AND DO HEREBY DEDICATE TO THE USE OF THE PUBLIC FOREVER ALL STREETS AND PUBLIC EASEMENTS THEREON SHOWN FOR THE PURPOSED AND	5. NO LOT IN THIS SUBDIVISION SHALL BE OCCUPIED UNTIL CONNECT WASTEWATER SYSTEM.			
CONSIDERATION THEREIN EXPRESSED: SUBJECT TO ANY EASEMENT OR RESTRICTIONS HERETOFORE GRANTED AND NOT RELEASED. WITNESS MY HAND THIS DAY,	6. NO BUILDINGS SHALL BE CONSTRUCTED OR MAINTAINED WITHIN TO UNDERGROUND STORM WATER FACILITIES EASEMENT WITHOUT TO MANOR. THE CITY OF MANOR IS NOT RESPONSIBLE FOR THE DAMA FENCING, LANDSCAPING OR OTHER IMPROVEMENTS CONSTRUCTE NOT APPROVED BY THE CITY OF MANOR BEFORE THEIR CONSTRUCT WORK BY THE CITY OF MANOR IN REPAIRING, MAINTAINING, OR RE FACILITIES WITHIN SUCH EASEMENTS.			
FORESTAR (USA) REAL ESTATE GROUP INC., A DELAWARE CORPORATION 10700 PECAN PARK BLVD. STE. 150	7. ALL STREETS, DRAINAGE IMPROVEMENTS, SIDEWALKS, WATER AN SHALL BE CONSTRUCTED AND INSTALLED TO CITY OF MANOR STAI			
AUSTIN, TEXAS 78750	<ol> <li>EROSION CONTROLS ARE REQUIRED FOR ALL CONSTRUCTION ON FAMILY IN ACCORDANCE WITH SECTION 1.4.0 OF THE CITY OF AUST 2020.</li> </ol>			
THE STATE OF § COUNTY OF §	9. ALL STREETS IN THE SUBDIVISION SHALL BE CONSTRUCTED TO CI STREETS WILL BE CONSTRUCTED WITH CURB AND GUTTER.			
BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEAREDKNOWN TO ME TO BE THE PERSON OR AGENT WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXCEPTION THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO	10. PRIOR TO CONSTRUCTION, EXCEPT DETACHED SINGLE FAMILY ON			
ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATION THEREIN EXPRESSED AND IN THE CAPACITY HEREIN STATED.	PERMIT MUST BE OBTAINED FROM THE CITY OF MANOR.			
GIVEN UNDER MY HAND AND SEAL OF OFFICE THIS DAY OF, 20,	THE CONSTRUCTION OF ALL SIDEWALKS AS SHOWN OR LISTED ON WHETHER INSTALLED BY THE OWNER/DEVELOPER OR INDIVIDUAL OWNER/DEVELOPER TO ENSURE ALL SIDEWALKS ARE ADA COMPLI TEXAS DEPARTMENT OF LICENSING AND REGULATION.			
NOTARY PUBLIC NOTARY REGISTRATION NUMBER MY COMMISSION EXPIRES: COUNTY OF THE STATE OF	<ul> <li>12. THE BUILDING SETBACK LINES SHALL COMPLY WITH THE APPROVE ARE AS FOLLOWS:</li> <li>(SEE TYPICAL SETBACK DETAIL)</li> <li>FRONT YARD - 20'</li> <li>REAR YARD - 10'</li> <li>SIDE YARD - 5'</li> <li>STREET SIDE YARD - 15'</li> </ul>			
STATE OF TEXAS § COUNTY OF TRAVIS §	13. THE HOME OWNERS ASSOCIATION, AND/OR ITS SUCCESSORS AND			
I, ALEJANDRO E. GRANADOS RICO, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF ENGINEERING, AND HEREBY CERTIFY THAT THIS PLAT IS FEASIBLE FROM AN ENGINEERING STAND POINT AND COMPLIES WITH THE ENGINEERING RELATED PORTION OF THE CITY OF MANOR, TEXAS SUBDIVISION ORDINANCE, AND IS	<ul> <li>MAINTENANCE OF ALL NON-RESIDENTIAL LOTS THAT ARE DEDICAT</li> <li>14. PER THE APPROVED MANOR HEIGHTS PUD, MINIMUM SINGLE-FAMIL</li> <li>PUD-SF-1 AND 3300 Sq.Ft. WITHIN PUD-MEDIUM DENSITY. THE MINIM</li> </ul>			
TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.	FORTH IN THE MANOR HEIGHTS PUD OF 1500 Sq.Ft. 16. LOT 1, BLOCK A, LANDSCAPE LOT, LOT 20, BLOCK A, LANDSCAPE LO			
THIS SITE IS LOCATED IN THE COTTONWOOD CREEK WATERSHED. A PORTION OF THIS SITE LIES WITHIN THE BOUNDARIES OF THE 100 YEAR FLOODPLAIN AS SHOWN ON THE FLOOD INSURANCE RATE MAP COMMUNITY PANEL NO. 48453C0505H, EFFECTIVE DATE SEPTEMBER 26, 2008, TRAVIS COUNTY, TEXAS AND INCORPORATED AREAS. ALEJANDRO E. GRANADOS RICO, P.E. REGISTERED PROFESSIONAL ENGINEER No. 130084 KIMLEY-HORN AND ASSOCIATES, INC. 10814 JOLLYVILLE ROAD	10. LOT 1, BLOCK A, LANDSCAPE LOT, LOT 20, BLOCK A, LANDSCAPE LOT, LOT 1, BLOCK C, LANDSCAPE LOT, LOT 8, BLOCK IL LANDSCAPE LOT, LOT 1, BLOCK C, LANDSCAPE LOT, LOT 8, BLOCK IL LANDSCAPE LOT, LOT 10, BLOCK B, LANDSCAPE LOT, LOT 20, BLOCK LOT 8, BLOCK D, DRAINAGE LOT, AND LOT 1, BLOCK F, LANDSCAPE DEVELOPMENT AGREEMENT (MANOR HEIGHTS) DATED EFFECTIVE AGREEMENT") AND SHALL ENTER INTO A LICENSE AGREEMENT WIT IN THE DEVELOPMENT AGREEMENT. THE CITY SHALL BE RESPONSI LANDSCAPE LOT, LOT 20, BLOCK A, LANDSCAPE LOT, LOT 1, BLOCK C, LANDSCAPE LOT, LOT 1, BLOCK C, DRAINAGE LOT, LOT 8, BLOCK D, DRAINAGE LOT, LOT 1, BLOCK C, LANDSCAPE LOT, LOT 1, BLOCK C, LANDSCAPE LOT, LOT 1, BLOCK C, DRAINAGE TERMINATION OF THE LICENSE AGREEMENT OR THE TERMINATION			
AVALLON IV, SUITE 200 AUSTIN, TEXAS 78759	DEVELOPMENT AGREEMENT, WHICHEVER IS LONGER.			
	17. LOT 15, BLOCK A, DRAINAGE LOT, AND LOT 15, BLOCK B, DRAINAGE ASSOCIATION. THE HOMEOWNER ASSOCIATION, AND/OR ITS SUCC RESPONSIBLE FOR MOWING AND MAINTAINING LANDSCAPING IN TH			
STATE OF TEXAS § COUNTY OF BEXAR §	<ol> <li>ACCESS TO NON-RESIDENTIAL LOTS SHALL BE PROVIDED TO THE OPERFORMED BY THE CITY IN ACCORDANCE WITH THAT CERTAIN DE EFFECTIVE NOVEMBER 7, 2018, AS AMENDED.</li> </ol>			
I, JOHN G. MOSIER, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING, AND HEREBY CERTIFY THAT THIS PLAT COMPLIES WITH THE SURVEYING RELATED PORTIONS OF THE CITY OF MANOR, TEXAS SUBDIVISION ORDINANCE IS TRUE AND CORRECT, AND WAS PREPARED FROM AN ACTUAL SURVEY MADE ON THE GROUND UNDER MY DIRECTION AND SUPERVISION.				
JOHN G. MOSIER REGISTERED PROFESSIONAL LAND SURVEYOR NO. 6330- STATE OF TEXAS 601 NW LOOP 410, SUITE 350	STREET STANDARD CORNER FRONYT YARD FRONYT YARD			
SAN ANTONIO, TEXAS 78216 Ph. 210-321-3402 greg.mosier@kimley-horn.com	SETBACK-20'			
SURVEYOR'S NOTES	BUILDING BUILDING			
1. THE BEARINGS, DISTANCES, AREAS AND COORDINATES SHOWN HEREON ARE TEXAS STATE COORDINATE SYSTEM GRID, CENTRAL ZONE (FIPS 4203) (NAD'83), AS DETERMINED BY THE GLOBAL POSITIONING SYSTEM (GPS).				
<ol> <li>ALL DISTANCES SHOWN HEREON ARE ON THE SURFACE. THE COMBINED SURFACE TO GRID SCALE FACTOR FOR THE PROJECT IS 0.99992097045. THE UNIT OF LINEAR MEASUREMENT IS U.S. SURVEY FEET.</li> <li>ALL DECERPT(CORDUSED) OF THE LOTO IN THE OUPPRIVATION WITH DE MONTHEMENTED DELOT TO LOTO ON EQ AND AFTER DOAD</li> </ol>	5'			
<ol> <li>ALL PROPERTY CORNERS OF THE LOTS IN THIS SUBDIVISION WILL BE MONUMENTED PRIOR TO LOTS SALES AND AFTER ROAD CONSTRUCTION WITH A 1/2-INCH IRON ROD WITH RED PLASTIC CAP STAMPED "KHA", UNLESS OTHERWISE NOTED.</li> </ol>	REAR YARD SETBACK-10' REAR YARD SETBACK-10'			

TYPICAL SETBACK DETAIL NOT TO SCALE

Copyright © 2022 Kimley-Horn and Associates, Inc.

All rights reserved

LITY EASEMENT OR THE UNDERGROUND STORM WATER ON THIS PLAT SHALL PROVIDE ACCESS TO THE CITY OF MAINTAIN THE UNDERGROUND FACILITIES LOCATED WITHIN

IG AND ADJACENT TO ALL STREET RIGHTS OF WAY.

RE REQUIRED ALONG ALL STREETS WITHIN THIS TO THE ADJOINING LOT BEING OCCUPIED, FAILURE TO WITHHOLDING OF CERTIFICATES OF OCCUPANCY. BUILDING DY OR UTILITY COMPANY.

LL BE IN ACCORDANCE WITH THE REQUIREMENT OF THE AND APPROVE BY THE CITY OF MANOR.

NECTION IS MADE TO THE CITY OF MANOR WATER AND

HIN THE PUBLIC UTILITIES EASEMENTS OR THE DUT THE PRIOR WRITTEN APPROVAL OF THE CITY OF DAMAGE TO OR REPLACING ANY PORTIONS OF ANY RUCTED WITHIN ANY OF SUCH EASEMENTS WHICH WERE STRUCTION DUE TO THE NECESSARY AND CUSTOMARY DR REPLACING THE UNDERGROUND PIPES AND RELATED

ER AND WASTEWATER LINES, AND EROSION CONTROLS R STANDARDS.

N ON INDIVIDUAL LOTS, INCLUDING DETACHED SINGLE AUSTIN ENVIRONMENTAL CRITERIA MANUAL (FEBRUARY 20,

TO CITY OF MANOR URBAN STREET STANDARDS. ALL

Y ON ANY LOT IN THIS SUBDIVISION, A SITE DEVELOPMENT

S PLAT IS RESPONSIBLE FOR POSTING FISCAL SURETY FOR ED ON THE MANOR HEIGHTS PHASE 3 SECTION 1 FINAL PLAT, DUAL HOMEBUILDERS. IT IS THE RESPONSIBILITY OF THE OMPLIANT UNLESS A WAIVER HAS BEEN GRANTED BY THE

ROVED MANOR HEIGHTS PUD (ORDINANCE NO. 534) AND

AND ASSIGNS (THE "HOA") SHALL BE RESPONSIBLE FOR DICATED TO THE HOA.

FAMILY RESIDENTIAL LOT SHALL BE 6250 Sq.Ft. WITHIN MINIMUM HOME SIZES WILL COMPLY WITH THOSE SET

PE LOT, LOT 1, BLOCK B, LANDSCAPE LOT, LOT 20, BLOCK B, OCK D, DRAINAGE LOT, AND LOT 1, BLOCK F, LANDSCAPE MEOWNER ASSOCIATION, AND/OR ITS SUCCESSORS AND ANCE OF LOT 1, BLOCK A, LANDSCAPE LOT, LOT 20, BLOCK A, LOCK B, LANDSCAPE LOT, LOT 1, BLOCK C, LANDSCAPE LOT, CAPE LOT IN ACCORDANCE WITH THAT CERTAIN CTIVE NOVEMBER 7, 2018 AS AMENDED (THE "DEVELOPMENT IT WITH THE CITY IN SUBSTANTIALLY THE FORM PROVIDED PONSIBLE FOR MAINTENANCE OF LOT 1, BLOCK A, LOCK B, LANDSCAPE LOT, LOT 20, BLOCK B, LANDSCAPE NAGE LOT, AND LOT 1, BLOCK F, LANDSCAPE LOT UPON ATION OF THE MAINTENANCE PERIOD PROVIDED IN THE

NAGE LOT ARE TO BE DEDICATED TO THE HOMEOWNER SUCCESSORS AND ASSIGNS (THE "HOA") SHALL BE IN THE DRAINAGE LOTS.

THE CITY WHERE MAINTENANCE IS REQUIRED TO BE AIN DEVELOPMENT AGREEMENT (MANOR HEIGHTS) DATED



SURVEYOR: KIMLEY-HORN AND ASSOCIATES, INC. 601 NW LOOP 410, SUITE 350 SAN ANTONIO, TEXAS 78216 PH: (210) 541-9166 FAX: (210) 541-8699 CONTACT: JOHN G. MOSIER, R.P.L.S. TBPLS FIRM REGISTRATION NO. 10193973

CIVIL ENGINEER: KIMLEY-HORN AND ASSOCIATES, INC. 10814 JOLLYVILLE ROAD, AVALLON IV, SUITE 200 AUSTIN, TEXAS 78759 TBPE FIRM REGISTRATION NO. F-928 PH: (512) 418-1771 FAX: (512) 418-1791 CONTACT: ALEJANDRO E. GRANADOS RICO, P.E.

OWNER/DEVELOPER: FORESTAR (USA) REAL ESTATE GROUP, INC., A DELAWARE CORPORATION 10700 PECAN PARK BLVD. STE. 150 AUSTIN, TEXAS 78750 CONTACT: JEFF SCOTT

### CITY OF MANOR ACKNOWLEDGMENTS THIS SUBDIVISION IS LOCATED WITHIN THE CITY OF MA

ATTEST:

THIS SUBDIVISION IS LOCATED WITHIN THE CITY OF MANOR CORPORATE CITY LIMITS AS OF THIS DATE. \_\_\_\_\_ DAY OF

ACCEPTED AND AUTHORIZED FOR RECORD BY THE PLANNING AND ZONING COMMISSION OF THE CITY OF MANOR, TEXAS, ON THIS THE DATE. \_\_\_\_\_ DAY OF \_\_\_\_\_, \_\_\_\_.

APPROVED:

JULIE LEONARD, CHAIRPERSON

ACCEPTED AND AUTHORIZED FOR RECORD BY THE CITY COUNCIL OF THE CITY OF MANOR, TEXAS, ON THIS THE DATE. \_ DAY OF \_\_\_\_\_\_, \_\_\_\_.

LLUVIA T. ALMARAZ, CITY SECRETARY

LLUVIA T. ALMARAZ, CITY SECRETARY

APPROVED: ATTEST:

DR. CHRISTOPHER HARVEY, MAYOR

COUNTY OF TRAVIS: STATE OF TEXAS: KNOW ALL ME BY THESE PRESENTS:

I, REBECCA GUERRERO, CLERK OF TRAVIS COUNTY, TEXAS, DO HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT OF WRITING AND ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR RECORD IN MY OFFICE ON THE DATE. \_\_\_\_\_ DAY OF \_\_\_\_\_, \_\_\_, AT \_\_\_\_\_, AT \_\_\_\_\_, AT \_\_\_\_\_, O'CLOCK \_\_\_\_, DULY RECORDED ON THE DAY OF \_\_\_\_\_, DAY OF \_\_\_\_\_, 20\_, AT \_\_\_\_\_

IN THE PLAT RECORDS OF SAID COUNTY AND STATE IN DOCUMENT NUMBER \_\_\_\_\_\_, OFFICIAL RECORDS OF TRAVIS COUNTY, TEXAS.

WITNESS MY HAND AND SEAL OF OFFICE OF THE COUNTY CLERK, THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, \_\_\_\_.

REBECCA GUERRERO, COUNTY CLERK, TRAVIS COUNTY, TEXAS

BY:\_\_\_\_\_ DEPUTY

## MANOR HEIGHTS PHASE 3, SECTION 1 106.055 ACRES

BEING A PORTION OF THOSE CERTAIN 157.9603 ACRE DESCRIBED IN DOCUMENT NO. 2019171725, AND IN CORRECTION DEED IN DOCUMENT NO. 2019176021, OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, AND A PORTION OF THAT CERTAIN 3.700 ACRE PORTION OF OLD KIMBRO ROAD IN DOCUMENT NO. 202152193, OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, A.C. CALDWELL SURVEY NO. 52, ABSTRACT NO. 154 CITY OF MANOR, TRAVIS COUNTY, TEXAS

<b>Kimley</b> »Horn											
601 NW San Anto	601 NW Loop 410, Suite 350         Tel. No. (210) 541-9166           San Antonio, Texas 78216         FIRM # 10193973         www.kimley-horn.com										
<u>Scale</u>	Scale Drawn by Checked by Date Project No. Sheet No.										
N/A	DJG	JGM	02/04/2022	069255703	7 OF 8						

	LOT TABLE	_	_	LOT TABLE	_	_	LOT TABLE			LOT TABLE	_	
A METES AND BOUNDS DESCRIPTION OF A	LOT NO. ACRES SQ. FT.		LOT NO. ACRES SQ. F		SQ. FT.	FT. LOT NO. ACRES SQ.			T. LOT NO. ACRES SQ. FT.			
106.055 ACRE TRACT OF LAND	BLOCK A LOT 1 - LANDSCAPE	0.089	3,875	BLOCK B LOT 19	0.143	6,250	BLOCK C LOT 20	0.158	6,875	BLOCK E LOT 6	0.143	6,250
BEING a 106.055 acre (4,619,755 square feet) tract of land situated in the A.C. Caldwell Survey No. 52, Abstract No. 154, and Lemuel Kimbro Survey No. 64, Abstract No. 456, City of Manor, Travis County, Texas; and being a portion of a called 157.9603 acre tract of land described in instrument to	BLOCK A LOT 2	0.196	8,525	BLOCK B LOT 20 - LANDSCAPE	0.082	3,578	BLOCK C LOT 21	0.158	6,875	BLOCK E LOT 7	0.143	6,250
RHOF, LLC recorded in Document No. 2017180865 of the Official Public Records of Travis County; also being a portion of a called 90.0886 acre tract of land described in instrument to RHOF, LLC recorded in Document No. 2017194263 of the Official Public Records of Travis County; also being a	BLOCK A LOT 3	0.178	7,750	BLOCK B LOT 21	0.143	6,250	BLOCK C LOT 22	0.158	6,875	BLOCK E LOT 8	0.143	6,250
portion of Old Kimbro Road (80 feet wide); and being more particularly described as follows:	BLOCK A LOT 4	0.178	7,750	BLOCK B LOT 22	0.143	6,250	BLOCK C LOT 23	0.158	6,875	BLOCK E LOT 9	0.143	6,250
BEGINNING at a 1/2-inch iron rod with a plastic cap stamped "KHA" found on the northernly right-of-way line of said Old Kimbro Road marking the southwestern-most corner of a called 75.163 acre tract of land described in instrument to Swenson Don Ray recorded in Document No. 2016191634	BLOCK A LOT 5	0.178	7,750	BLOCK B LOT 23	0.143	6,250	BLOCK C LOT 24	0.158	6,875	BLOCK E LOT 10	0.265	11,547
of the Official Public Records of Travis County;	BLOCK A LOT 6	0.178	7,750	BLOCK B LOT 24	0.143	6,250	BLOCK C LOT 25	0.158	6.875	BLOCK E LOT 11	0.304	13,224
THENCE, along the northernly right-of-way line of said Old Kimbro Road, the following fifteen (15) courses and distances;	BLOCK A LOT 7	0.178	7.750	BLOCK B LOT 25	0.172	7,500	BLOCK C LOT 26	0.187	8.125	BLOCK E LOT 12	0.143	6,250
<ol> <li>North 85°38'46" West, 84.38 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 85°54'35" West, 744.70 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>	BLOCK A LOT 8	0.178	7.750	BLOCK B LOT 26	0.143	6,250	BLOCK D LOT 1	0.216	9,422	BLOCK E LOT 13	0.143	6,250
<ol> <li>North 85°48'57" West, 220.13 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>in a northwesterly direction, along a tangent curve to the right, a central angle of 23°23'02", a radius of 1060.00 feet, a chord bearing and</li> </ol>	BLOCK A LOT 9	0.178	7.750	BLOCK B LOT 27	0.143	6,250	BLOCK D LOT 2	0.177	7.694	BLOCK E LOT 14	0.143	6,250
distance of North 74°07'26" West, 429.62 feet, and a total arc length of 432.61 feet to a point for corner of tangency; 5. North 62°25'55" West, 35.45 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;	BLOCK A LOT 10	0.178	7,749	BLOCK B LOT 28	0.143	6,250	BLOCK D LOT 3	0.172	7.514	BLOCK E LOT 15	0.143	6,250
6. in a northwesterly direction, along a tangent curve to the right, a central angle of 90°00'00", a radius of 20.00 feet, a chord bearing and distance of North 17°25'55" West, 28.28 feet, and a total arc length of 31.42 feet to a point of tangency;	BLOCK A LOT 11	0.178	7.747	BLOCK B LOT 29	0.143	6,250	BLOCK D LOT 4	0.168	7.334	BLOCK E LOT 16	0.143	6,250
7. North 62°25′55″ West, 50.00 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner; 8. in a southwesterly direction, along a non-tangent curve to the right, a central angle of 90°00′00″, a radius of 20.00 feet, a chord bearing and	BLOCK A LOT 12	0.178	7.744	BLOCK B LOT 30	0.143	6,250	BLOCK D LOT 5	0.155	6.741	BLOCK E LOT 17	0.143	6,250
distance of South 72°34'05" West, 28.28 feet, and a total arc length of 31.42 feet to a point of tangency; 9. North 62°25'55" West, 210.00 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;	BLOCK A LOT 12	0.178	7.742	BLOCK B LOT 31	0.143	6,250	BLOCK D LOT 6	0.211	9.204	BLOCK E LOT 18	0.143	6,250
10. in a northwesterly direction, along a tangent curve to the right, a central angle of 90°00'00", a radius of 20.00 feet, a chord bearing and distance	BLOCK A LOT 13	0.178	7,739	BLOCK B LOT 31	0.143	6,250	BLOCK D LOT 7	0.211	13.417	BLOCK E LOT 18 BLOCK E LOT 19	0.143	6,250
of North 17°25'55" West, 28.28 feet, and a total arc length of 31.42 feet to a point of tangency; 11. North 62°25'55" West, 50.00 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;	BLOCK A LOT 15 - DRAINAGE	0.089	3.869	BLOCK B LOT 32	0.143	6,250	BLOCK D LOT 8 - DRAINAGE	74.022	3,224,379	BLOCK E LOT 19 BLOCK E LOT 20	0.143	7,452
<ol> <li>in a southwesterly direction, along a non-tangent curve to the right, a central angle of 90°00'00", a radius of 20.00 feet, a chord bearing and distance of South 72°34'05" West, 28.28 feet, and a total arc length of 31.42 feet to a point of tangency;</li> </ol>			7,735		0.143	6,250		0.149	6,506	BLOCK F LOT 1 - LANDSCAP		4.656
<ol> <li>North 62°25'55" West, 104.53 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>in a northwesterly direction, along a tangent curve to the right, a central angle of 89°58'58", a radius of 30.00 feet, a chord bearing and distance</li> </ol>	BLOCK A LOT 16	0.178	7,732	BLOCK B LOT 34			BLOCK D LOT 9		,			7.750
of North 17°26'26" West, 42.42 feet, and a total arc length of 47.11 feet to a point of tangency; 15. North 62°26'57" West, 114.00 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;	BLOCK A LOT 17	0.178		BLOCK B LOT 35	0.143	6,250	BLOCK D LOT 10	0.166	7,243 6.875	BLOCK F LOT 2	0.178	,
THENCE, North 27°30'26" East, 441.00 feet to a 5/8-inch iron rod found marking the southwestern-most corner of aforesaid 157.9603 acre tract on	BLOCK A LOT 18	0.177	7,730	BLOCK B LOT 36	0.143	6,250	BLOCK D LOT 11	0.158	-,	BLOCK F LOT 3	0.178	7,750
the southeasterly line of Lot 1 of J.F. Nagle Estates, plat of which recorded in Document No. 199900207 of the Official Public Records of Travis County:	BLOCK A LOT 19	0.177	, -	BLOCK B LOT 37	0.172	7,500	BLOCK D LOT 12	0.158	6,875	BLOCK F LOT 4	0.178	7,750
THENCE, North 27°34'05" East, 536.04 feet along the easterly boundary line of said Lot 1 to a 1/2-inch iron rod with a plastic cap stamped "KHA" set	BLOCK A LOT 20 - LANDSCAPE	0.047	2,060	BLOCK C LOT 1 - LANDSCAPE	0.084	3,653	BLOCK D LOT 13	0.158	6,875	BLOCK F LOT 5	0.178	7,733
for corner;	BLOCK B LOT 1 - LANDSCAPE	0.084	3,653	BLOCK C LOT 2	0.172	7,500	BLOCK D LOT 14	0.158	6,875	BLOCK F LOT 6	0.170	7,402
THENCE, departing from said Lot 1 and crossing said 157.9603 acre tract, the following forty-two (42) courses and distances:	BLOCK B LOT 2	0.172	7,500	BLOCK C LOT 3	0.143	6,250	BLOCK D LOT 15	0.158	6,875	BLOCK F LOT 7	0.408	17,774
<ol> <li>South 62°25'55" East, 114.00 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 27°34'05" East, 405.50 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>	BLOCK B LOT 3	0.143	6,250	BLOCK C LOT 4	0.143	6,250	BLOCK D LOT 16	0.158	6,875	BLOCK F LOT 8	0.225	9,790
<ol> <li>South 62°25'55" East, 183.84 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>South 56°45'49" East, 126.56 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>	BLOCK B LOT 4	0.143	6,250	BLOCK C LOT 5	0.143	6,250	BLOCK D LOT 17	0.158	6,875	BLOCK F LOT 9	0.176	7,668
5. South 62°25'55" East, 448.54 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner; 6. South 50°24'00" East, 110.66 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;	BLOCK B LOT 5	0.143	6,250	BLOCK C LOT 6	0.143	6,250	BLOCK D LOT 18	0.158	6,875	BLOCK F LOT 10	0.146	6,374
<ol> <li>in a southwesterly direction, along a non-tangent curve to the right, a central angle of 3°32'59", a radius of 475.00 feet, a chord bearing and distance of South 41°22'30" West, 29.42 feet, and a total arc length of 29.43 feet to a point of tangency;</li> </ol>	BLOCK B LOT 6	0.143	6,250	BLOCK C LOT 7	0.143	6,250	BLOCK D LOT 19	0.158	6,875	BLOCK F LOT 11	0.143	6,250
8. South 46°51'01" East, 165.62 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner; 9. North 48°32'15" East, 67.42 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;	BLOCK B LOT 7	0.143	6,250	BLOCK C LOT 8	0.143	6,250	BLOCK D LOT 20	0.158	6,875	BLOCK F LOT 12	0.143	6,250
10. North 39°56'34" East, 141.31 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner; 11. in a northeasterly direction, along a non-tangent curve to the left, a central angle of 116°34'23", a radius of 50.00 feet, a chord bearing and	BLOCK B LOT 8	0.143	6,250	BLOCK C LOT 9	0.143	6,250	BLOCK D LOT 21	0.158	6,875	BLOCK F LOT 13	0.143	6,250
distance of North 33°50'04" East, 85.07 feet, and a total arc length of 101.73 feet to a point of tangency; 12. in a northeasterly direction, along a tangent reverse curve to the right, a central angle of 52°01'12", a radius of 15.00 feet, a chord bearing and	BLOCK B LOT 9	0.143	6,250	BLOCK C LOT 10	0.143	6,250	BLOCK D LOT 22	0.173	7,538	BLOCK F LOT 14	0.143	6,250
distance of North 1°33'29" East, 13.16 feet, and a total arc length of 13.62 feet to a point of tangency;	BLOCK B LOT 10	0.143	6,250	BLOCK C LOT 11	0.143	6,250	BLOCK D LOT 23	0.189	8,212	BLOCK F LOT 15	0.143	6,250
<ol> <li>North 27°34'05" East, 385.84 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>in a northeasterly direction, along a tangent curve to the left, a central angle of 13°09'09", a radius of 625.00 feet, a chord bearing and distance</li> </ol>	BLOCK B LOT 11	0.143	6,250	BLOCK C LOT 12	0.143	6,250	BLOCK D LOT 24	0.201	8,744	BLOCK F LOT 16	0.143	6,250
of North 20°59'31" East, 143.16 feet, and a total arc length of 143.47 feet to a point of tangency; 15. North 14°24'56" East, 179.84 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;	BLOCK B LOT 12	0.143	6,250	BLOCK C LOT 13	0.158	6,875	BLOCK D LOT 25	0.206	8,968	BLOCK F LOT 17	0.143	6,250
<ol> <li>in a northeasterly direction, along a tangent curve to the right, a central angle of 52°01'12", a radius of 15.00 feet, a chord bearing and distance of North 40°25'32" East, 13.16 feet, and a total arc length of 13.62 feet to a point of tangency;</li> </ol>	BLOCK B LOT 13	0.143	6,250	BLOCK C LOT 14	0.185	8,077	BLOCK D LOT 26	0.163	7,087	BLOCK F LOT 18	0.185	8,076
17. in a northwesterly direction, along a tangent reverse curve to the left, a central angle of 194°02'25", a radius of 50.00 feet, a chord bearing and distance of North 30°35'04" West, 99.25 feet, and a total arc length of 169.33 feet to a point of tangency;	BLOCK B LOT 14	0.172	7,500	BLOCK C LOT 15	0.185	8,077	BLOCK E LOT 1	0.171	7,452	BLOCK F LOT 19	0.182	7,943
18. in a southwesterly direction, along a tangent reverse curve to the right, a central angle of 52°01'12", a radius of 15.00 feet, a chord bearing and distance of South 78°24'20" West, 13.16 feet, and a total arc length of 13.62 feet to a point of tangency;	BLOCK B LOT 15 - DRAINAGE	0.143	6,250	BLOCK C LOT 16	0.158	6,875	BLOCK E LOT 2	0.143	6,250	BLOCK F LOT 20	0.208	9,072
<ol> <li>North 75°35'04" West, 76.95 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 16°50'50" East, 250.23 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>	BLOCK B LOT 16	0.143	6,250	BLOCK C LOT 17	0.158	6,875	BLOCK E LOT 3	0.143	6,250	OVERALL BOUNDARY	106.055	4,619,755
<ol> <li>North 2°46'19" West, 105.59 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>South 79°59'57" West, 123.83 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>	BLOCK B LOT 17	0.143	6,250	BLOCK C LOT 18	0.158	6,875	BLOCK E LOT 4	0.143	6,250	ROW	8.361	364,225
23. in a northwesterly direction, along a non-tangent curve to the left, a central angle of 16°04'35", a radius of 50.00 feet, a chord bearing and	BLOCK B LOT 18	0.143	6,250	BLOCK C LOT 19	0.158	6,875	BLOCK E LOT 5	0.143	6,250			
distance of North 23°12'46" West, 13.98 feet, and a total arc length of 14.03 feet to a point of tangency; 24. North 56°08'09" East, 115.62 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;												
<ol> <li>North 16°08'29" West, 38.98 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 53°32'59" West, 99.32 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>												
<ol> <li>South 84°44'51" West, 127.43 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 14°24'56" East, 120.00 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>												
<ol> <li>North 75°35'04" West, 130.00 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 14°24'56" East, 3.70 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>												
31. in a northeasterly direction, along a tangent curve to the left, a central angle of 9°22'14", a radius of 325.00 feet, a chord bearing and distance of North 9°43'49" East, 53.09 feet, and a total arc length of 53.15 feet to a point of tangency;												
<ol> <li>South 84°57'18" East, 03.05 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 8°48'51" West, 163.90 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>												
34. South 75°39'03" West, 125.95 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;												
35. in a northwesterly direction, along a non-tangent curve to the left, a central angle of 12°48'20", a radius of 187.98 feet, a chord bearing and distance of North 19°48'38" West, 41.93 feet, and a total arc length of 42.01 feet to a point of tangency;												
<ol> <li>North 56°03'48" East, 140.41 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> <li>North 10°01'41" West, 62.95 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;</li> </ol>												
38. North 28°39'06" West, 63.56 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner; 39. North 49°35'26" West, 70.81 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;												
40. North 75°55'00" West, 97.58 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner; 41. South 73°30'03" West, 97.58 feet to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for corner;												
<ul> <li>42. North 62°26'32" West, 56.90 feet to a 1/2-inch iron with a plastic cap stamped "KHA" set marking the southwestern-most corner of aforesaid</li> <li>157.9603 acre tract on the southeasterly line of Lot 3 of J.F. Nagle Estates, plat of which recorded in Document No. 199900207 of the Official</li> </ul>										MANOR HEIGH	TS PH	IASE 3.
Public Records of Travis County;									-			ACRES
THENCE, North 27°33'28" East, 124.35 feet along the southeasterly boundary line of said Lot 3 and the southwest most corner of a called 114.836						ĸ	<u>SURVEYOR:</u> (IMLEY-HORN AND ASSOCIATES,	INC.		BEING A PORTION O		_
acre tract of land described in instrument to Tiffany Brick Co, LP. recorded in Document No. 2003150661TR of the Official Public Records of Travis County, to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for a corner;				601 NW LOOP 410, SUITE 350			DESCRIBED IN DOC					
THENCE, South 62°20'52" East, 2069.05 feet, departing the easterly line of said Lot 3 of the J.F Nagle Estates and along the southerly boundary line							2H: (210) 541-9166 FAX: (210) 541- CONTACT: JOHN G. MOSIER, R.P.			CORRECTION DEEL		
of a called 114.836 acre tract of land, to a 1/2-inch iron rod with a plastic cap stamped "KHA" set for a corner;				CONTROL JOIN O. MODIEN, N.I. E.S.			OFFICIAL PUBLIC REC	CORDS	OF TRAVIS C			
THENCE, South 27°47'17" West, 2710.56 feet and along the westerly boundary line of a called 79.13 acres tract of land described in instrument to						C	CIVIL ENGINEER:			ORTION OF THAT CEI		
Laurie Pickerill and Daryl Swenson recorded in Document No. 2018193347 of the Official Public Records of Travis County and to the northerly right-of-way line of said Old Kimbro Road to the <b>POINT OF BEGINNING</b> , and containing 106.055 acres of land in Travis County, Texas. The basis of						ĸ	IMLEY-HORN AND ASSOCIATES, 0814 JOLLYVILLE ROAD, AVALLC			KIMBRO ROAD IN DO		
bearing for this description is the Texas State Plane Coordinate System Grid, Central Zone (FIPS 4203) (NAD'83). All distances are on the surface and shown in U.S. Survey Feet. To convert grid distances to grid, apply the combined SURFACE to GRID scale factor of 0.99992097045. This						A	USTIN, TEXAS 78759	,	200			,
document was prepared in the office of Kimley-Horn and Associates, Inc. in San Antonio, Texas.						F	TBPE FIRM REGISTRATION NO. F-928 PH: (512) 418-1771 FAX: (512) 418-1791 CONTACT: ALEJANDRO E. GRANADOS RICO, P.E. SURVEY NO. 52, ABSTRAC TRAVIS CO					
						C						
							DWNER/DEVELOPER:			Kiml	<b>^</b>	
							FORESTAR (USA) REAL ESTATE ( A DELAWARE CORPORATION	GROUP, IN	NC.,		HV	<i>)))</i> [][

FORESTAR (USA) REAL ESTATE GROUP, INC., A DELAWARE CORPORATION 10700 PECAN PARK BLVD. STE. 150 AUSTIN, TEXAS 78750 CONTACT: JEFF SCOTT

# 3, SECTION 1

IN 157.9603 ACRE 9171725, AND IN NO. 2019176021, S COUNTY, AND A E PORTION OF OLD 152193, OFFICIAL Y, A.C. CALDWELL CITY OF MANOR, ٩S

<b>Kimley</b> »Horn												
	601 NW Loop 410, Suite 350         Tel. No. (210) 541-9166           San Antonio, Texas 78216         FIRM # 10193973         www.kimley-horn.com											
<u>Scale</u>	Scale         Drawn by         Checked by         Date         Project No.         Sheet No.											
N/A DJG JGM 02/04/2022 069255703 8 0												