

January 25, 2021

City of Manor Planning and Development Review Department 105 E. Eggleston Street Manor, Texas 78653

10814 Jollyville Road Building IV, Suite 300 Austin, Texas 78759

Re: Summary Letter – Manor Heights Phase 2

Preliminary Plan Application

Northeast intersection of Old Kimbro Rd and Highway 290.

Manor, Texas 78653

To Whom It May Concern:

Please accept this Summary Letter for the above referenced project. Manor Heights is a proposed residential subdivision located north of Highway 290 at the northeast intersection of Old Kimbro Road and Highway 290 in the City of Manor, Travis County. This Preliminary Plan Application is proposed for Phase 2 Section 1 and Phase 2 Section 2. The existing property is approximately 248 acres of mostly undeveloped land. Phases 1 and 2 encompass approximately 111 acres of this property.

The proposed improvements include 251 residential lots, sidewalk, storm sewer, water, wastewater and other associated site improvements. This project is located within the Cottonwood Creek watershed of the Colorado River basin.

A portion of the site is in the Federal Emergency Management Agency's 100-year floodplain per Flood Insurance Rate Map 48453C0485J dated August 18, 2014 and within the boundaries of the 100 year floodplain as shown on the Flood Insurance Rate Map community panel no. 484533C0505H, effective 09/26/2008, Travis County, Texas and incorporated areas. Proposed development will impact the FEMA floodplain. A CLOMR is being submitted to reduce the area located within the floodplain. All lots adjacent to the FEMA floodplain will have minimum floor elevations per City of Manor requirements.

A detention waiver has been prepared by Kimley-Horn. After analyzing the overall area contributing to the floodplain on site, it has been determined that detention should not be required as proposed flows do not have a negative impact on flows downstream. The Detention Waiver has been attached as a part of this submittal with additional supporting information.

If you have any questions or comments regarding this request, please contact me at 512-782-0594.

Sincerely,

KIMLEY-HORN AND ASSOCIATES, INC.

Gabriel Bermudez, P.E.

Chatterno Hany