


EXHIBIT A-2 CITY OF MANOR WATER IMPROVEMENTS 10-YEAR CAPITAL IMPROVEMENTS PLAN NOVEMBER 2021

The following projects have been identified as required to serve new growth within the service area, in accordance with approved land use assumptions and as part of the 10-year Capital Improvements Plan

						Construction Cost			(adjusted for Inflation @ 5% per		Contingency (10%	Financing Cost (5%		
Project No.	Year	Description	Size	Unit	Length (ft)	(2020 Dollars)	Annual Interest	Period (yr)	annum)	Soft Costs	+ 1% per annum)	over 20 Years)	Total Project Costs	Detailed Description
														Transmission main from
														downtown along Blake Mar
		Plake Manar Bood Water												Road to future FM 973.
W-6	2021	Blake Manor Road Water Line	12	inch	3,200	\$ 268,800.00	0.050	20	\$ 322,560.00 \$	48,400.00	\$ 48,200.00	\$ 253,529.66	¢ 672.000.00	Includes replacing 400 LF of pipe in Downtown Plant
VV-0	2021	LINE	12	INCH	3,200	φ 200,000.00	0.050	20	\$ 322,560.00 \$	40,400.00		φ 255,529.00	\$ 075,000.00	Water Distribution main alo
W-10	2020	Hill Lane Water Line	12	inch	3,450	\$ 289,800.00	0.050	20	\$ 333,270.00 \$	50,000.00	\$ 46,000.00	\$ 259,644.71	\$ 689,000,00	Hill Lane to serve new grow
					0,100	• _00,000.00	0.000		<u> </u>		<i> </i>	• _00,01	<u> </u>	Connect 12" water lines on
		US 290 Crossing at Golf												north and south sides of US
W-13	2023	Course	12	inch	250	\$ 100,000.00	0.050	20	\$ 130,000.00 \$	19,500.00	\$ 22,400.00	\$ 103,974.01	\$ 276,000.00	290
														250,000 gal Ground Storag
														Tank and 1,400 gpm
		Gregg Manor Road Water												expandable pump station for
		Supply - Ground Storage												wholesale water supply
W-14	2022	Tank and Pumps	250,000	gallon		\$ 2,500,000.00	0.050	20	\$ 3,125,000.00 \$	468,800.00	\$ 503,100.00	\$ 2,478,017.11	\$ 6,575,000.00	connection
														Transmission main from US
														290 to serve new growth or
W-15	2022	FM 973 Water Line	12	inch	4000	\$ 336,000.00	0.050	20	\$ 420,000.00 \$	63,000.00	\$ 67 600 00	\$ 333,031.37	\$ 884,000,00	east and west sides of FM
11 10	LOLL		12	mon	1000	φ 000,000.00	0.000	20	φ 120,000.00 φ	00,000.00	φ 01,000.00	φ 000,001.07	<u> </u>	Parallel 12" waterline to
W-16	2022	US 290 Water Line	12	inch	2900	\$ 275,000.00	0.050	20	\$ 343,750.00 \$	51,600.00	\$ 55,300.00	\$ 272,576.44	\$ 723,000.00	increase US 290 capacity
										,	• •			Extend transmission main
														Presidential Glen to Old Ki
W-17	2020	US 290 Water Line	16	inch	4400	\$ 540,000.00	0.050	20	\$ 621,000.00 \$	93,200.00	\$ 85,700.00	\$ 483,820.91	\$ 1,284,000.00	
		Old Kimbro Road Water												Transmission main to serve
W-18	2020	Line	12	inch	3000	\$ 474,000.00	0.050	20	\$ 545,100.00 \$	81,800.00	\$ 75,200.00	\$ 424,666.41	\$ 1,127,000.00	new growth north of US 290
														T
W/ 20	2022	Bois D'Arc Lane Water	16	inch	2700	¢ 202 400 00	0.050	20	\$ 393,120.00 \$	50 000 00	¢ 67.900.00	\$ 314,474.52	¢ 924.000.00	Transmission main to impro
W-20	2023	Line Bois D'Arc Lane Water	16	Inch	2700	\$ 302,400.00	0.050	20	<u>ቅ 393,120.00 ቅ</u>	59,000.00	\$ 07,800.00	³ 314,474.32	<u></u>	delivery of water from East Transmission main to serve
W-22	2023	Line	12	inch	2500	\$ 210,000.00	0.050	20	\$ 273,000.00 \$	41,000.00	\$ 47 100 00	\$ 218,411.96	\$ 580,000,00	new growth north of Tower
VV 22	2020	Lino	12	Intern	2000	φ 210,000.00	0.000	20	φ 270,000.00 φ	11,000.00	φ 11,100.00	φ 210,111.00	<u> </u>	Increase Pump Capacity (a
		Gregg Manor Road Pump												contracted supply) at whole
W-24	2025	Improvements	1200	gpm		\$ 200,000.00	0.050	20	\$ 280,000.00 \$	42,000.00	\$ 54,700.00	\$ 227,847.65	\$ 605,000.00	water connection
														Transmission main along F
														973 from Tower Road to
														Canopy Lane to serve new
W-31	2022	FM 973 Water Line	12	inch	5200	\$ 436,800.00	0.050	20	\$ 546,000.00 \$	81,900.00	\$ 87,900.00	\$ 432,952.88	\$ 1,149,000.00	growth.
		- · · -												Transmission main from
	0000	Gregg Lane to Tower	40	in th	0.400	¢ 4 500 000 00	0.050	00	* 4 7 6 4 0 0 0 0	000 400 00	• • • • • • • • • • • • • • • • • • •	* 4 007 000 00	A A ZA A A A A A A A A A	Manville WSC Booster Stat
Water CIP-1	2020	Road Waterline	12	inch	3400	\$ 1,560,000.00	0.050	20	\$ 1,794,000.00 \$	269,100.00	\$ 247,600.00	\$ 1,397,630.92	\$ 3,708,000.00	to East Elevated Storage T
														1350 Meter bodies and AM
														registers, 810 replacement meter box lids, software, tw
														vehicle transmitter units, tw
Vater CIP-2	2017	AMR Water Meters				\$ 300,000.00	0.05	20	\$ 300,000.00 \$	45,000.00	\$ 31 100 00	\$ 227,484.74	\$ 604,000.00	
	2017					+ 000,000.00	0.00	20	φ 000,000.00 φ	-0,000.00	φ 01,100.00	Ψ 221,707.14	Ψ 007,000.00	1350 Meter bodies and AM
														registers, 810 replacement
														meter box lids, software, tw
														vehicle transmitter units, tw
Vater CIP-3	2018	AMR Water Meters				\$ 400,000.00	0.05	20	\$ 420,000.00 \$	63,000.00	\$ 48,300.00	\$ 321,357.73	\$ 853,000.00	-
									•				\$ 20,564,000.00	

Water LUEs are defined as requiring 451 gallons of water per day per single family residence as determined in the the City of Manor Water Master Plan.





//14667.01\GIS\ManorTX_CIP.aprx 9/22/2021 10::

EXHIBIT A-4 CITY OF MANOR WASTEWATER IMPROVEMENTS 10-YEAR CAPITAL IMPROVEMENTS PLAN NOVEMBER 202

The following projects have been identified as required to serve new growth within the service area, in accordance with approved land use assumptions and as part of the 10-year Capital Improvements Plan

11. 12. 1	Project No.	Year	Description	Construction Cost (2021 Dollars)	Interest	Period (months)	Paymen	t To	otal Payment	Size		Construction Cost (adjusted for Inflation @ 5% per annum)	Soft Costs	Contingency (10% + 1% per annum)	Financing Cost (5.1% over 20 Years)	Total Project Costs	Detailed Description
	S-13	2020	Addl. Wilbarger WWTP Capacity	\$ 16,825,000.00	0.00425	240	\$ 145,66	7.98 \$	34,960,314.38	1.33 MGD		\$ 19,348,750.00 \$	2,140,000.00	\$ 400,000.00	\$ 13,071,564.38	\$ 34,960,000.00	New Treatment Plant Capacity to Serve Addl Growth
5.8 60 Find Contract Data(1) 1 / 200.00 0 / 200.00<	S-15	2021		\$5,119,897.50	0.00425	240	\$ 49,19	5.04 \$	11,806,810.71	0.20 MGD		\$ 6,143,877.00 \$	398,000.00	\$ 850,400.00	\$ 4,414,533.71	\$ 11,807,000.00	
6.7 201 Multi-discussed Exervite 3.0 6 2.021201 3.00200 3.00200 3.00200 4.00200 4.00200 4.00200 4.00200 4.00200 4.00200 4.0020000 4.0020000 4.0020000 4.00200	S-16	2021	East Cottonwood Gravity Line	\$ 1,750,000.00	0.00425	240	\$ 14,77	3.93 \$	3,545,743.72	12"	3,200	\$ 2,100,000.00 \$	51,000.00	\$ 69,000.00	\$ 1,325,743.72		
510 520 Med Disserted Georg Line Merger 2 640000 241 5 2420000 6 24200000 6 24200000	S-17	2021	West Cottonwood I S and FM	\$ 1,000,000,00	0 00425	240	\$ 8.83	774 \$	2 121 057 51		3 700	\$ 1,200,000,00 \$	79 000 00	\$ 49,000,00	\$ 793 057 51	\$ 2 121 000 00	
6-19 Cold NUM Description Cold				, , , , , , , , , , , , , , , , , , , ,			. ,	•	, ,		,		,	· /	. ,		Serves West Cottonwood Sub-Basin up to Bois D'Arc Ln,
5/2 2/2 1/2 1/2 0.042 2/2 1/2 0.042 0 1/2 0.042 1/2 0.042 1/2 0.042 1/2 0.042 1/2 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002			· · ·	· · ·			. ,		, , ,		- /	, , , , , , , , , , , , , , , , , , , ,	,	,	. ,		Serves FM 973 Corridor up to Wilbarger Basin divide
April Type Cit Static Sweet (L. Baller) Page 2010 Cit Static Sweet (L. Baller) Page 2010 Cit Static Sweet (L. Baller) Description (L. Baller) <thdescription (l.="" baller)<="" th=""> Description (L. Baller)<</thdescription>	S-23	2024	Willow Lift Station and Force Main	\$ 750,000.00	0.00425	240	\$ 8,98	8.81 \$	2,157,313.53	200 gpm		\$ 1,012,500.00 \$	151,900.00	\$ 186,300.00	\$ 806,613.53		Basin along US 290. 10-Yr ADF approx. 60,000 gpd,
S-30 DOUZ Mole Capacity # 2 000000 County for the first of the property Serve Add Growth First property Serve Add Growth First pr	S-28	2018	Lift Station; Stonewater Lift Station	\$ 26,271.96	0.00425	240	\$ 21	0.84 \$	50,601.98	12"	3,100	\$ 27,585.56 \$	4,096.48	\$-	\$ 18,919.94		
S-31 2025 MC2 Capacity 5 2,500,00.0 60,00.00 5 3,14,00.0 5 7,12,00.00 6 9,40,00.00 5 2,412,20.02 7 2,72,20.00 Nov Treatment Prior Capacity Use North Replacement (line flactory and particle flow flactory and partin flatony flatony flatony flatony flatony flatony flatony flaton	S-30	2022	•	\$ 2,000,000.00	0.00425	240	\$ 21,81	1.51 \$	5,234,763.54	0.40 MGD		\$ 2,500,000.00 \$	375,000.00	\$ 402,500.00	\$ 1,957,263.54	\$ 5,235,000.00	New Treatment Plant Capacity to Serve Addl Growth
5-32 2022 Battop-Parsons VW improvements 5 418,007:00 0.00425 240 8 4.338.12 5 1.041,388.76 12" 5 57,500.00 6 393.72.26 5 1.040,0000 8 75,000.00 <th< td=""><td>S-31</td><td>2025</td><td></td><td>\$ 2,500,000.00</td><td>0.00425</td><td>240</td><td>\$ 31,34</td><td>0.04 \$</td><td>7,521,608.52</td><td>0.50 MGD</td><td></td><td>\$ 3,500,000.00 \$</td><td>525,000.00</td><td>\$ 684,300.00</td><td>\$ 2,812,308.52</td><td>. , ,</td><td>· ·</td></th<>	S-31	2025		\$ 2,500,000.00	0.00425	240	\$ 31,34	0.04 \$	7,521,608.52	0.50 MGD		\$ 3,500,000.00 \$	525,000.00	\$ 684,300.00	\$ 2,812,308.52	. , ,	· ·
S-33 2022 Site for (fr Grogg Lane) \$ 76,000.00 0.0425 240 \$ 1.87.283.85.0 1 1.98.200.00 \$ 1	S-32	2021	Bastrop-Parsons WW Improvements	\$ 418,097.00	0.00425	240	\$ 4,33	9.12 \$	1,041,388.76	12"		\$ 501,716.40 \$	75,300.00	\$ 75,000.00	\$ 389,372.36		Parsons; to correct current capacity issues and serve
S-34 2022 main (df Gregg Lane) \$ 1,000,000.00 0.09425 240 \$ 1,000,000 \$ 2,017,46163 2525 gpm. L5 3,500 \$ 1,250,000.00 \$ 1,21,000.00 \$ 0,004,250,00.00 \$ 1,250,000.00	S-33	2022		\$ 750,000.00	0.00425	240	\$ 8,17	8.90 \$	1,962,936.50	15"	6,200	\$ 937,500.00 \$	140,600.00	\$ 150,900.00	\$ 733,936.50	\$ 1,963,000.00	New wastewater line to serve growth along Gregg Lane.
S-35 2022 Wastewater line to Čattorwood \$ 85.000.00 0.00425 240 \$ 9.270.31 \$ 2.224.874.33 12" 8.10 \$ 1.062.500.00 \$ 159.400.00 \$ 171.100.00 \$ 831.874.33 \$ 2.225.000.00 wastewater service fo City Limits for future growth. S-36 2022 Citin vecod WWTP \$ 2.000,000.00 0.00425 240 \$ 2.111.51 \$ 5.234,763.54 1.575 LUEs \$ 3.75,000.00 \$ 402.500.00 \$ 1.957,263.54 \$ 5.235,000.00 US Hwy 200 along Old Kimbro Road. CIP-1 2021 Expansion \$ 750,000.00 0.00425 240 \$ 7,520.06 \$ 1.075 gpm, 1.075 gpm, 1.075 gpm, Will need to expande these Life Solution when Lages develops to Will need to expande these Life Solution when Lages develops to 1.006 gpm, 1.007 gpm, 1.000 gpm, 1.000 gpm, 1.000 gpm, 1.206.000.00 \$ 75,800.00 \$ 1.206.000.00 \$ 1.206.000.00 \$ 1.206.000	S-34	2022	0	\$ 1,000,000.00	0.00425	240	\$ 10,90	6.09 \$	2,617,461.63		3,500	\$ 1,250,000.00 \$	187,500.00	\$ 201,300.00	\$ 978,661.63		
S-36 2022 Cottonwood WWTP \$ 2,000,000.00 0.00425 240 \$ 2,1811.51 \$ 5,234,763.54 1,575 LUEs \$ 2,500,000.00 \$ 402,500.00 \$ 1,957,263.54 \$ 5,235,000.00 US Hwy 290 along Old Kimbro Road. CIP-1 2021 Expansion \$ 750,000.0 0.00425 240 \$ 7,520.06 \$ 1,075 gpm, \$ 900,000.00 \$ 95,000.0 \$ 95,000.0 \$ 1,267,000.0 \$ 1,260,000.0 US Hwy 290 along Old Kimbro Road. CIP-1 2021 Expansion \$ 750,000.0 0.00425 240 \$ 7,520.06 \$ 1,075 gpm, \$ 900,000.00 \$ 95,000.0 \$ 1,260,000.0 <t< td=""><td>S-35</td><td>2022</td><td></td><td>\$ 850,000.00</td><td>0.00425</td><td>240</td><td>\$ 9,27</td><td>0.31 \$</td><td>2,224,874.33</td><td>12"</td><td>8,130</td><td>\$ 1,062,500.00 \$</td><td>159,400.00</td><td>\$ 171,100.00</td><td>\$ 831,874.33</td><td></td><td>· · · · ·</td></t<>	S-35	2022		\$ 850,000.00	0.00425	240	\$ 9,27	0.31 \$	2,224,874.33	12"	8,130	\$ 1,062,500.00 \$	159,400.00	\$ 171,100.00	\$ 831,874.33		· · · · ·
Number of the lift Station \$ 75,000.00 0.00425 240 \$ 7,520.06 \$ 1,075 gpm, 2nd WW \$ 900,000.00 \$ 135,000.00 \$ 75,000.00 \$ 1,206,000.00 \$ 2,206,000.00 \$ 3,30,000.00 \$ 3,30,000.00 \$ 3,30,000.00 \$ 3,30,000.00 <td><u>S-36</u></td> <td>2022</td> <td></td> <td>\$ 2,000,000.00</td> <td>0.00425</td> <td>240</td> <td>\$ 21,81</td> <td>1.51 \$</td> <td>5,234,763.54</td> <td></td> <td></td> <td>\$ 2,500,000.00 \$</td> <td>375,000.00</td> <td>\$ 402,500.00</td> <td>\$ 1,957,263.54</td> <td></td> <td></td>	<u>S-36</u>	2022		\$ 2,000,000.00	0.00425	240	\$ 21,81	1.51 \$	5,234,763.54			\$ 2,500,000.00 \$	375,000.00	\$ 402,500.00	\$ 1,957,263.54		
CIP-2 2022 Bell Farms Lift Station Expansion \$ 400,000.00 0.00425 240 \$ 3,826.58 918,379.57 2nd WW \$ 500,000.00 \$ 30,000.00 \$ 343,379.57 \$ 918,000.00 2172. Presidential Gien Lift Station Presidential Gien Lift Station 2022 Expansion \$ 400,000.00 0.00425 240 \$ 3,826.58 918,379.57 2nd WW \$ 500,000.00 \$ 343,379.57 \$ 918,000.00 2172. Presidential Gien Lift Station 2022 Expansion \$ 400,000.00 0.00425 240 \$ 3,826.58 918,379.57 2nd WW \$ 500,000.00 \$ 343,379.57 \$ 918,000.00 1500 LUES. Ultimate Capcity at phase 2 is 3517. CIP-3 2022 Expansion \$ 400,000.00 0.00425 240 \$ 3,826.58 918,379.57 2nd WW \$ 500,000.00 \$ 343,379.57 \$ 918,000.00 1500 LUES. Ultimate Capcity at phase 2 is 3517. CIP-4 2022 US 290 WW Line Expansion \$ 603,378.00 0.00425 240 \$ 6,579.87 \$ 1,579,169.64 12" & 157 2.760 \$ 754,222.50 \$ 113,100.00 \$ 121,400.00 \$ 919,447.14 <td>CIP-1</td> <td>2021</td> <td></td> <td>\$ 750,000.00</td> <td>0.00425</td> <td>240</td> <td>\$ 7,52</td> <td>0.06 \$</td> <td></td> <td></td> <td></td> <td>\$ 900,000.00 \$</td> <td>135,000.00</td> <td>\$ 95,000.00</td> <td>\$ 75,900.00</td> <td></td> <td>from 440 to 1026 LUEs, currently at about 706 LUEs. Will need to expand LS when Lagos develops to</td>	CIP-1	2021		\$ 750,000.00	0.00425	240	\$ 7,52	0.06 \$				\$ 900,000.00 \$	135,000.00	\$ 95,000.00	\$ 75,900.00		from 440 to 1026 LUEs, currently at about 706 LUEs. Will need to expand LS when Lagos develops to
Presidential Glen Lift Station Presidential Glen Lift Station 2,275 gpm, 400,000.00 2,275 gpm, 2022 Capacity with current wastewater flows is in excess of 333,379.57 Capacity with current wastewater flows is in excess of 333,379.57 CIP-3 2022 Expansion \$ 400,000.00 0.00425 240 \$ 3,826.58 \$ 918,379.57 2nd WW \$ 500,000.00 \$ 343,379.57 \$ 918,000.00 1500 LUES. Ultimate Capacity at phase 2 is 3517. CIP-4 2022 US 290 WW Line Expansion \$ 603,378.00 0.00425 240 \$ 6,579.87 \$ 1,579,169.64 12" & 15" 2,760 \$ 754,222.50 \$ 113,100.00 \$ 590,447.14 \$ 1,579,000.00 capacity. CIP-4 2022 US 290 WW Line Expansion \$ 603,378.00 0.00425 240 \$ 6,579.87 \$ 1,579,169.64 12" & 15" 2,760 \$ 754,222.50 \$ 113,100.00 \$ 590,447.14 \$ 1,579,000.00 capacity. Travis County Rural Center Lift Travis County Rural Center Lift Ift Station and Force Main from Rural Center to existing Lift Station, force main \$ 1,931,000.00 0.00425 240 \$ 16,288.93 3,909,342.17 500 gpm 500 <td>CIP-2</td> <td>2022</td> <td>Bell Farms Lift Station Expansion</td> <td>\$ 400,000.00</td> <td>0.00425</td> <td>240</td> <td>\$ 3,82</td> <td>6.58 \$</td> <td></td> <td></td> <td></td> <td>\$ 500,000.00 \$</td> <td>45,000.00</td> <td>\$ 30,000.00</td> <td>\$ 343,379.57</td> <td></td> <td>capacity is 1264 LUES. Ultimate Capcity at phase 2 is</td>	CIP-2	2022	Bell Farms Lift Station Expansion	\$ 400,000.00	0.00425	240	\$ 3,82	6.58 \$				\$ 500,000.00 \$	45,000.00	\$ 30,000.00	\$ 343,379.57		capacity is 1264 LUES. Ultimate Capcity at phase 2 is
& LUEs out of 1800 LUE capacity, expansion will double CIP-4 2022 US 290 WW Line Expansion \$ 603,378.00 0.00425 240 \$ 6,579.87 1,579,169.64 12" & 15" 2,760 \$ 754,222.50 \$ 113,100.00 \$ 121,400.00 \$ 590,447.14 \$ 1,579,000.00 capacity, expansion will double Travis County Rural Center Lift CIP-6 2020 Station, force main \$ 1,931,000.00 0.00425 240 \$ 16,288.93 \$ 3,909,342.17 500 gpm 500 \$ 127,000.00 \$ 1,00,000.00 \$ 1,461,692.17 \$ 3,909,000.00 wastewater line	CIP-3	2022		\$ 400,000.00	0.00425	240	\$3,82	6.58 \$				\$ 500,000.00 \$	45,000.00	\$ 30,000.00	\$ 343,379.57		capacity with current wastewater flows is in excess of
Travis County Rural Center Lift Lift Station and Force Main from Rural Center to existing CIP-6 2020 Station, force main \$ 1,931,000.00 0.00425 240 \$ 16,288.93 \$ 3,909,342.17 500 gpm 500 \$ 1,27,000.00 \$ 1,461,692.17 \$ 3,909,000.00 wastewater line	CIP-4	2022	US 290 WW Line Expansion	\$ 603.378.00	0.00425	240	\$ 6.57	9.87 \$	1,579,169.64	12" & 15"	&	\$ 754,222.50 \$	113.100.00	\$ 121.400.00	\$ 590.447.14		LUEs out of 1800 LUE capacity, expansion will double
		2020	Travis County Rural Center Lift														Lift Station and Force Main from Rural Center to existing



Wastewater LUEs are defined as producing 275 gallons of wastewater per day per single family residence as determined in the the City of Manor Wastewater Master Plan.