

203 West Murray Avenue
Manor TX, 78653

Change Of Uniform Sign Plan Standard



1002 West Pecan Street - Pflugerville, TX 78660
Tel: 512-828-7828 - Fax: 512-377-1544
www.Signarama-NATX.com

© COPYRIGHT 2018, PFLUGERVILLE SIGNS SIGNARAMA LLC.


Print Layout Clear Layout

INTELLECTUAL PROPERTY & COPYRIGHTS

TDLR#18936



ALL DESIGNS PRESENTED ARE THE SOLE PROPERTY OF PFLUGERVILLE SIGNS SIGNARAMA LLC, & MAY NOT BE REPRODUCED IN PART OR WHOLE, INCLUDING SHARING VIA EMAIL OR ANY DIGITAL MEDIA WITHOUT THE WRITTEN PERMISSION FROM PFLUGERVILLE SIGNS SIGNARAMA LLC.



PFLUGERVILLE SIGNS
Signarama[™]
The way to grow your business.
1002 West Pecan Street
Pflugerville, TX 78660
Tel: 512-828-7828 - Fax: 512-377-1544

PROJECT NAME:

CLIENT:

CONTACT:

PHONE :

EMAIL :

PROJECT LOCATION:

SITE CONTACT:

CELLPHONE:

PROJECT MANAGER:

DESIGNER:


REVISION DATE & NUMBER:
Rev

FILE LOCATION:
Location

INTERNAL APPROVAL SIGNATURE

CLIENT APPROVAL SIGNATURE

LANDLORD APPROVAL SIGNATURE



TDLR#18936

PLEASE CHECK ALL SPELLING
WE ARE NOT RESPONSIBLE FOR ANY SPELLING ERRORS ONCE CLIENT APPROVAL IS RECEIVED . THERE WILL BE AN Additional CHARGE TO FIX ANY SIGN DUE TO SPELLING ERRORS AFTER PROOF APPROVAL.

ELECTRICAL SIGNS NOTES

Pflugerville Signs Signarama DOES NOT provide primary electrical to sign. Power to the sign must be done by a licensed electrical contractor or licensed electrician which we can provide at an additional cost seperate from sign fabrication and installation . Each sign must have:

1. A minimum of one dedicated 120V 20A circuit

2. Junction box installed within 6 feet of sign

3. Three wires: Line, Ground, Neutral

INTELLECTUAL PROPERTY & COPYRIGHTS

© COPYRIGHT 2018, PFLUGERVILLE SIGNS SIGNARAMA LLC. ALL DESIGNS PRESENTED ARE THE SOLE PROPERTY OF PFLUGERVILLE SIGNS SIGNARAMA LLC, & MAY NOT BE REPRODUCED IN PART OR WHOLE, INCLUDING SHARING VIA EMAIL OR ANY DIGITAL MEDIA WITHOUT THE WRITTEN PERMISSION FROM PFLUGERVILLE SIGNS SIGNARAMA LLC.

PROJECT NAME:

CLIENT:

CONTACT:

PHONE :

EMAIL :

PROJECT LOCATION:

SITE CONTACT:

CELLPHONE:

PROJECT MANAGER:

DESIGNER:

REVISION DATE & NUMBER:
Rev

FILE LOCATION:
Location


INTERNAL APPROVAL SIGNATURE

CLIENT APPROVAL SIGNATURE

LANDLORD APPROVAL SIGNATURE



TDLR#18936



**LED FRONT LIT W/ BACKER - CHANNEL LETTER
SECTION DETAILS**

ALL PARTS USED TO BUILD
YOUR SIGN ARE UL LISTED

SIGN DETAIL STANDARD:

Total Sign area to be 30" heigh x 120"wide
Black Backer with wireway.
6" black aluminum returns
Black trim cap or trimless letter edge
White LED modules 7200K (Principle LED Quickmods 2)
Power supply 120-270 input -120 Watts at 12v
Round or Square logo box (as presented in layout)

Sign letters can be 11" tall if stacked and fit
within 24"h x 112"w area without a logo, and 24"h x 84"w
when a logo is used, with an allowable logo area not to
exceed 24" x 24" on the left.

If a single line of letter then the max height should 16" w
without logo, and a not to acceed area of 16"h x 112"w,
or 16"h x 84" w, when a logo is used with an allowable
logo area not to exceed 24" x 24" on the left.

PLEASE CHECK ALL SPELLING
WE ARE NOT RESPONSIBLE FOR ANY SPELLING ERRORS ONCE CLIENT APPROVAL IS RECEIVED . THERE WILL BE AN Additional CHARGE TO FIX ANY SIGN DUE TO SPELLING ERRORS AFTER PROOF APPROVAL.

ELECTRICAL SIGNS NOTES
Pflugerville Signs Signarama DOES NOT provide primary electrical to sign. Power to the sign must be done by a licensed electrical contractor or licensed electrician which we can provide at an additional cost seperate from sign fabrication and installation . Each sign must have:
1. A minimum of one dedicated 120V 20A circuit
2. Junction box installed within 6 feet of sign
3. Three wires: Line, Ground, Neutral

INTELLECTUAL PROPERTY & COPYRIGHTS
© COPYRIGHT 2018, PFLUGERVILLE SIGNS SIGNARAMA LLC. ALL DESIGNS PRESENTED ARE THE SOLE PROPERTY OF PFLUGERVILLE SIGNS SIGNARAMA LLC, & MAY NOT BE REPRODUCED IN PART OR WHOLE, INCLUDING SHARING VIA EMAIL OR ANY DIGITAL MEDIA WITHOUT THE WRITTEN PERMISSION FROM PFLUGERVILLE SIGNS SIGNARAMA LLC.



ALL PARTS USED TO BUILD
YOUR SIGN ARE UL LISTED

PFLUGERVILLE SIGNS
Signarama
The way to grow your business.
1002 West Pecan Street
Pflugerville, TX 78660
Tel: 512-828-7828 - Fax: 512-377-1544

PROJECT NAME:

CLIENT:

CONTACT:

PHONE :

EMAIL :

PROJECT LOCATION:

SITE CONTACT:

CELLPHONE:

PROJECT MANAGER:

DESIGNER:

REVISION DATE & NUMBER:
Rev

FILE LOCATION:
Location

INTERNAL APPROVAL SIGNATURE

CLIENT APPROVAL SIGNATURE

LANDLORD APPROVAL SIGNATURE



TDLR#18936

PLEASE CHECK ALL SPELLING
WE ARE NOT RESPONSIBLE FOR ANY SPELLING ERRORS ONCE CLIENT APPROVAL IS RECEIVED . THERE WILL BE AN Additional CHARGE TO FIX ANY SIGN DUE TO SPELLING ERRORS AFTER PROOF APPROVAL.

ELECTRICAL SIGNS NOTES
Pflugerville Signs Signarama DOES NOT provide primary electrical to sign. Power to the sign must be done by a licensed electrical contractor or licensed electrician which we can provide at an additional cost seperate from sign fabrication and installation . Each sign must have:

- 1. A minimum of one dedicated 120V 20A circuit
- 2. Junction box installed within 6 feet of sign
- 3. Three wires: Line, Ground, Neutral

INTELLECTUAL PROPERTY & COPYRIGHTS
© COPYRIGHT 2018, PFLUGERVILLE SIGNS SIGNARAMA LLC. ALL DESIGNS PRESENTED ARE THE SOLE PROPERTY OF PFLUGERVILLE SIGNS SIGNARAMA LLC, & MAY NOT BE REPRODUCED IN PART OR WHOLE, INCLUDING SHARING VIA EMAIL OR ANY DIGITAL MEDIA WITHOUT THE WRITTEN PERMISSION FROM PFLUGERVILLE SIGNS SIGNARAMA LLC.