

OUTDOOR PUBLIC FIREWORKS DISPLAY

Applicant instructions:

1. This application is for an outdoor public fireworks display only and is not valid for an indoor fireworks display.
2. This application must be completed and returned at least 15 days prior to date of display.
3. Fee upon application is \$ \_\_\_\_\_ and must be made payable to \_\_\_\_\_

Name of Applicant (Sponsoring Organization): CITY OF MARSHALL

Address of Applicant: 344 WEST MAIN ST.

Name of Applicant's Authorized Agent: PRESTON STEWART

Address of Agent: 344 WEST MAIN ST.

Telephone Number of Agent: (507) 537-6786 Date of Display: 7/4/26 Time of Display: 10:00 PM

Location of Display: INDEPENDENCE PARK

Manner and place of storage of fireworks prior to display: DELIVERY AND STORAGE IN TRUCK, DAY OF SHOW.

Type and number of fireworks to be discharged: 1.3 G - UP TO 5" AERIAL SHELLS AND MULTI-BOX ITEMS

MINNESOTA STATE LAW REQUIRES THAT THIS DISPLAY BE CONDUCTED UNDER THE DIRECT SUPERVISION OF A PYROTECHNIC OPERATOR CERTIFIED BY THE STATE FIRE MARSHAL.

Name of Supervising Operator: LARRY ROSSON Certificate No.: \_\_\_\_\_

Required attachments. The following attachments must be included with this application:

1. Proof of a bond or certificate of insurance in amount of at least \$ 10,000,000  
(Suggested Amount: \$1.2 million minimum. \$1.5 million minimum beginning July 1, 2009.)
2. A diagram of the ground at which the display will be held. This diagram (drawn to scale or with dimensions included) must show the point at which the fireworks are to be discharged; the location of ground pieces; the location of all buildings, highways, streets, communication lines and other possible overhead obstructions; and the lines behind which the audience will be restrained.
3. Names and ages of all assistants that will be participating in the display.

The discharge of the listed fireworks on the date and at the location shown on this application is hereby approved, subject to the following conditions, if any: \_\_\_\_\_

I understand and agree to comply with all provisions of this application, MN Statute 624.20 through 624.25, MN State Fire Code, National Fire Protection Association Standard 1123 (2006 edition), applicable federal law(s) and the requirements of the issuing authority, and will ensure that the fireworks are discharged in a manner that will not endanger persons or property or constitute a nuisance.

Signature of Applicant (or Agent): [Signature] Date: 3/17/26

Signature of Fire Chief/County Sheriff: [Signature] Date: 3/24/2026

Signature of Issuing Authority: \_\_\_\_\_ Date: \_\_\_\_\_

**Marshall, MN - Shoot Site**

350' Radius - Up to 5" Shells rev. 01/2024

AUDIENCE

**Legend**

- Independence Parking Lot
- Marshall, MN - Shoot Site
- Reilly Home Team - Keller Williams?
- Southwest Minnesota Orthopedics & Sports?

**350' Safety Radius**

Up to 5" Aerial Shells, Multi-Shell Barrage Units, and Roman Candles

Distance to Audience: 575'  
Vehicles: 365'  
Buildings: 575'

**NO SPECTATORS, VEHICLES, TENTS / INFLATABLES, OR UNAUTHORIZED PERSONS ALLOWED INSIDE THE YELLOW SAFETY CIRCLE**

Marshall, MN - Shoot Site

44.44017 N  
-95.77050 W

ENTER HERE