



I) 9.06.06.09	12V Power Strip, Inside Center Console, Wired to Chassis Battery	1.00
I) 9.06.06.10	12V Power Strip, Inside Center Console, Wired to Master Switch	1.00
J) 10.00.01	Center Console for Freightliner Chassis	1.00
J) 10.01.01.01	Light Bar, LED, Low-Profile, Model Whelen, #JE2NFPA, Red	1.00
J) 10.02.01.02	Whelen 295SLSA1 Siren w/ Speaker Mounted flush mounted, Street Side	1.00
J) 10.06.08.02	Side/Rear Scene/Flasher, Red Light, M9V2R, (2) Each Side Tank, (2) Rear of Apparatus, (6) Six Total	1.00
J) 10.07.05	Automatic Reverse Scene Lighting	1.00
J) 10.09.02	Ground Lights, LED, (6) Six	1.00
J) 10.10.01.01	Wigwag Headlights - OEM Installed	1.00
K) 11.00.01.04	Paint, Color Matched, Single Tone, 2600 - 3000 Gallon	1.00
K) 11.03.01	Vinyl Lettering, Chassis Doors, (See Spec for Details)	1.00
K) 11.03.06	Vinyl Lettering, Customer Unit Number on the Street and Curb Side, Underneath Headlights (See Spec for Details)	1.00
K) 11.05.01.02	Reflective Striping, White, (1" x 4"), Straight on Truck & Body, Tandem Axle	1.00
K) 11.05.03.01	Reflective Striping Inside of Chassis Doors, Single Cab	1.00
K) 11.06.05	Rear Chevron, Diamond Grade Pattern, 100% of Rear, Red/Fluorescent Yellow, no Shadow Flame	1.00
M) 13.00.03.06	Pump House Frame, MWF Side Control, Upgrade to 304 Brushed 4B Finish Stainless Steel Tubing	1.00
M) 13.03.05.01	Pump, Darley LSP 1000 PTO, Side Control, 36" Pumphouse	1.00
M) 13.03.25.01	PTO Auto Governor Option, Fire Research "Pump Boss 400 Series Auto Governor"	1.00
M) 13.05.01	Primer Pump Option, Rotary Vane	1.00
M) 13.06.01.01	Suction Intake, 2 1/2" Gated, Street Side, (1) One	1.00
M) 13.06.02.03	Non-Gated Master Intakes, 6", (2) Two	1.00
M) 13.07.01.02	Side Control Pump Panel Discharges, 2 1/2", Street Side, (2) Two	1.00
M) 13.07.01.03	Side Control Pump Panel Discharges, 2 1/2", Curb Side, (1) One	1.00
M) 13.08.08.01	Deck Gun Port only	1.00
M) 13.09.01.01	Tank Fill Valve 2", Side Control	1.00
M) 13.09.03.01	Tank to Pump 3", Manual Controls, Side Control	1.00
M) 13.12.01	Pump Certification, MWF Calibration	1.00
N) 14.08.01	Hose Cross Lay Above Side Control Pump	1.00
N) 14.09.02	Pre-connected Cross Lays, Two (2) 1 1/2" NST Male, 2" Valve	1.00
N) 14.10.01.02	Cross Lay Divider, (2) Two Adjustable Dividers, 3/16" Aluminum	1.00
N) 14.10.04.01	Cross Lay Vinyl Cover, Mesh Ends, Black	1.00
N) 14.11.00.01	Hose Bed, Full Length & Width of Tank, 10" Tall Walls	1.00
N) 14.11.01.02	Hose Bed Divider, Two (2)	1.00
N) 14.11.02.02	Hose Bed Cover, Black, 2600-3000 Gallon	1.00
O) 15.00.06.03	(2) Hard Suct Trays, 4 1/2"-6", Street Side of Tank	1.00
Q) 17.01.03.02	Hub and Lugnut Covers, Tandem Axle, OEM Installed	1.00
Q) 17.03.02	Pump Plus 1000 System, 15-amp, manual plug-in beneath the street side chassis door	1.00
Q) 17.08.00.02	Air Horns installed on Each Side of the Hood, (2) Two, OEM Installed	1.00
Q) 17.08.04.02	One Foot Switch Located on the Passenger Side Floor, OEM Installed	1.00



Quote Number 00007296  
 Created Date 2/19/2024

Company Address 901 Commerce Road  
 P.O. Box 524  
 Luverne, MN 56156-0524  
 US

Account Name MWF Stock

Prepared By Brett Jensen  
 Email brett@midwestfire.com  
 Phone 507-690-2981  
 Fax 507-283-9142

**Apparatus**

Product	Quote Description	Quantity
A) 1.01.05	All-Poly Series 3000 Gallon, "T" Style	1.00
A) 1.02.00	Rear Fill Tower, Center	1.00
B) 2.00.01	Direct Fill, Rear, Street Side 2 1/2" NST	1.00
B) 2.02.00.01	Tank Level Gauges, Automatic Off, at 10mph	1.00
B) 2.02.08.01	IC, Soft Glo Series Tank Level Gauge, Street Side Pump Panel - Master	1.00
B) 2.02.08.03	IC, Soft Glo Series Tank Level Gauge, Rear Street Side	1.00
B) 2.03.01	Hydrant (1) One & (2) Two Spanner Wrenches, Street Side Rear Panel	1.00
C) 3.00.01.03	Rear Dump, Center, SST, w/ 12" Flip Chute, Top Handle	1.00
C) 3.00.03	Rear Dump, Street Side, SST, w/36" Tele Chute	1.00
C) 3.00.04	Rear Dump, Curb Side, SST, w/36" Tele Chute	1.00
D) 4.00.08	Portable Tank Carrier, 3000 Gallons, Curb Side	1.00
D) 4.01.01	Portable Tank Carrier with Front Aluminum Tread-brite Wind Deflector	1.00
D) 4.06.08	Portable Tank, 3000 Gallon, Alum Frame, (See Spec for Color), 159" x 29"	1.00
F) 6.00.01	Street Side, Front Low Compartment	1.00
F) 6.01.01	Curb Side, Front Low Compartment	1.00
F) 6.950	50" Roll-Up Door	2.00
G) 7.02.01	Rear Step, 12" Deep	1.00
H) 8.00.01.01	Rear Grab Rails, Two (2), (1) Each Street Side & Curb Side	1.00
H) 8.00.04.01	Tank Grab Rail, (1) One, Front, Street Side	1.00
H) 8.00.05.01	Tank Grab Rail, (1) One, Front, Curb Side	1.00
H) 8.00.08.01	Grab Rail, (1) One, Rear, Below Hosebed	1.00
H) 8.01.01.05	Upper Level Hose Bed Folding Steps, Two (2) Curb Side, Two (2) Street Side	1.00
H) 8.01.02.01	Front Folding Steps, Street Side, (1) One	1.00
H) 8.01.03.01	Front Folding Steps, Curb Side, (1) One	1.00
H) 8.01.04.03	Lower Level Rear Folding Steps (2) Two, (1) One Curb Side, (1) One Street Side	1.00
I) 9.02.03	Side Mount Turn Signals	1.00
I) 9.04.01.02	Camera, Rear View, RearViewSafety, w/out GPS	1.00



# MIDWEST FIRE.

Q) 17.10.01.03	Tire Pressure Indicator, OEM installed	1.00
Q) 17.10.04.03	Heat Exchanger, Darley Pump	1.00
Q) 17.10.12.02	Engine Compartment Light, LED, OEM Installed	1.00
Q) 17.10.15.01	Power Take Off (PTO), OEM Installed	1.00
Q) 17.11.01.01	Chassis Exhaust, Standard Modifications	1.00
R) 18.08.03	Wheel Chocks, Rubber, (2) Two, Connected by Rope, in Spare Compartment	1.00
R) 18.10.11	PVC Flex Hard Suction Hose, 6" X 10', (1) One	2.00
R) 18.19	DOT Essential Kit	1.00
S) 19.01	MWF Stock Freightliner M2, 16k 44k, 360 HP, 160 CA PLUS	1.00
S) 19.01	Freightliner Chassis	1.00
S) 19.09	Freightliner - PTO Pump - Add	1.00
Special	Stock Unit	1.00
Z) NOR (1)	NOR 4115, C6 Series Quad Clusters, Clear Lens	1.00
Z) NOR (2)	NOR 4165, C6 Series Red Lower Level Warning Lights, Clear Lens	1.00
Z) NOR (3)	NOR 4165, C6 Series Red Intersection Lights, Clear Lens, Qty 6	1.00

Total Price

\$373,030.00

## Rob Nelson

---

**From:** Newt Johnson <newt@midwestfire.com>  
**Sent:** Monday, May 20, 2024 2:53 PM  
**To:** Rob Nelson  
**Cc:** Fire Chief  
**Subject:** Re: Midwest Fire Follow-Up

Hi Rob,

The lettering on the chassis doors is already included in the stock unit. The cost for the additional graphics would be:

- Vinyl Lettering, Rear of Tank: \$624
- Vinyl Lettering on the Street & Curb Side of the tank: \$1,780
- Vinyl Lettering underneath Street & Curb side Dump Valves: \$545
- Upward Angled Reflective on the body Stripe: \$566

The upgrade for the painted aluminum portable tank cover would be an additional \$4,396

The upgrade for the 5" Storz rear fill would be an additional \$1,601

Total would be \$9,512 to add all these options.

Respectfully,

Newt Johnson  
Account Representative  
Midwest Fire Equipment & Repair Company  
901 Commerce Rd  
Luverne, MN 56156

Direct: (507) 690-2990  
Cell: (605) 393-5750  
Front Office: (507) 283-9141  
newt@midwestfire.com

---

**From:** Rob Nelson <rnelson@mauston.com>  
**Sent:** Monday, May 20, 2024 2:41 PM  
**To:** Newt Johnson <newt@midwestfire.com>  
**Cc:** Fire Chief <firechief@mauston.com>  
**Subject:** RE: Midwest Fire Follow-Up

We were wondering how much you think graphics would cost say similar to Lake Delton's.  
What would it cost to add a tank cover like they have?  
Upgrade to a 5" rear fill?

Rob Nelson, Director of Public Works  
City of Mauston  
608-847-4070 opt. 4  
[rnelson@mauston.com](mailto:rnelson@mauston.com)

May 20, 2024

City Of Mauston Fire Department  
303 Mansion St  
Mauston, WI 53948

Dear Mauston Fire Department:

We are pleased to present our proposal for the purchase of (1) Fouts 3000 Gallon Super Tanker as detailed in the enclosed specifications 11043-0001 dated 11/29/2023. The projected delivery time for this unit is 90 days from receipt of the order, add-ons / additions to this specification may extend the delivery time. This proposal is valid for 30 days. This is a stock unit and can be sold at any time, if sold customer will be notified. If sold this proposal is void.

- Delivery to Mauston, WI
- Pre-delivery inspection by Fire Service Inc.
- 2 days of training at your facility
- Graphics and Loose Equipment pricing upon request
- Various Extended Warranties upon request

The price for this unit, as specified, at delivery and acceptance is:

**\$475,000**

Thank you for your interest in Fire Service, Inc. and Fouts Fire for this purchase consideration.

Sincerely,

*Nathaniel Heise*

WI Sales Manager Fire Service Inc.

Fire Service, Inc. Locations:

5545 N. Industrial Dr.  
St. Louis, IL 63173

1775 S. Fairwells Rd.  
Indianapolis, IN 46239

303 S. Industrial Drive  
Lake Mills, WI 53551

5743 Quincy Avenue  
Naperville, IL 60570

1003 Major Grove Ln.  
Naperville, IL 60560



May 20, 2024

City Of Mauston Fire Department  
303 Mansion St  
Mauston, WI 53948

Dear Mauston Fire Department:

We are pleased to present our proposal for the purchase of (1) E-One 3000 Gallon VM8 Tanker as detailed in the enclosed specifications Q123344 dated 01/20/2023. The projected delivery time for this unit is 90 days from receipt of the order, add-ons / additions to this specification may extend the delivery time. This proposal is valid for 30 days. This is a stock unit and can be sold at any time, if sold customer will be notified. If sold this proposal is void.

- Delivery to Mauston, WI
- Pre-delivery inspection by Fire Service Inc.
- 2 days of training at your facility
- Graphics and Loose Equipment pricing upon request
- Various Extended Warranties upon request

The price for this unit, as specified, at delivery and acceptance is:

**\$465,000**

Thank you for your interest in Fire Service, Inc. and E-One for this purchase consideration.

Sincerely,

*Nathaniel Heise*

WI Sales Manager Fire Service Inc.

FIRE SERVICE, INC. LOGO/TEXT

5545 N. Industrial Dr.  
SL, INDIAN, IN 46323

7513 S. Franklin Rd.  
INDIANAPOLIS, IN 46235

305 S. Industrial Drive  
LAKE MILLS, WI 53551

1743 Gentry Avenue  
NAPERVILLE, IL 60540

1813 1/2 Main Street East  
NAPERVILLE, IL 60540