
City of Madison Heights Oakland County, Michigan Zoning Text Amendment 24-04

An ordinance to amend Ordinance 2198, being an ordinance codifying and adopting a new Zoning Ordinance for the City of Madison Heights.

SECTION 12.06 – MEASUREMENT OF SIGN AREA AND HEIGHT is hereby amended as follows:

Section 12.06 Measurement of Sign Area and Height

1. Sign Area. For the purposes of this section, the sign area shall include the total area within any circle, triangle, rectangle or square, or combination of two shapes which are contiguous to each other, enclosing the extreme limits of writing, representation, emblem or any similar figure, together with any frame or other material forming an integral part of the display or used to differentiate such sign from the background against which it is placed. In the case of a broken sign, (a sign with open spaces between the letters or insignia) the sign area to be considered for size shall include all air space between the letters or insignia. Where more than one wall sign is used, each sign may be measured individually, using the procedure above, provided the signs are separated by a distance equal to, or greater than, the width of the largest sign. Any back-lit area of a building exterior shall be considered to be a sign area. Where a sign has two or more faces, the area of all faces shall be included in determining the area of the sign, except that where two such faces are placed back-to-back and less than 24 inches apart, the area of the sign shall equal the area of one face.




- Sign Height. The height of the sign is measured from the ground to the highest point of the sign from the ground.
- 3. Lineal-Building Street Frontage. In certain cases, the lineal street frontage of a building, building unit, or individual tenant space shall-may be the basis for determining permissible wall sign area. Lineal-Building Street frontage shall be the sum of all wall lengths associated with such building, building unit, or tenant space parallel to a public street, excluding any such wall length determined by the Planning and Zoning Administrator as unrelated to such building, building unit, or tenant space. For multi-tenant buildings, the street frontage shall be measured from the centerline of the party walls defining the tenant's individual space.

4. Façade Measurements: In certain cases, sign area calculations may be based on the length of the façade serving as the building or tenant's primary or secondary façades. Primary façades shall include any façade that has building street frontage along a public street (as defined above) or any façade that serves as the main entrance to a building or tenant space, regardless of street frontage. All other facades shall be considered secondary facades for the purposes of this article. A building or tenant space may have multiple primary facades and secondary facades. When a site has primary and secondary facades herein, the Planning and Zoning Administrator shall determine which facades shall serve as the primary facades and which shall be the secondary facades, as applicable. Façade length shall be the sum of all wall lengths associated with said façade. For multi-tenant buildings, façade length shall be measured from the centerline of the party walls defining the tenant's individual space.

Primary and Secondary Facades





SECTION 12.07- REGULATIONS FOR PERMITTED SIGNS is hereby amended as follows:

Section 12.07 Regulations for Permitted Signs

The following conditions shall apply to all signs erected or located in the specified zoning district(s):

R-1, R-2, R-3, R-MN, R-MF and H-M Districts:

Sign Type	R-1, R-2, R-3, R-MN, R-MF and H-M Districts (Single-family, duplex, and multi-plex lots only)	R-1, R-2, R-3, R-MN, R-MF and H-M Districts (Residential Developments [e.g., subdivisions, site condominiums, multifamily, and mobile home parks] and Non-Residential Uses only)
Awning/ Canopy Signs	Not Permitted	Maximum Number: One (1) sign per awning/canopy. Maximum Area: 15 square feet per sign. Individual signs greater than 15 sq. ft. may be permitted by allocating permitted wall signage allowances, below, to the awning/canopy sign.
Ground Signs	Not Permitted	Maximum Number: One (1) per street frontage. If an individual parcel has frontage that exceeds 300 linear feet on any given street, a total of one (1) additional ground sign may be permitted. Ground signs on a single parcel shall be separated by a minimum of 100 feet.
		Minimum Setback: 3 feet from right of way. Increase setback by 0.5 foot for every 0.5 foot of height increase above 5 feet (up to a maximum of 6 feet).

• Monument	Not Permitted	Maximum Height: 6 feet
Signs		Maximum Area: 32 square feet
 Decorative 	Not Permitted	Maximum Height: 5 feet
Post Signs		Maximum Area: 24 square feet
Projecting Signs	Not Permitted	Maximum Number: One (1) projecting sign per public entrance, minimum separation of 20 feet between projecting signs on a single façade.
		Maximum Area: 10 square feet per individual sign
Wall Signs	Not Permitted	Maximum Area per Individual Sign: 50 square feet
		Maximum Total Sign Area per Façade:
		Street-Facing façades Street Frontage/Primary Facade: 1.5 square feet of sign area per lineal feet of building street frontage and primary façade length, not to exceed a total of 100 square feet for each street facing façade street-fronting façade or-primary façade.
		Non-street-facing facades Secondary Facade: 100 square feet per secondary façade.
		Painted Wall Signs: Refer to Section 12.05(7)
Window Signs	Maximum Area: 25% of the window area.	
Temporary Signs	Maximum Height: 4 feet	Maximum Number: One (1) per street frontage. One (1) per parcel with no street frontage.
	Maximum Area:	Maximum Height: 4 feet
	16 square feet total	Maximum Area: 16 square feet
	Minimum Setback: 2 feet from right of way or any lot line.	Minimum Setback: 2 feet from any lot line.

B-1 Neighborhood Business District; B-2 Community Business District; B-3 Reggional Business Districts; CC City Center District; and MUI Mixed Use Innovation Districts.

-		
Sign Type	B-1, B-2, B-3, CC, and MUI Districts	
Awning/ Canopy Signs	Maximum Number: One (1) sign per awning/canopy.	
	Maximum Area: 15 square feet per sign. Individual signs greater than 15 square feet may be permitted by allocating permitted wall signage allowances, below, to the awning/canopy sign.	
Ground Signs	Maximum Number: One (1) per street frontage per parcel. If a parcel has frontage that exceeds 300 linear feet on any given street, a total of one (1) additional ground sign may be permitted. Ground signs on a single parcel shall be separated by a minimum of 100 feet.	
	Minimum Setback: 3 feet from right of way. Increase setback by 0.5 foot for every 0.5 foot of height increase above 5 feet (up to a maximum of 8 feet). No sign shall be located closer than 30 feet to any property line of an adjacent residential district.	
Monument Signs	Maximum Height: 8 feet	
	Maximum Area: 0.5 square foot per each lineal foot of lot frontage to a maximum of 60 square feet in area, whichever is less	
Decorative Post Signs	Maximum Height: 5 feet	
	Maximum Area: 24 square feet	
Projecting Signs	Maximum Number: One (1) per public entrance, minimum separation of 20 feet between projecting signs on a single façade.	

Maximum Area: 10 square feet per individual sign.

Wall Signs	Maximum Height: 20 feet
	Maximum Area per Individual Sign: 75 square feet. Individual tenants with lineal building frontage in excess of 200 feet along a public roadway shall be permitted a maximum individual sign area allowance of 100 square feet along such street-facing facades.
	Maximum Total Sign Area per Façade:
	Street-Facing façades Street Frontage/Primary Facade: 1.5 square feet of total sign area per lineal feet of building street frontage and primary façade length, not to exceed a total of 100 square feet per tenant per street facing street-fronting façade or primary façade. facade.
	Individual tBuildings/Tenants with an individual lineal building street frontage or primary facade length in excess of 200 feet, along a public streetor whose primary facade is set back more than 150 feet from the right-of-way line of the adjacent street, shall be permitted a total wall area allowance-bonus of 25% along such frontage/façade, not to exceed of 150 square feet per facade. along such street-facing facades.
	Non-street-facing facades: Secondary Façade: 100 square feet per secondary façadeper tenant.
	Painted Wall Signs: Refer to Section 12.05(7)
Window Signs	Maximum Area: 25% of the window area. In an enclosed building where the public is not allowed in the building and where food is offered to the public through a window for immediate consumption the maximum coverage shall be 50 percent.
Temporary Signs	Maximum Number: One (1) per street frontage. One (1) per parcel with no street frontage.
	Maximum Height: 4 feet
	Maximum Area: 16 square feet

Minimum Setback: 2 feet from right of way or any lot line.

O-1 Office District:

Sign Type	O-1 Districts	
Awning/ Canopy Signs		
Ground Signs	Maximum Number: One (1) per street frontage of a lot or development. Maximum Height: 8 feet Maximum Area: 0.5 square foot per each lineal foot of lot frontage to a maximum of 48 square feet in area. Minimum Setback: 3 feet from all lot lines. No sign shall be located closer than 30 feet to any property line of an adjacent residential district. Increase setback by 0.5 foot for every 0.5 foot of height increase above 5 feet (up to a maximum of 8 feet).	
Monument Signs	Maximum Height: 8 feet Maximum Area: 48 square feet	
Decorative Post Signs	Maximum Height: 5 feet Maximum Area: 24 square feet	
Projecting Signs	Maximum Number: One (1) per public entrance, minimum separation of 20 feet between projecting signs on a single façade. Maximum Area: 10 square feet per individual sign.	
Wall Signs	Maximum Height: 20 feet Maximum Area per Individual Sign: 50 square feet. Individual tenants with lineal building frontage in excess of 200 feet along a public roadway shall be permitted a	

maximum individual sign area allowance of 75 square feet along such street facing facades.

Maximum Total Sign Area per Façade:

Street-Facing façades Street Frontage/Primary Facade: 1.5 square feet of total sign area per lineal feet of building street frontage and primary façade length, not to exceed a total of 75 square feet per tenant per street-fronting façade or primary facade street facing façade.

Individual tenants with Buildings/Tenants with an individual lineal-building street frontage or primary façade length in excess of 200 feet along a public street, or whose primary facade is set back more than 150 feet from the right-of-way line of the adjacent street, shall be permitted a total wall area bonus of 25% along such frontage/facade, not to exceed 125 square feet per facade. allowance of 100 square feet along such street-facing facades.

Non-street-facing facades: Secondary Facade: 75 square feet-per secondary façade: per tenant.

Painted Wall Signs: Refer to Section 12.05(7)

Window Signs

Maximum Area: 25% of the window area.

Temporary Signs

Maximum Number: One (1) per street frontage. One (1) per parcel with no street frontage. let.

Maximum Height: 4 feet

Maximum Area: 16 square feet

Minimum Setback: 2 feet from right of way or any lot line.

M-1 Light Industrial District; and M-2 Heavy Industrial Districts:

Sign Type	M-1 and M-2 Districts	
Awning/ Canopy	Maximum Number: One (1) sign per awning/canopy.	
Signs	Maximum Area: 15 square feet per sign. Individual signs greater than 15 square feet may be permitted by allocating permitted wall signage allowances, below, to the awning/canopy sign.	
Ground Signs	Maximum Number: One (1) per street frontage per parcel. If a parcel has frontage that exceeds 300 linear feet on any given street, a total of one (1) additional ground sign may be permitted. Ground signs on a single parcel shall be separated by a minimum of 100 feet. No sign shall be located closer than 30 feet to any property line of an adjacent residential district. Minimum Setback: 5 feet	
• Monument	Maximum Height: 8 feet	
Signs	Maximum Area: 0.5 square foot per each lineal foot of lot frontage to a maximum of 60 square feet in area.	
Decorative Post	Maximum Height: 5 feet	
Signs	Maximum Area: 24 square feet	
Projecting Signs	Maximum Number: One (1) per public entrance, minimum separation of 20 feet between projecting signs on a single façade.	
	Maximum Area: 10 square feet per individual sign.	
Wall Signs	Maximum Area per Individual Sign: 100 square feet. Individual tenants with lineal building frontage in excess of 200 feet along a public roadway shall be permitted a maximum individual sign area allowance of 150 square feet along such street-facing facades.	
	Maximum Total Sign Area per Façade:	

Street-Facing façades Street Frontage/Primary frontage: 1.5 square feet of sign area per lineal feet of building street frontage and primary façade length, not to exceed a total of 150 square feet per tenant per street-facing façade or primary façade.

Individual tenants Buildings/Tenants with an individual lineal building street frontage or primary façade length in excess of 200 feet, or whose primary façade is set back more than 150 feet from the right-of-way of the adjacent street along a public street shall be permitted a total wall area bonus of 25% along such frontage/façade, not to exceed allowance of 175 square feet along such street-facing façades.per façade.

Non-street-facing facades:Secondary Façade" 100 square feet per secondary façade_per tenant.

Painted Wall Signs: Refer to Section 12.05(7)

Maximum Number: One (1) per letstreet frontage. One (1) per parcel with no street frontage.

