

Tree Permit Activity Report
June 2026
By Andy Crossett

TreePlotter Tree Inventory Update: Zone 2 (area west of 84th Ave NE and south of NE 12th St) is nearly complete. Fieldwork will soon transition into Zone 3 (area north of NE 12th St to NE 18th St).

Issued Non-Development Tree Permit Activity Table						
Picture #	Permit Type	Address	# Trees Removed	Removed Tree (Size)	Supplemental Required	Description
1	TREE-PERFORMANCE	8411 NE 10 th St	2 Bigleaf Maple	34", 26"	4	Private property tree removal. Extensive decay/rot, high-risk trees.

New Development Tree Permit Activity Table						
Picture #	Permit Type	Address	# Trees Removed	Removed Tree (Size)	Supplemental Required	Description
2	TREE-WITH BUILDING/DEV	7570 NE 28 th PL	Oregon Ash, 3 Douglas fir, 2 Bigleaf maple, 3 Western redcedar, Atlas cedar, English Hawthorn,	8", 33", 12", 14", 11", 14", 20", 20", 18", 20", 12"	N/A	The site will likely have sufficient tree units, so no supplemental replacement trees will be required. However, the application was incomplete and did not include all of the required tree information. Awaiting revised application materials.

Photographs

Picture 1. 8411 NE 10th St: Two large maples have extensive internal decay caused by brittle cinder fungus (*Kretzschmaria deusta*) affecting the trunk and stem wood. This disease significantly reduces wood strength, increasing the likelihood of failure, and will ultimately result in tree mortality.



Picture 2. 7570 NE 28th PL: A new single-family home is proposed. Removal of 11 centrally located trees, including several tall conifers, is proposed to accommodate development. During my site visit to verify the application materials, I found that several significant trees were missing from the inventory. I subsequently met with the project arborist to review the site and ensure all required tree information was documented, then followed up with a correction email. I am currently awaiting the revised application materials.

