


Non-Development Tree Permit Activity Report
April 2023
By Andy Crossett

Non-Development Tree Permit Activity Report					
Permit Type	Address	# Trees Removed	Removed Tree (Size)	Supplemental Required	Description
Dead tree	3215 Evergreen Point Road	1 Western red cedar, 1 red alder	21", 7"	N/A	Confirmed both trees are 100% dead.
Tree Performance	7939 Overlake Dr West	2 white pines	20", 21"	N/A	Unhealthy trees. No replacement required as the site met tree unit requirements.
ROW tree	8443 NE 7TH ST 98039	N/A	N/A	N/A	Resident would like to remove ROW oak tree. Does not meet code requirements for removal.
Dead ROW tree	7939 Overlake Dr West	1 dead red alder, 1 cottonwood, and 3 red alders	16" – 30"	N/A	Met with resident to confirm dead tree. Moderate risk. Requested to remove additional trees. Trees are in a critical area. Discussing options with Steve W.
Tree Restoration - Shoreline trees	2617 Evergreen Point Road	5 Leyland cypress	10 – 24"	Revegetation Plan	Nonsignificant Leyland hedge requested to be removed and replaced. Within shoreline setbacks. Tree restoration permit and revegetation plan required.
Illegal ROW tree removal	227 Upland Road (adjacent)	1 Douglas fir, 1 western red cedar	31", 28"	N/A	Trees were illegally cut in ROW. ~40' snag was left with rope hanging in tree. Likely view related.

7939 Overlake Dr West – Unhealthy tree removal.



7939 Overlake Dr West – Unhealthy tree removal.



227 Upland Road – Illegal ROW tree removal.





