

**Tree Permit Activity Report**  
**December 2024**  
**By Andy Crossett**

Non-Development Tree Permit Activity Table						
Picture #	Permit Type	Address	# Trees Removed	Removed Tree (Size)	Supplemental Required	Description
1 - 4	TREE-PERFORMANCE TREE-24-064	Overlake Golf Club	2 x Flowering Dogwood, 2 x Katsura, 4 x Douglas fir.	9, 7, 19, 20, 22, 24, 23, 21	N/A	Exceeds golf course minimum tree unit requirements.
5	Imminent Risk Tree	3438 EPR	1 Douglas fir	21"	N/A	Per 16.52.040, imminent risk trees are exempt from replanting requirements.

Development Tree Permit Activity Table						
Picture #	Permit Type	Address	# Trees Removed	Removed Tree (Size)	Supplemental Required	Description
6	TREE-WITH BUILDING/DEVELOPMENT TREE-24-053	328 Overlake Drive East	N/A	N/A	N/A	Remodel. No trees proposed for removal.

Picture 1. Overlake Golf Club




Picture 2 -3. Dogwood (top left), Dogwood (top right), 2 x Katsura (Bottom)





Picture 4. 4 x Douglas fir.



**Picture 5. 3438 Evergreen Point Road – Imminent threat tree.**

Appendix A: Photos



A photo looking SW showing the lean of tree #1317 and its location.



This is a photo showing the gap between the two trees (it was not there prior to the most recent storm).



A photo showing the area the tree used to touch (this area is flat and discolored).



Another photo showing the area the tree used to touch (this area is flat and discolored).

Picture 6. 328 Overlake Drive East – Site map from tree inventory. Simple remodel, no trees proposed for removal.

