



# CITY OF MERCER ISLAND


## AUBREY DAVIS PARK TRAIL SAFETY IMPROVEMENTS SEPTEMBER 2022

CITY PROJECT NUMBER: XXX

### SCHEDULE OF DRAWINGS

SHEET	DRAWINGS
1	COVER SHEET
2-3	SHEET INDEX, SURVEY CONTROL AND ALIGNMENT DATA
4	LEGEND AND ABBREVIATIONS
#-6	TESC AND SITE PREPARATION PLANS
7	TESC AND SITE PREPARATION DETAILS
8-10	TRAIL IMPROVEMENT PLANS
14	TRAIL IMPROVEMENT DETAILS
* 15-17	SITE ELEMENT PLANS
* 18	SITE ELEMENT DETAILS
* 19-21	LANDSCAPE RESTORATION PLANS
* 22-23	LANDSCAPE SCHEDULE AND DETAILS
* 24-26	IRRIGATION RESTORATION PLANS
* 27	IRRIGATION SCHEDULE AND DETAILS
* 28-31	SIGN SCHEDULE AND DETAILS



\* THESE SHEETS SCHEDULED FOR 60% SUBMITTAL



CALL 2 DAYS  
BEFORE YOU DIG  
1-800-424-5555

30% REVIEW  
SUBMITTAL





**NOTES**

- THE PURPOSE OF THIS TOPOGRAPHIC SURVEY IS FOR CIVIL ENGINEERING DESIGN. THIS IS NOT A BOUNDARY SURVEY. SOURCES OF BOUNDARY INFORMATION AS SHOWN INCLUDE FIELD-TIED MONUMENTATION, PLATS, COUNTY RECORDS OF SURVEY, AND AUDITOR INDEXING INFORMATION.
- THE LOCATIONS OF EXISTING UNDERGROUND UTILITY SYSTEMS, AS SHOWN HEREON, ARE TAKEN FROM UTILITY LOCATE PAINT MARKS OR AS-BUILT PLANS AND ARE SHOWN IN AN APPROXIMATE WAY ONLY.  
  
THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES. ALL LOCATOR SERVICES SHOULD BE CONTACTED PRIOR TO ANY CONSTRUCTION OR SUBSURFACE EXPLORATION. CALL 1-800-424-5555.
- FIELD SURVEY: KPG, NOVEMBER, 2021. LICENSEE MICHAEL R. BOWEN, P.L.S. NO. 29294/RONALD D. REICHEL, P.L.S. NO. 38015.
- CONTOUR INTERVAL = 1 FOOT, ±0.5 FOOT PER NATIONAL MAPPING STANDARDS. CONTOURS DERIVED FROM DIRECT FIELD OBSERVATIONS.
- STORM AND SEWER CONNECTIONS HAVE BEEN DRAWN FROM CENTER OF LID TO CENTER OF LID.
- THE LOCATIONS AND DIMENSIONS OF UNDERGROUND VAULTS HAVE NOT BEEN VERIFIED AND ARE APPROXIMATE.

**HORIZONTAL AND VERTICAL DATUM**

HORIZONTAL DATUM: NAD 83/11  
 VERTICAL DATUM: NAVD 88  
 HORIZONTAL AND VERTICAL DATUMS ESTABLISHED BY RTK GPS OBSERVATION UTILIZING WSRN (WASHINGTON STATE REFERENCE NETWORK) ALSO REFERENCING KPG JOB NUMBER 19033.

I-90 TRAIL			
NUMBER	LENGTH	RADIUS	BRNG/DELTA
C1	134.89	1127.09'	6°51'26"
C2	226.93	866.19'	15°00'39"
C3	373.47	350.67'	61°01'17"
C4	81.50	295.72'	15°47'25"
C5	31.93	23.56'	77°39'24"
C6	90.82	711.38'	7°18'53"
C7	312.82	315.72'	56°46'12"
C8	69.08	1819.45'	2°10'31"
C9	102.05	183.33'	31°53'39"
C10	86.06	161.95'	30°26'44"
C11	123.34	695.38'	10°09'46"
L1	315.442		N 58°46'42" E
L2	84.862		S 59°39'03" E
L3	224.567		S 78°46'35" E
L4	106.165		N 23°55'59" E
L5	82.209		N 49°31'50" E
L6	279.060		S 88°42'08" E

CONTROL POINT LIST				
PT #	DESCRIPTION	NORTHING	EASTING	ELEVATION
2	SPIKE	218611.57	1291363.16	132.74'
3	SPIKE	218994.76	1291481.64	133.62'
100	MAG-FL	218875.02	1291640.28	141.68'
101	MAG-FL	218891.80	1291814.64	154.79'
102	MAG-FL	219025.76	1292035.53	170.72'
103	MAG-FL	219014.32	1292304.75	167.34'
104	MAG-FL	219032.01	1292518.47	151.16'
105	MAG-FL	219215.42	1292658.91	141.86'
106	SPIKE	219249.71	1292560.03	141.51'
107	SPIKE	219295.67	1292715.03	138.94'

K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098SURVCTRL.dwg 8/25/2022 3:51 PM

NO.	DATE	BY	APPR.	REVISIONS

<b>Approved By</b>		21098SURVCTRL.dwg
ENGINEERING MANAGER	DATE	FILENAME
DESIGNED BY	DATE	
PROJECT MANAGER	DATE	DRAWN BY
DRAWN BY	DATE	
PROJECT ENGINEER	DATE	CHECKED BY
CHECKED BY	DATE	



**30% REVIEW SUBMITTAL**




CITY OF MERCER ISLAND  
 AUBREY DAVIS PARK  
 TRAIL SAFETY IMPROVEMENTS

SHEET INDEX, SURVEY CONTROL AND ALIGNMENT DATA - 1  
 KPG PROJECT No. 21098 SHT 2 OF 18



K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098SURVCTRL.dwg 8/25/2022 3:51 PM

CONTINUED - SHEET 2



**NOTES**

1. THE PURPOSE OF THIS TOPOGRAPHIC SURVEY IS FOR CIVIL ENGINEERING DESIGN. THIS IS NOT A BOUNDARY SURVEY. SOURCES OF BOUNDARY INFORMATION AS SHOWN INCLUDE FIELD-TIED MONUMENTATION, PLATS, COUNTY RECORDS OF SURVEY, AND AUDITOR INDEXING INFORMATION.
2. THE LOCATIONS OF EXISTING UNDERGROUND UTILITY SYSTEMS, AS SHOWN HEREON, ARE TAKEN FROM UTILITY LOCATOR PAINT MARKS OR AS-BUILT PLANS AND ARE SHOWN IN AN APPROXIMATE WAY ONLY.  
  
THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES. ALL LOCATOR SERVICES SHOULD BE CONTACTED PRIOR TO ANY CONSTRUCTION OR SUBSURFACE EXPLORATION. CALL 1-800-424-5555.
3. FIELD SURVEY: KPG, NOVEMBER, 2021. LICENSEE MICHAEL R. BOWEN, P.L.S. NO. 29294/RONALD D. REICHEL, P.L.S. NO. 38015.
4. CONTOUR INTERVAL = 1 FOOT, ±0.5 FOOT PER NATIONAL MAPPING STANDARDS. CONTOURS DERIVED FROM DIRECT FIELD OBSERVATIONS.
5. STORM AND SEWER CONNECTIONS HAVE BEEN DRAWN FROM CENTER OF LID TO CENTER OF LID.
6. THE LOCATIONS AND DIMENSIONS OF UNDERGROUND VAULTS HAVE NOT BEEN VERIFIED AND ARE APPROXIMATE.

**HORIZONTAL AND VERTICAL DATUM**


HORIZONTAL DATUM: NAD 83/11  
 VERTICAL DATUM: NAVD 88  
 HORIZONTAL AND VERTICAL DATUMS ESTABLISHED BY RTK GPS OBSERVATION UTILIZING WSRN (WASHINGTON STATE REFERENCE NETWORK) ALSO REFERENCING KPG JOB NUMBER 19033.

CONTROL POINT LIST				
PT #	DESCRIPTION	NORTHING	EASTING	ELEVATION
2	SPIKE	218611.57	1291363.16	132.74'
3	SPIKE	218994.76	1291481.64	133.62'
100	MAG-FL	218875.02	1291640.28	141.68'
101	MAG-FL	218891.80	1291814.64	154.79'
102	MAG-FL	219025.76	1292035.53	170.72'
103	MAG-FL	219014.32	1292304.75	167.34'
104	MAG-FL	219032.01	1292518.47	151.16'
105	MAG-FL	219215.42	1292658.91	141.86'
106	SPIKE	219249.71	1292560.03	141.51'
107	SPIKE	219295.67	1292715.03	138.94'

I-90 TRAIL			
NUMBER	LENGTH	RADIUS	BRNG/DELTA
C12	222.39	191.83'	66°25'33"
C13	75.93	937.70'	4°38'23"
C14	44.77	126.71'	20°14'41"
C15	63.09	184.08'	19°38'14"
C16	45.17	114.38'	22°37'44"
C17	34.94	160.99'	12°26'06"
C18	44.57	166.20'	15°21'48"

I-90 TRAIL			
NUMBER	LENGTH	RADIUS	BRNG/DELTA
C19	101.93	133.78'	43°39'09"
C20	88.12	280.51'	17°59'59"
C21	119.49	280.97'	24°22'01"
C22	168.64	481.69'	20°03'36"
C23	141.24	123.61'	65°28'05"
C24	44.51	51.54'	49°28'56"
L7	79.731		S 74°25'05" E

I-90 TRAIL			
NUMBER	LENGTH	RADIUS	BRNG/DELTA
L8	85.635		S 89°33'19" E
L9	295.107		S 41°56'18" E
L10	106.333		S 43°43'39" E
L11	100.979		S 1°44'24" E
L12	12.208		S 57°55'14" E



NO.	DATE	BY	APPR.	REVISIONS

Approved By		21098SURVCTRL.dwg FILENAME	
ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

**KPG**  
**PSOMAS**  
 Seattle  
 3131 Elliott Avenue, Suite 400  
 Seattle, WA 98121 206.286.1640  
 Tacoma | Wenatchee | KPG.com

**30% REVIEW  
 SUBMITTAL**



CITY OF MERCER ISLAND  
 AUBREY DAVIS PARK  
 TRAIL SAFETY IMPROVEMENTS

SHEET INDEX, SURVEY CONTROL AND ALIGNMENT DATA - 2	
KPG PROJECT No. 21098	SHT <u>3</u> OF <u>18</u>



K:\PROJECTS\MERCER IS\21098--Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098LEG-ABBRV.dwg 8/25/2022 3:51 PM

**EXISTING LEGEND**

MIC  MONUMENT IN CASE	① TELEPHONE MANHOLE	— P — PAINTED POWER
MON  SURFACE MONUMENT	T  TELEPHONE RISER	— T — PAINTED TELEPHONE
RC  REBAR & CAP	□ TELEPHONE VAULT LID	— FO — PAINTED FIBER OPTIC
SPOT SHOT (DESCRIBED)	⊕ TELEPHONE POLE	— TV — PAINTED TV
□ CATCH BASIN	TV  TV VAULT LID	— W — PAINTED WATER
⊕ STORM DRAIN MANHOLE	FO  FIBER OPTIC MANHOLE	— G — PAINTED GAS
⊕ YARD DRAIN	⊕ GAS VALVE	— SD — STORM
⊕ DOWNSPOUT	⊕ GAS METER	— S — SEWER
SD  STORM DRAIN CLEAN-OUT	⊕ WATER VALVE	— * — FENCE
⊕ SEWER MANHOLE	⊕ WATER METER	~~~~~ HEDGE (HEIGHT NOTED)
SS  SEWER CLEAN-OUT	⊕ WATER MANHOLE	////// BUILDING
⊕ POWER POLE	⊕ FIRE HYDRANT	———— PAINTED STRIPE
⊕ POWER POLE WITH UG CONNECT	⊕ FIRE DEPARTMENT CONNECT	..... RAISED-BUTTON SOLID STRIPE
□ POWER VAULT LID	⊕ UTILITY VAULT LID (GENERIC/UNKNOWN)	..... RAISED-BUTTON SKIP STRIPE
△ POWER TRANSFORMER	U  UTILITY ACCESS (GENERIC/UNKNOWN)	———— EDGE OF PAVEMENT
⊕ POWER METER	● BORE SITE (WITH FIELD DESCRIPTION)	----- FLOWLINE
⊕ POWER OUTLET	○ BOULDER	----- CONTOUR
→ GUY ANCHOR	⊕ SIGN	----- EXISTING RIGHT-OF-WAY LINE
TRAFFIC SIGNAL WITH LUMINAIRE	⊕ MAILBOX	----- PROPERTY LINE
◆ PEDESTRIAN SIGNAL	○ SHRUB	□ CONCRETE
⊕ JUNCTION BOX TYPE 1, 2, 3	▽ GRASS	□ GRAVEL
TR  TRAFFIC CONTROL CABINET	DT12(3)  DECIDUOUS TREE, DIAM. IN INCHES (# OF TRUNKS)	□ BRICK
⊕ TRAFFIC SERVICE CABINET	CT12(3)  CONIFEROUS TREE, DIAM. IN INCHES (# OF TRUNKS)	□ METAL GRATE
○ TRAFFIC ATTENUATOR LOOP		
STREET LIGHT (LUMINAIRE)		
LOT LIGHT		
YARD LIGHT		

**PROPOSED LEGEND**

WATER METER
WATER VALVE
FIRE HYDRANT
SIGN
— X — CHAIN LINK FENCE
DETECTABLE WARNING SURFACE
HMA CL 1/2" PG 64-22 FOR NEW PAVEMENT
REMOVE ASPHALT CONC PAVEMENT (ON SITE PREPARATION PLANS)
CEMENT CONCRETE
PERVIOUS CEMENT CONCRETE
RESERVOIR COURSE
CSTC
CSBC
TREE GRATE
DECORATIVE PEDESTRIAN LUMINAIRES AND POLE
SIGNAL POLE WITH DECORATIVE LUMINAIRE AND MAST ARM
SIGNAL CONTROLLER CABINET
ELECTRICAL SERVICE CABINET
BATTERY BACKUP POWER SUPPLY
JUNCTION BOX TYPE 1, 2, 8
— — — CONDUIT

**ABBREVIATIONS**

AC ASPHALT CONCRETE	MIC MONUMENT IN CASE
ACP ASPHALT CONCRETE PAVEMENT	MJ MECHANICAL JOINT
ADA AMERICANS WITH DISABILITIES ACT	MON MONUMENT
AP ANGLE POINT	N NORTH OR NORTHING
APPROX APPROXIMATE	NAVD NORTH AMERICAN VERTICAL DATUM
BLDG BUILDING	NO NUMBER
CB CATCH BASIN	NTS NOT TO SCALE
CCP CEMENT CONCRETE PAVEMENT	OC ON CENTER
CDF CONTROLLED DENSITY FILL	OD OUTSIDE DIAMETER
CHLK CHAINLINK	PC POINT OF CURVE
CL CENTERLINE	PCC POINT OF COMPOUND CURVATURE
CL CLASS	PCCP PERVIOUS CEMENT CONCRETE PAVEMENT
CO CLEANOUT	PI POINT OF INTERSECTION
COMI CITY OF MERCER ISLAND	POB POINT OF BEGINNING
COL COLUMN CONC CONCRETE	POE POINT OF ENDING
CSBC CRUSHED SURFACING BASE COURSE	PRC POINT OF REVERSE CURVATURE
CSTC CRUSHED SURFACING TOP COURSE	PT POINT OF TANGENT
DI DUCTILE IRON	PVC POLYVINYL CHLORIDE OR
DIA DIAMETER	POINT OF VERTICAL CURVATURE
DW DRIVEWAY	PVT POINT OF VERTICAL TANGENT
E EAST OR EASTING	PVI POINT OF VERTICAL INTERSECTION
EA EACH	R RADIUS
ELEV ELEVATION	ROW RIGHT OF WAY
EOP EDGE OF PAVEMENT	RT RIGHT
EW EACH WAY	S SLOPE OR SOUTH
EXIST EXISTING	SD STORM DRAIN
FF FINISHED FLOOR	SDMH STORM DRAIN MANHOLE
FL FLOW LINE	SE SOUTHEAST
FO FIBER OPTIC	SHT SHEET
FOC FACE OF CURB	SQ SQUARE
HMA HOT MIX ASPHALT	SS SANITARY SEWER
HORIZ HORIZONTAL	SSMH SANITARY SEWER MANHOLE
HP HIGH POINT	ST STREET
ID INSIDE DIAMETER	STA STATION
IE INVERT ELEVATION	STD STANDARD
IN INCH/INCHES	STCR STRUCTURE
JB JUNCTION BOX	SW SOUTHWEST
L LENGTH LT LEFT	TYP TYPICAL
LF LINEAR FEET	VERT VERTICAL
LP LOW POINT	W WEST
MAX MAXIMUM	YD YARD DRAIN
MIN MINIMUM	
MH MANHOLE	

NO.	DATE	BY	APPR.	REVISIONS

Approved By		21098LEG-ABBRV.dwg FILENAME	
ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

**KPG**  
PSOMAS  
Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**





CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS

LEGEND AND ABBREVIATIONS



K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TESC-SP.dwg 8/25/2022 3:52 PM



**GENERAL NOTES**


1. CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
2. CONTRACTOR SHALL PROTECT ALL ABOVE AND BELOW GROUND UTILITIES AND IMPROVEMENTS THAT ARE TO REMAIN.
3. CONTRACTOR SHALL PROTECT ALL PLANT MATERIAL OUTSIDE OF CLEARING LIMITS.
4. CONTRACTOR SHALL MAINTAIN ACCESS FOR ALL ADJACENT PROPERTY OWNERS AND PARK USERS.
5. CONTRACTOR SHALL FURNISH AND INSTALL INLET PROTECTION IN ALL EXISTING AND NEW CATCH BASINS. CONTRACTOR SHALL INSTALL OTHER EROSION CONTROL MEASURES TO MINIMIZE SEDIMENT MIGRATION INTO STREAMS AND STORM DRAINAGE SYSTEMS.

**CONSTRUCTION NOTES**

- ① SAWCUT AND REMOVE ASPHALT PAVEMENT.
- ③ PRESERVE AND PROTECT.
- ④ REMOVE.
- ⑤ REMOVE GROUNDCOVER WITHIN CLEARING LIMITS AS NECESSARY TO INSTALL PROPOSED IMPROVEMENTS.
- ⑥ REMOVE SHRUB(S) AND BUSH(ES).
- ⑦ TRIM/PRUNE EXISTING TREE(S), BUSH(ES), AND SHRUB(S) PER COMI STD DETAIL UF-4 AS NECESSARY TO INSTALL PROPOSED IMPROVEMENTS. VERIFY AREA OF WORK TO BE PERFORMED IN PRESENCE OF COMI PARKS DEPARTMENT.
- ⑩ REMOVE BOLLARDS.

**LEGEND**

- REMOVE CEMENT CONC PAVEMENT
- REMOVE ASPHALT PAVEMENT
- REMOVE CURB AND GUTTER
- REMOVE DECIDUOUS TREE
- SAWCUT
- HIGH VISIBILITY FENCE
- CLEARING LIMITS



NO.	DATE	BY	APPR.	REVISIONS

Approved By		21098TESC-SP.dwg FILENAME	
ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

**KPG**  
PSOMAS  
Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**



**CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS**

TESC AND SITE PREPARATION PLANS  
STA 28+00 TO STA 29+50



K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TESC-SP.dwg 8/25/2022 3:52 PM



**GENERAL NOTES**



1. CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
2. CONTRACTOR SHALL PROTECT ALL ABOVE AND BELOW GROUND UTILITIES AND IMPROVEMENTS THAT ARE TO REMAIN.
3. CONTRACTOR SHALL PROTECT ALL PLANT MATERIAL OUTSIDE OF CLEARING LIMITS.
4. CONTRACTOR SHALL MAINTAIN ACCESS FOR ALL ADJACENT PROPERTY OWNERS AND PARK USERS.
5. CONTRACTOR SHALL FURNISH AND INSTALL INLET PROTECTION IN ALL EXISTING AND NEW CATCH BASINS. CONTRACTOR SHALL INSTALL OTHER EROSION CONTROL MEASURES TO MINIMIZE SEDIMENT MIGRATION INTO STREAMS AND STORM DRAINAGE SYSTEMS.

**CONSTRUCTION NOTES**

- ① SAWCUT AND REMOVE ASPHALT PAVEMENT.
- ② SAWCUT AND REMOVE CONCRETE PAVEMENT.
- ③ PRESERVE AND PROTECT.
- ④ REMOVE.
- ⑤ REMOVE GROUND COVER WITHIN CLEARING LIMITS AS NECESSARY TO INSTALL PROPOSED IMPROVEMENTS.
- ⑥ REMOVE SHRUB(S) AND BUSH(ES).  
TRIM/PRUNE EXISTING TREE(S), BUSH(ES), AND SHRUB(S) PER COMI STD DETAIL UF-4 AS NECESSARY TO INSTALL PROPOSED IMPROVEMENTS. VERIFY AREA OF WORK TO BE PERFORMED IN PRESENCE OF COMI PARKS DEPARTMENT.
- ⑦ REMOVE DRINKING FOUNTAIN. CUT AND CAP SUPPLY LINE. MARK ON SURFACE FOR FUTURE CONNECTION OF NEW DRINKING FOUNTAIN.
- ⑧ REMOVE BENCH. CONTRACTOR SHALL STORE BENCH FOR REINSTALLATION.
- ⑩ REMOVE BOLLARDS.
- ⑪ PRESERVE AND PROTECT PEACE POLE.
- ⑫ REMOVE BIKE RACK. CONTRACTOR SHALL STORE FOR REINSTALLATION.
- ⑬ REMOVE DOG WASTE DISPENSER. CONTRACTOR SHALL STORE FOR REINSTALLATION.
- ⑭ REMOVE TRASH AND RECYCLE CONTAINERS. CONTRACTOR SHALL STORE FOR REINSTALLATION.

**LEGEND**

- REMOVE CEMENT CONC PAVEMENT
- REMOVE ASPHALT PAVEMENT
- REMOVE CURB AND GUTTER
- REMOVE DECIDUOUS TREE
- SAWCUT
- HIGH VISIBILITY FENCE
- CLEARING LIMITS



NO.	DATE	BY	APPR.	REVISIONS

Approved By		21098TESC-SP.dwg FILENAME	
ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

**KPG**  
PSOMAS  
Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**




**CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS**

TESC AND SITE PREPARATION PLANS STA 29+50 TO STA 32+00	
KPG PROJECT No. 21098	SHT <u>6</u> OF <u>18</u>




K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TESC-SP-DET.dwg 8/25/2022 3:52 PM




ELEVATION

NOTE:  
PLACE AT GRADING LIMITS AND AROUND TREES TO BE PROTECTED WHERE DIRECTED BY THE ENGINEER.

**HIGH VISIBILITY ORANGE FENCING**  
NTS



TREE PROTECTION DETAIL  
**TEMPORARY CHAIN LINK FENCE**  
NTS



NOTES:

- SIX FOOT HIGH TEMPORARY CHAIN LINK FENCE SHALL BE PLACED WHERE INDICATED ON PLANS. ACCESS GATES TO BE INSTALLED ONLY WHERE INDICATED ON PLANS. INSTALL FENCE POSTS USING CEMENT CONC. BLOCK FOOTINGS ONLY. AVOID DRIVING POSTS OR STAKES INTO EXISTING GROUND SURFACE.

**TEMPORARY CHAIN LINK FENCE**  
NTS

NO.	DATE	BY	APPR.	REVISIONS

Approved By

ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

21098TESC-SP-DET.dwg  
FILENAME



Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**




CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS

TESC AND SITE PREPARATION DETAILS

KPG PROJECT No. 21098 SHT 7 OF 18







- GENERAL NOTES**
- CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAIL USERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
  - CONTRACTOR SHALL PROVIDE AND MAINTAIN TEMPORARY PEDESTRIAN ROUTE AROUND CONSTRUCTION ACTIVITY FOR THE DURATION OF CONSTRUCTION.

- CONSTRUCTION NOTES**
- INSTALL THERMOPLASTIC BAR PER DETAIL, SHEET 14.
  - INSTALL REGULATORY SIGN.
  - INSTALL WAYFINDING SIGN.
  - LAWN RESTORATION.

NOTE: REGULATORY SIGNS SHOWN ARE PLACE HOLDERS, CONTENT TO BE CONFIRMED BY 60% SUBMITTAL



K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TRAIL.dwg 8/25/2022 3:52 PM

NO.	DATE	BY	APPR.	REVISIONS

<b>Approved By</b>		21098TRAIL.dwg
ENGINEERING MANAGER	DATE	FILENAME
PROJECT MANAGER	DATE	DESIGNED BY
PROJECT ENGINEER	DATE	DRAWN BY
	DATE	CHECKED BY
	DATE	

**KPG**  
PSOMAS  
Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**







**CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS**

TRAIL IMPROVEMENT PLANS  
STA 0+00 TO STA 9+00  
KPG PROJECT No. 21098 SHT 8 OF 18




K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TRAIL.dwg 8/25/2022 3:52 PM



**LEGEND**

- PROPOSED SIGN
- SCORED CEMENT CONCRETE TRAIL WITH DECORATIVE COLOR TREATMENT
- HMA TRAIL OR PAVEMENT
- DETECTABLE WARNING SURFACE
- CEMENT CONCRETE TRAIL



**GENERAL NOTES**

1. CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAIL USERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
2. CONTRACTOR SHALL PROVIDE AND MAINTAIN TEMPORARY PEDESTRIAN ROUTE AROUND CONSTRUCTION ACTIVITY FOR THE DURATION OF CONSTRUCTION.

**CONSTRUCTION NOTES**

- ⑦ INSTALL THERMOPLASTIC BAR PER DETAIL, SHEET 14.
- ⑩ INSTALL REGULATORY SIGN.
- ⑪ INSTALL WAYFINDING SIGN.
- ⑬ LAWN RESTORATION.

NOTE: REGULATORY SIGNS SHOWN ARE PLACE HOLDERS, CONTENT TO BE CONFIRMED BY 60% SUBMITTAL

NO.	DATE	BY	APPR.	REVISIONS

Approved By

ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

21098TRAIL.dwg  
FILENAME

**KPG**  
PSOMAS  
Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com



**30% REVIEW  
SUBMITTAL**



CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS

TRAIL IMPROVEMENT PLANS  
STA 9+00 TO STA 18+00  
KPG PROJECT No. 21098 SHT 9 OF 18








- GENERAL NOTES**
- CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAIL USERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
  - CONTRACTOR SHALL PROVIDE AND MAINTAIN TEMPORARY PEDESTRIAN ROUTE AROUND CONSTRUCTION ACTIVITY FOR THE DURATION OF CONSTRUCTION.

- CONSTRUCTION NOTES**
- INSTALL HMA CL 1/2" PG58H-22 FOR WALKWAY. SEE TYPICAL SECTIONS, SHEET 14.
  - INSTALL THERMOPLASTIC CROSSWALK PER DETAIL, SHEET 14.
  - INSTALL THERMOPLASTIC BAR PER DETAIL, SHEET 14.
  - INSTALL REGULATORY SIGN.
  - INSTALL WAYFINDING SIGN.
  - LAWN RESTORATION.
  - REMOVE BOLLARDS WITHIN PAVEMENT LIMITS.

NOTE: REGULATORY SIGNS SHOWN ARE PLACE HOLDERS, CONTENT TO BE CONFIRMED BY 60% SUBMITTAL



- LEGEND**
- PROPOSED SIGN
  - SCORED CEMENT CONCRETE TRAIL WITH DECORATIVE COLOR TREATMENT
  - HMA TRAIL OR PAVEMENT
  - DETECTABLE WARNING SURFACE
  - CEMENT CONCRETE TRAIL



K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TRAIL.dwg 8/25/2022 3:52 PM

NO.	DATE	BY	APPR.	REVISIONS

**Approved By**

ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

21098TRAIL.dwg  
FILENAME


**KPG**  
PSOMAS

Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**





**CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS**

**TRAIL IMPROVEMENT PLANS  
STA 18+00 TO STA 27+00**

KPG PROJECT No. 21098 SHT 10 OF 18





K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TRAIL.dwg 8/25/2022 3:52 PM




- GENERAL NOTES**
- CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAIL USERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
  - CONTRACTOR SHALL PROVIDE AND MAINTAIN TEMPORARY PEDESTRIAN ROUTE AROUND CONSTRUCTION ACTIVITY FOR THE DURATION OF CONSTRUCTION.

- CONSTRUCTION NOTES**
- MATCH EXISTING.
  - CONSTRUCT CEMENT CONC SIDEWALK. SEE TYPICAL SECTION, SHEET 14.
  - INSTALL HMA CL 1/2" PG58H-22 FOR WALKWAY. SEE TYPICAL SECTIONS, SHEET 14.
  - INSTALL THERMOPLASTIC BAR PER DETAIL, SHEET 14.
  - INSTALL DECORATIVE SCORED CEMENT CONCRETE PLAZA.
  - INSTALL 4" WIDE, YELLOW, PAINT LINE.
  - INSTALL REGULATORY SIGN.
  - REMOVE BOLLARDS WITHIN PAVEMENT LIMITS.
  - INSTALL LOW FENCING.

NOTE: REGULATORY SIGNS ARE PLACE HOLDERS, CONTENT TO BE CONFIRMED BY 60% SUBMITTAL



- LEGEND**
- PROPOSED SIGN
  - SCORED CEMENT CONCRETE TRAIL WITH DECORATIVE COLOR TREATMENT
  - HMA TRAIL OR PAVEMENT
  - DETECTABLE WARNING SURFACE
  - CEMENT CONCRETE TRAIL



NO.	DATE	BY	APPR.	REVISIONS

Approved By

ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

21098TRAIL.dwg  
FILENAME

**KPG**  
PSOMAS

Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**







**CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS**

**TRAIL IMPROVEMENT PLANS  
STA 27+00 TO STA 36+00**






KPG PROJECT No. 21098 SHT 11 OF 18




K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TRAIL.dwg 8/25/2022 3:52 PM



**LEGEND**

-  PROPOSED SIGN
-  SCORED CEMENT CONCRETE TRAIL WITH DECORATIVE COLOR TREATMENT
-  HMA TRAIL OR PAVEMENT
-  DETECTABLE WARNING SURFACE
-  CEMENT CONCRETE TRAIL



**GENERAL NOTES**

1. CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAIL USERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
2. CONTRACTOR SHALL PROVIDE AND MAINTAIN TEMPORARY PEDESTRIAN ROUTE AROUND CONSTRUCTION ACTIVITY FOR THE DURATION OF CONSTRUCTION.

**CONSTRUCTION NOTES**

10. INSTALL REGULATORY SIGN.
19. LOCATE EXISTING TRAIL CONNECTION. EXISTING VEGETATION SHALL BE TRIMMED, PRUNED, OR CLEARED FOR SIGHT DISTANCES ON I-90 TRAIL PER DIRECTION OF ENGINEER.

NOTE: REGULATORY SIGNS SHOWN ARE PLACE HOLDERS, CONTENT TO BE CONFIRMED BY 60% SUBMITTAL

NO.	DATE	BY	APPR.	REVISIONS

Approved By		21098TRAIL.dwg FILENAME	
ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

**KPG**  
PSOMAS  
Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**





CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS

TRAIL IMPROVEMENT PLANS STA 36+00 TO STA 43+50	
KPG PROJECT No. 21098	SHT <u>12</u> OF <u>18</u>



K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TRAIL.dwg 8/25/2022 3:52 PM



**GENERAL NOTES**

1. CONTRACTOR SHALL SEQUENCE REMOVAL OF EXISTING FEATURES WITH CONSTRUCTION OF NEW ROADWAY ELEMENTS TO MINIMIZE IMPACTS TO PROPERTY OWNERS, TRAIL USERS, TRAFFIC FLOW, AND THE ENVIRONMENT.
2. CONTRACTOR SHALL PROVIDE AND MAINTAIN TEMPORARY PEDESTRIAN ROUTE AROUND CONSTRUCTION ACTIVITY FOR THE DURATION OF CONSTRUCTION.


**CONSTRUCTION NOTES**

7. INSTALL THERMOPLASTIC BAR PER DETAIL, SHEET 14.
10. INSTALL REGULATORY SIGN.
11. INSTALL WAYFINDING SIGN.
19. LOCATE EXISTING TRAIL CONNECTION. EXISTING VEGETATION SHALL BE TRIMMED, PRUNED, OR CLEARED FOR SIGHT DISTANCES ON I-90 TRAIL PER DIRECTION OF ENGINEER.

NOTE: REGULATORY SIGNS SHOWN ARE PLACE HOLDERS, CONTENT TO BE CONFIRMED BY 60% SUBMITTAL

**LEGEND**

- PROPOSED SIGN
- SCORED CEMENT CONCRETE TRAIL WITH DECORATIVE COLOR TREATMENT
- HMA TRAIL OR PAVEMENT
- DETECTABLE WARNING SURFACE
- CEMENT CONCRETE TRAIL



NO.	DATE	BY	APPR.	REVISIONS

Approved By		21098TRAIL.dwg FILENAME	
ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

**KPG**  
PSOMAS  
Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW  
SUBMITTAL**




**CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS**

TRAIL IMPROVEMENT PLANS STA 43+50 TO STA 46+00	
KPG PROJECT No. 21098	SHT <u>13</u> OF <u>18</u>




K:\PROJECTS\MERCER IS\21098-Aubrey Davis Park Improvements\DESIGN\Drawings\Contract\21098TRAIL-DET.dwg 8/25/2022 3:53 PM



**HMA ROADWAY PAVEMENT SECTIONS**

NTS




**CEMENT CONCRETE TRAIL SECTION FOR PLAZA AND TRAIL**

**TYPICAL TRAIL SECTIONS**

NTS

**HMA TRAIL SECTION**




INSTALL WHERE SHOWN ON PLANS

**GRAVEL SHOULDER SECTION**

NTS

**TYPICAL SECTION GENERAL NOTES**

1. SIDEWALKS SHALL PROVIDE A MINIMUM OF 5.0' CLEAR PEDESTRIAN WALKING ZONE.
2. SUBGRADE PREPARATION SHALL BE IN ACCORDANCE WITH SECTION 2-06 OF THE STANDARD SPECIFICATIONS.
3. ADDITIONAL FILL MATERIAL REQUIRED FOR CONSTRUCTION SHALL BE APPROVED CRUSHED ROCK WHEN REQUIRED BY ENGINEER. FILL MATERIAL SHALL BE COMPACTED TO 95% MODIFIED PROCTOR DENSITY.
4. EMBANKMENTS SHALL BE CONSTRUCTED PER SECTION 2-03 OF THE STANDARD SPECIFICATIONS.
5. IF UNSUITABLE FOUNDATION IS ENCOUNTERED, THE CONTRACTOR SHALL CAREFULLY OVER EXCAVATE TO A MAXIMUM DEPTH OF 1.0' AND REPLACE WITH CRUSHED ROCK AS DIRECTED BY ENGINEER.
6. WHERE EXISTING EDGE OF PAVEMENT IS LESS THAN 2.0' FROM PROPOSED GUTTER PAN, CONTRACTOR SHALL SAWCUT AND REMOVE PAVEMENT AS REQUIRED TO PROVIDE 2.0' MINIMUM CLEARANCE.
7. MAXIMUM COMPACTED HMA LIFT THICKNESS SHALL NOT EXCEED 0.17'.
8. ACCESS TO ADJACENT PROPERTY MUST BE MAINTAINED AT ALL TIMES UNLESS PRIOR ARRANGEMENTS HAVE BEEN MADE AND APPROVED BY ENGINEER.
9. ALL PAVEMENT SHALL BE CUT BY SAW CUTTING FULL DEPTH IN A NEAT VERTICAL LINE PRIOR TO REMOVING. ANY DAMAGE TO ADJACENT PAVEMENT SHALL BE REPAIRED BY THE CONTRACTOR AT NO EXPENSE TO THE OWNER.




**SCORED CONCRETE EXAMPLE**



**SANDBLASTED CONCRETE EXAMPLE**



**SAWCUT CONCRETE EXAMPLE**



**THERMOPLASTIC BARS**

NTS

NO.	DATE	BY	APPR.	REVISIONS

**Approved By**

ENGINEERING MANAGER	DATE	DESIGNED BY	DATE
PROJECT MANAGER	DATE	DRAWN BY	DATE
PROJECT ENGINEER	DATE	CHECKED BY	DATE

21098TRAIL-DET.dwg  
FILENAME

**KPG**  
PSOMAS

Seattle  
3131 Elliott Avenue, Suite 400  
Seattle, WA 98121 206.286.1640  
Tacoma | Wenatchee | KPG.com

**30% REVIEW SUBMITTAL**



**CITY OF MERCER ISLAND  
AUBREY DAVIS PARK  
TRAIL SAFETY IMPROVEMENTS**

**TRAIL IMPROVEMENT DETAILS**