COMMUNITY DEVELOPMENT

DEPARTMENT REPORT



HEARING

12/9/2025

DATE:

TO: Mayor & City Council

FROM: Linda Ritter, Associate Planner

208-884-5533

lritter@meridiancity.org


APPLICANT: Ella Passey, The Land Group

SUBJECT: FP-2025-0025

Baratza Subdivision No. 2 - FP

LOCATION: Located near the southeast corner of N.

Black Cat Road and W. McMillian Road in the North ½ of the NE ¼ of Section 34, Township 4N., Range 1W. parcels



I. PROJECT OVERVIEW

A. Summary

Final Plat consisting of 90 lots (84 building lots, 6 common lots) on 16.41 acres of land in the R-8 zoning district for Baratza Subdivision No. 2.

B. Issues/Waivers

None

C. Recommendation

Staff recommends approval of the proposed final plat with the conditions of approval in Section IV of this staff report.

D. Decision

COMMUNITY METRICS

Table 1: Land Use

	Description	Details	Map Ref.
	Existing Land Use(s)	Vacant	-
	Proposed Land Use(s)	Single-Family Residential	-
II.	Existing Zoning	R-8	VI.A.2
	Future Land Use Designation	Medium Density Residential	VI.A.3

Note: See City/Agency Comments and Conditions Section and public record for all department/agency comments received. Baratza Subdivision No. 2 FP-2025-0025 (copy this link into a separate browser).

STAFF ANALYSIS

Staff has reviewed the proposed final plat for substantial compliance with the approved preliminary plat (H-2024-0016) as required by UDC 11-6B-3C.2. The submitted final plat is for the second phase of construction for the approved preliminary plat; therefore, the proposed plat is in substantial compliance with the approved preliminary plat as required.

III. CITY/AGENCY COMMENTS & CONDITIONS

A. Meridian Planning Division

- 1. The applicant shall comply with all previous conditions of approval for this development FP-2025-0010; H-2024-0016 (AZ, PP); DA Inst. No. 2025-013529.
- 2. The final plat shown in Section V.B, prepared by The Land Group, stamped on 8/29/2025 by James R. Washburn, shall be revised prior to signature on the final plat by the City Engineer, as follows:
 - a. Note #12: Include the instrument number for the CC&Rs.
 - b. Note #13: Include the instrument number for the ACHD permanent easement.
 - c. Note #14: Include the instrument number for the ACHD temporary license agreement
 - d. Add the recorded instrument number of the City of Meridian sewer and water easement.
 - e. Add a note stating direct access to Black Cat Road is prohibited.
- 4. Prior to signature on the Phase 2 Final Plat by the City Engineer, the roundabout at McMillan Road and Black Cat Road shall be constructed and operational.
- 5. The landscape plan prepared by The Land Group, stamped on 11/19/2025 by Matthew T. Adams is approved as submitted.
- 6. The rear and/or sides of 2-story structures that face N. Black Cat Road and N. Grand Lakes Way shall incorporate articulation through changes in two or more of the following: modulation (e.g. projections, recesses, step-backs, pop-outs), bays, banding, porches, balconies, material types, or other integrated architectural elements to break up monotonous wall planes and roof lines. Single-story structures are exempt from this requirement.
- 7. All fencing shall be installed in accordance with UDC 11-3A-7.
- 8. Off-street parking is required to be provided in accord with the standards listed in UDC Table 11-3C-6 for single-family dwellings based on the number of bedrooms per unit.
- 9. Provide a pressurized irrigation system consistent with the standards as set forth in UDC 11-3A-15, UDC 11-3B-6 and MCC 9-1-28.
- 10. Upon completion of the landscape installation, a written Certificate of Completion shall be submitted to the Planning Division verifying all landscape improvements are in substantial compliance with the approved landscape plan as set forth in UDC 11-3B-14.
- 11. The applicant shall obtain the City Engineer's signature on the final plat within two (2) years of the date of approval of the preliminary plat (i.e. January 7, 2025), in accord with UDC 11-6B-7, in order for the preliminary plat to remain valid; or, a time extension may be requested.
- 12. The Applicant shall comply with all conditions of ACHD.
- 13. Staff's failure to cite all relevant UDC requirements does not relieve the applicant from compliance.

B. Meridian Public Works

SITE SPECIFIC CONDITIONS:

- 1. The bottom of structural footing shall be set a minimum of 12-inches above the highest established normal ground water elevation.
- 2. Maintenance of any irrigation and/or drainage pipes or ditches crossing a lot is the responsibility of the lot owner unless such responsibility is assumed by an irrigation/drainage entity or lot owner's association.

GENERAL CONDITIONS:

- 1. Sanitary sewer service to this development is available via extension of existing mains adjacent to the development. The applicant shall install mains to and through this subdivision; applicant shall coordinate main size and routing with the Public Works Department, and execute standard forms of easements for any mains that are required to provide service. Minimum cover over sewer mains is three feet, if cover from top of pipe to sub-grade is less than three feet than alternate materials shall be used in conformance of City of Meridian Public Works Departments Standard Specifications.
- 2. Water service to this site is available via extension of existing mains adjacent to the development. The applicant shall be responsible to install water mains to and through this development, coordinate main size and routing with Public Works.
- 3. All improvements related to public life, safety and health shall be completed prior to occupancy of the structures. Where approved by the City Engineer, an owner may post a performance surety for such improvements in order to obtain City Engineer signature on the final plat as set forth in UDC 11-5C-3B.
- 4. Upon installation of the landscaping and prior to inspection by Planning Department staff, the applicant shall provide a written certificate of completion as set forth in UDC 11-3B-14A.
- 5. A letter of credit or cash surety in the amount of 110% will be required for all incomplete fencing, landscaping, amenities, pressurized irrigation, prior to signature on the final plat.
- 6. The City of Meridian requires that the owner post with the City a performance surety in the amount of 125% of the total construction cost for all incomplete sewer, water infrastructure prior to final plat signature. This surety will be verified by a line item cost estimate provided by the owner to the City. The applicant shall be required to enter into a Development Surety Agreement with the City of Meridian. The surety can be posted in the form of an irrevocable letter of credit, cash deposit or bond. Applicant must file an application for surety, which can be found on the Community Development Department website. Please contact Land Development Service for more information at 887-2211.
- 7. The City of Meridian requires that the owner post to the City a warranty surety in the amount of 20% of the total construction cost for all completed sewer, and water infrastructure for a duration of two years. This surety amount will be verified by a line item final cost invoicing provided by the owner to the City. The surety can be posted in the form of an irrevocable letter of credit, cash deposit or bond. Applicant must file an application for surety, which can

- be found on the Community Development Department website. Please contact Land Development Service for more information at 887-2211.
- 8. In the event that an applicant and/or owner cannot complete non-life, non-safety and non-health improvements, prior to City Engineer signature on the final plat and/or prior to occupancy, a surety agreement may be approved as set forth in UDC 11-5C-3C.
- 9. Applicant shall be required to pay Public Works development plan review, and construction inspection fees, as determined during the plan review process, prior to the issuance of a plan approval letter.
- 10. It shall be the responsibility of the applicant to ensure that all development features comply with the Americans with Disabilities Act and the Fair Housing Act.
- 11. Applicant shall be responsible for application and compliance with any Section 404 Permitting that may be required by the Army Corps of Engineers.
- 12. Developer shall coordinate mailbox locations with the Meridian Post Office.
- 13. All grading of the site shall be performed in conformance with MCC 11-1-4B.
- 14. Compaction test results shall be submitted to the Meridian Building Department for all building pads receiving engineered backfill, where footing would sit atop fill material.
- 15. The engineer shall be required to certify that the street centerline elevations are set a minimum of 3-feet above the highest established peak groundwater elevation. This is to ensure that the bottom elevation of the crawl spaces of homes is at least 1-foot above.
- 16. The applicants design engineer shall be responsible for inspection of all irrigation and/or drainage facility within this project that do not fall under the jurisdiction of an irrigation district or ACHD. The design engineer shall provide certification that the facilities have been installed in accordance with the approved design plans. This certification will be required before a certificate of occupancy is issued for any structures within the project.
- 17. At the completion of the project, the applicant shall be responsible to submit record drawings per the City of Meridian AutoCAD standards. These record drawings must be received and approved prior to the issuance of a certification of occupancy for any structures within the project.
- 18. Street light plan requirements are listed in section 6-7 of the Improvement Standards for Street Lighting (http://www.meridiancity.org/public_works.aspx?id=272). All street lights shall be installed at developer's expense. Final design shall be submitted as part of the development plan set for approval, which must include the location of any existing street lights. The contractor's work and materials shall conform to the ISPWC and the City of Meridian Supplemental Specifications to the ISPWC. Contact the City of Meridian Transportation and Utility Coordinator at 898-5500 for information on the locations of existing street lighting.
- 19. The applicant shall provide easement(s) for all public water/sewer mains outside of public right of way (include all water services and hydrants). The easement widths shall be 20-feet wide for a single utility, or 30-feet wide for two. The easements shall not be dedicated via the plat, but rather dedicated outside the plat process using the City of Meridian's standard forms. The easement shall be graphically depicted on the plat for reference purposes. Submit an executed easement (on the form available from Public Works), a legal description prepared by an Idaho Licensed Professional Land Surveyor, which must include the area of the easement (marked EXHIBIT A) and an 81/2" x 11" map with bearings and distances (marked EXHIBIT B) for review. Both exhibits must be sealed, signed and dated by a Professional Land Surveyor. DO NOT RECORD. Add a note to the plat referencing this

- document. All easements must be submitted, reviewed, and approved prior to signature of the final plat by the City Engineer.
- 20. Applicant shall be responsible for application and compliance with and NPDES permitting that may be required by the Environmental Protection Agency.
- 21. Any wells that will not continue to be used must be properly abandoned according to Idaho Well Construction Standards Rules administered by the Idaho Department of Water Resources. The Developer's Engineer shall provide a statement addressing whether there are any existing wells in the development, and if so, how they will continue to be used, or provide record of their abandonment.
- 22. Any existing septic systems within this project shall be removed from service per City Ordinance Section 9-1-4 and 9 4 8. Contact the Central District Health Department for abandonment procedures and inspections.
- 23. The City of Meridian requires that pressurized irrigation systems be supplied by a year-round source of water (UDC 11-3B-6.). The applicant should be required to use any existing surface or well water for the primary source. If a surface or well source is not available, a single-point connection to the culinary water system shall be required. If a single-point connection is utilized, the developer will be responsible for the payment of assessments for the common areas prior to development plan approval.
- 24. All irrigation ditches, canals, laterals, or drains, exclusive of natural waterways, intersecting, crossing or laying adjacent and contiguous to the area being subdivided shall be addressed per UDC 11-3A-6. In performing such work, the applicant shall comply with Idaho Code 42-1207 and any other applicable law or regulation.

C. Idaho Department of Environmental Quality (DEQ)

https://weblink.meridiancity.org/WebLink/Browse.aspx?id=420806&dbid=0&repo=MeridianCit

D. Idaho Transportation Department (ITD)

 $\underline{https://weblink.meridiancity.org/WebLink/Browse.aspx?id=420806\&dbid=0\&repo=MeridianCit}$ \underline{Y}

ACTION

V.

A. Staff:

Staff recommend approval of the proposed final plat with the conditions of approval in Section IV of this staff report.

B. City Council:

Pending

EXHIBITS


A. Project Area Maps

(link to Project Overview)

1. Aerial




2. Zoning Map




City of Meridian | Department Report


3. Future Land Use




4. Planned Development Map



B. Final Plat (date: 9/3/2025)





Final Plat for

Baratza Subdivision Phase 2

2025

Curve Table					
CURVE	LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD LENGTH
C1	31.42	20.00	90'00'00'	N45'24'12'E	28.28
C2	31.42	20.00*	90"00'00"	S44'35'48'E	28.28
C3	31.42	20.00*	90"00'00"	N45°2412°E	28.28
C4	31.42	20.00	90'00'00'	S44'35'48'E	28.28
C5	31.42	20.00	90'00'00'	\$49'2412'W	28.28
C6	34.16	43.50*	45"00"00"	N67*54*12*E	33.29
C7	34.16	43.50*	45"00'00"	N22"5412"E	33.29
C8	12.97	20.00	37'09'27"	N18*10*32*W	12.74
C9	4.63	57.00	4'3859'	N34°25'46'W	4.62
C10	57.52	57.00	57"49'00"	N03*11*46*W	55.111
C11	38.76	57.00*	38"57"56"	N45*11*42*E	38.02
C12	38.76	57.00*	38"57"56"	N84'09'37'E	38.02
C13	23.79	57.00	23'55'04"	\$64'23'53'E	23.62
C14	12.97	20.00*	37'09'27"	\$71°01°05°E	12.74
C15	31.42	20.00	90'00'00'	N44°35'48'W	28.28
C16	31.42	20.00	90'00'00'	\$49'2412'W	28.28
C17	31.42	20.00	90'00'00'	N44°35'48'W	28.28
C18	31.42	20.00	90'00'00'	\$45'2412'W	28.28
C19	2.55	20.00*	7*1904*	N85°56°16°W	2.59
C20	48.45	276.50	10'02'20"	N77*15'34*W	48.38

Curve Table						
CURVE	LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD LENGTH	
C21	90.88	300.007	17'21'24'	\$80°55'06'E	90.53*	
022	6.09	323.50	1'0445'	\$89*03*26*E	6.09	
023	60.47	323.50	10"42'35"	\$83°09'46"E	60.38*	
C24	31.44	323.50	5'34'04'	\$75'01'26'E	31.42	
C25	36.37	276.50	7'32'10"	\$76'00'29'E	36.34	
C26	47.39	276.50	9'49'14'	\$84'41'11'E	47.33	
027	90.88	300.00	17'21'24'	\$80°55'06"E	90.53*	
C28	16.56	323.50	2'5557"	N73'42'23'W	16.56*	
C29	60.84	323.50	10'46'34'	N80°33'39'W	60.75	
C30	20.60	323.50	3'3852"	N87'49'22'W	20.59*	
C31	31.42	20.00	90'00'00'	N44°35'48'W	28.28*	
C32	31.48	20.00	90"11"06"	\$45°18'38'W	28.33*	
C33	31.39	20.00	89"48'52"	N44'41'22'W	28.24	
C34	31.42	20.00	90'00'00'	\$45°24°12°W	28.20*	
C35	31.42	20.00	90'00'00'	N44°35'48°W	28.28*	
C36	31.42	20.00	90'00'00'	\$45°2412°W	28.20*	
C37	16.34	30.00	31"12"18"	N73'59'39'W	16.14	
C38	13.32	30.00	25'26'56'	N45'40'02'W	13.22	
C39	78.68	57.00*	79'05'28"	N72*2918*W	72.58*	
C40	63.83	57.00	64'09'29"	\$35°53°14°W	60.54*	

Curve Table						
CURVE	LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD LENGTH	
C41	20.29	57.00	20"21'06"	506°22'04"E	20.14	
042	48.80*	57.00	49"03'01"	S41104081E	47.32	
043	66.39*	57.00°	66"44"08"	N81102181E	62.70*	
C44	4.39	57.00°	4'2431"	N45"27"58"E	4.38	
C45	24.68*	30.00	47'0829"	NS6'49'57"E	23.99	

Line Table					
LINE	BEARING	LENGTH			
Lt	S00°24'12'W	21.28			
L2	S89°35'48"E	47,00			
L3	N00"24"12"E	21.28			
L4	S00'24'12'W	11.67			
L5	S89"35"48"E	47.00			
L6	N00'24'12'E	17.39			
L7	S44'35'48'E	7.29			
L8	N89°35'48"W	22.20			
L9	S89"35"48"E	31.12			
L10	N45"24"12"E	21.21			
L11	N44"35'48"W	21.21			
L12	N89°35'48°W	28.74			



Final Plat for Baratza Subdivision Phase 2

A PROCEL OF LAND LOCATED IN THE NORTH HALF OF THE NORTHYMEST QUARTER OF SECTION 34, TOWNGRAP 4 NORTH, RANGE 1 WEST, BOSS MERICAN, CITY OF MERICAN, ACA COUNTY, DAVID SERIES MORE PARTICULARLY SECREMED AS FOLLOWS:

THE CASE OF THE SECONDARY OF THE SECONDA


IT IS THE WINDOWS OF THE UNDERSTORED TO HEREFY MALLISE THE MOVE SECRETARY OFFERS THE REAL AND TO DESCRIPT TO THE PRIAL. THE PRIAL THE PR

JAMES RAINCH 280, LLC, AN IDAHO LIMITED LIABILITY COMPANY & BLACK CAT-MERIDIAN 77, LLC, AN IDAHO LIMITED LIABILITY COMPANY




	Plat for ivision Phase 2					
2025						
Approval of Central District Health Banker et increase assumer over cold. This is, overthe their activations of the Banker et increase assumer over cold. This is, overthe their is continued according to Beneficially as the advocation, accordinate while according to provide, abundance Beneficially or placemona. CRITICALITY OR DEAPPROAL.	Certificate of County Surveyor 1. THE UNDERGOOD THE					
CONTINUE DOUBLET HEALTH	00any surayor P.3 Gast					
Approval of Ada County Highway District ***Reference Ask to accord and remoted in the Collegen regimes bother to conditioners On the ber or	Certificate of the County Treasurer MELECORIE CONTROL					
PRESERVE	GATE COUNTY THEASURER					
Approval of City Engineer 1. The sedestionals City Engineer is the city of Metidox, and country, share, Metidox Approve this PLET.	County Recorder's Certificate Exist or pend) jis. COUNT OF AGA. HARDER CREATER THAN THE RESTRICTION OF RECORD AT THE ROUGEST OF THE LAND SHADON. RIC.					
CITY ENGINER	A1 MANTES RAST 00.00X M. ON THIS DAY OF					
Approval of City Council L the landerspace com customs has done the common and county, gold 30 herein certain that as assessment of the council has done to the	BENTY EX GRECO RECORDER RE	7399				
OTYCLIAN MINIONAL GANO		THE LAND GROUP				
		462 East Shore Drive, Suite 100 Eagle, (0 83616				
		PN 123200 SHEET 5 OF 5				


C. Preliminary Plat (date: 5/17/2024)




D. Landscape Plan (date: 9/2/2025)



E. Qualified Open Space Exhibit (date: 11/19/2024)



F. Building Elevations (date: 11/19/2024)









G. Emergency Access Exhibit (date: 11/19/2024)

