



CITY OF MERIDIAN, ID - SOURCEWELL CONTRACT PRICING #101221-VTR	
2023 Vactor HXX Paradigm, 15" Vacuum, 675 Gal Debris Body, 300 Gal Water - See Specs	\$237,665.43
2024 Freightliner M2 4x2 SBA, 325 HP Auto, 26,000 GVWR	\$89,650.00
Sourcewell Contract #101221-VTR Discount	\$9,822.80
Dealer Costs - Pre-Delivery Inspection, Training, Etc.	\$6,000.00
Total	\$323,492.63
ACCEPTED BY:	
DATE:	

December 16, 2022
Pricing Valid for 30 Days
Subject to Availability

List Summary

Order Qty	Part Number	Description	SOURCEWELL Price
1	TV-HXX-ParaDIGm	HXX ParaDIGm Vacuum Excavator	\$169,242.69
1	PAR002STD	DigRight Technology	\$0.00
1	PAR015ASTD	Roots 616-Ram-V Positive Displacement Blower -2,200 CFM and 15" Hg.	\$0.00
1	PAR069STD	Hydrostatic Blower Drive	\$0.00
1	PAR067STD	675 US Gallon Debris Body	\$0.00
1	PAR066STD	8 GPM/2500 PSI Water System	\$0.00
1	PAR017CSTD	Dual Cyclone Filtration	\$0.00
1	PAR079STD	2" Y-Strainer On Water Tank Fill	\$0.00
1	PAR047STD	3/4 opening Flat Rear Door w/Hydraulic Open/Close and Lock	\$0.00
1	PAR05STD	Rear Door Prop	\$0.00
1	PAR1606STD	Hydraulic Rear Door Locks	\$0.00
1	PAR20STD	Electronic Backup Alarm	\$0.00
1	PAR33STD	Unit Manufactured in an ISO 9001:2008 Quality Management Certified Facility	\$0.00
1	PAR37STD	Unit Manufactured in an ISO 14001:2004 Environmental Management Certified Facility	\$0.00
1	PAR055STD	3" Kunkle Vacuum Relief Valves	\$0.00
1	PAR057STD	Single Stage Hydraulic Dump Cycliner - 50 deg Dump Angle	\$0.00
1	PAR065STD	Debris Body Prop	\$0.00
1	PAR068STD	Ultra Quiet Blower Silencer Package	\$0.00
1	PAR070STD	Final Filter w/ Polyester Insert for Dry Material Vacuuming -5 Micron	\$0.00
1	PAR071STD	Vactor's Park-n-Dig Quick Setup Design	\$0.00
1	PAR073STD	Anti-Siphon Water Tank Fill	\$0.00
1	PAR074STD	2" Camlock w/25' Hydrant Fill Hose Connection	\$0.00
1	PAR075STD	3/4" X 25' Garden Hose Fill	\$0.00
1	PAR076STD	Hydrostatic Water Pump Drive	\$0.00
1	PAR077STD	Digging Lance Storage	\$0.00
1	PAR091STD	1/2" Convenience Water Valve for Washing Hands, Boots, or Tools	\$0.00
1	PAR093STD	Vactor Emergency Stop at all HMI	\$0.00
1	PAR094STD	J1939 CAN Electrical Communication and Engine/Transmission/Vactor Interface - includes Vactor Diagnostics and Warnings	\$0.00
1	PAR095STD	Illuminated Curbside Control Station Featuring:	\$0.00
1	PAR095ASTD	*Vactor E-Stop, Water Pump On/Off Control, Blower On/Off Control, Electric Vibrator	\$0.00
1	PAR095BSTD	*7" LCD display of Engine RPM, Blower RPM, Vacuum Level, Water Pump Mode, Blower Mode	\$0.00
1	PAR095CSTD	*Water and Blower Hours, Work Mode, Blower and Hydraulic Temperature	\$0.00
1	PAR096STD	*Air Compressor Temperature, Air Pressure, and Compressor Hourmeter	\$0.00
1	PAR6011STD	1/2" x 50' Water digging Hose on Manual Extend/Spring Retract Reel	\$0.00
1	PAR1026STD	DC Electric Debris Body Vibrator	\$0.00
1	PAR1150STD	Wash-Down Gun	\$0.00
1	PAR025STD	Excavating Water Lance w/Quick Connect Fittings	\$0.00

1	PAR1286STD	6" Drain Port Mounted in Bottom Portion of Rear Door and Capped	\$0.00
1	PAR107BSTD	1 Vactor HXXpose Oscillating Digging Nozzle and 1 Vactor Reveal 2-Jet Digging Nozzle	\$0.00
1	PARA2002STD	Low Water Light and Alarm	\$0.00
1	PAR4011CSTD	Wireless Boom Control	\$0.00
1	PAR4011DSTD	6" Air-Operated Vacuum Relief Valve on Wireless Remote	\$0.00
1	PARA4019ASTD	ISO 46 Hydraulic Oil	\$0.00
1	PAR6017STD	Hydraulic Tank Shutoff Valves for Ease of Service	\$0.00
1	PAR8009STD	LED Work Light Curbside	\$0.00
1	PAR8021ASTD	6" Vacuum Tube Package (1 -72" Dig Tube, 1x60" , and 1x36") w/Clamps	\$0.00
1	PAR8025ASTD	LED Lights, Clearance, Stop, Tail, Turn, Backup	\$0.00
1	PAR9020STD	Tool Box, Passenger Side, Underbody - 72"w x 28"h x 61"d	\$0.00
1	PAR9023STD	Tool Tray, Driver Side - 68"w x 10"h x 28"d	\$0.00
1	PAR9031STD	Camera System, Rear Only	\$0.00
1	PAR1022STD	Rear Door Splash Shield	\$0.00
1	HP112STD	Module Paint, DuPont Imron Elite - Sanded Primer Base	\$0.00
1	HP112ASTD	All Painted and Powder Coated Components are Sand Blasted for Proper Adhesion Prior to Finishing	\$0.00
1	HP112BSTD	Debris Body Painted Customer Colors per Vactor's 5 Stage Paint Process	\$0.00
1	PAR072	4" Rear Door Loading Port w/4" x 25' Smooth-Bore Vacuum Hose	\$1,067.00
1	PAR101	300 Gallon US. Gal Water Capacity - HDPE Water Tank with 8 GPM/2500 PSI Water System	\$12,496.51
1	PAR1023	Centralized Lubrication Point Manifold	\$2,167.95
1	PAR1023A	Plastic Lube Chart, included with Lube Manifold	\$0.00
1	PAR4004A	6" Extendable Loading Boom w/ 5' extension (Hydraulic Up/Down, In/Out & Manual Rotation)	\$3,010.88
1	PAR2006	Air Purge System for Water Lines	\$1,286.22
1	PAR2021G	Water Heater for Water System- 175,000 BTU's 12 Volt	\$4,323.29
1	PAR5009D	Cold Weather Recirculator	\$3,371.72
1	PAR2021C	Cold Weather Package (Includes Insulating and Heated Water Pump Cabinet and Water Suction Line)	\$3,710.25
1	PAR5020	185 CFM Air Compressor	\$20,410.74
1	PAR5020A	150 PSI and 110 PSI Dual Setting for Digging and Pnuematic Tools	\$0.00
1	PAR5020B	1" x25' Air Hose on Manual Extend / Spring Retract Reel	\$0.00
1	PAR5020C	Airspade 4000 Digging Lance w/Application Specific Digging Nozzle	\$0.00
1	PAR8004D	Rear Mounted, LED Beacon Light	\$1,119.38
1	PAR8004E	Front Mounted, LED Beacon Light	\$1,119.38
1	PAR8011	2 Boom Mounted LED Work Lights	\$1,078.64
1	PAR8015	Additional, Rear Mounted, Curb Side LED Work Light	\$608.19
1	PAR8016	LED Rear Door WorkLight	\$608.19
1	PAR8022A	6" Dig Tube Handle Attachment	\$362.78
1	PAR9027	Safety Cone Storage - Capacity up to 5 - 28" Tall Safety Cones	\$172.66
1	PAR9037	Large Water Pump and Lance Storage Box, 38"w x 86"h x 26"d (Encloses Water Heater if Equipped)	\$4,586.16
1	LOGO-APPL.	TruVac Logos - Applied	\$0.00

1	512459-30	TruVac Standard Manual and USB Version - 1 + Dealer	\$0.00
1	T26F325A-CH	Vactor Supplied Chassis, Single Axle, 2024 Freightliner M2 106 4x2 SBA, 325 HP, Auto, 26,000 GVWR, GHG	\$89,650.00

Chassis Source - Vactor Supplied
Module Paint Match Cab - No
Module Paint Color - Grey
Module Paint Color Code - 840976EX
Cab Color - White
Certified Unit Weights Required? - No

Chassis Note: None

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCHICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-20M	M2 PRL-20M (EFF:04/30/19)			N/C
Data Version				
DRL-004	SPECPRO21 DATA RELEASE VER 004			N/C
Vehicle Configuration				
001-172	M2 106 CONVENTIONAL CHASSIS	5,709	3,503	\$103,510.00
004-223	2023 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-002	TRUCK CONFIGURATION			STD
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1UT	UTILITY BUSINESS SEGMENT			N/C
AA4-002	LIQUID BULK COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 11000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 19000.0 lbs			
A69-99D	EXPECTED TAG AXLE(S) LOAD : 0.0 lbs			

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 26000.0 lbs			
Truck Service				
AA3-034	SEWER/INDUSTRIAL VACUUM BODY			N/C
A88-99D	EXPECTED TRUCK BODY LENGTH : 10.0 ft			
AE2-99D	EXPECTED TRUCK BODY WIDTH : 96.0 in			
AF3-1DN	VACTOR			N/C
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			
Engine				
101-21Y	CUM B6.7 325 HP @ 2400 RPM, 2600 GOV, 750 LB-FT @ 1800 RPM			\$7,436.00
Electronic Parameters				
79A-070	70 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-010	PTO GOVERNOR RAMP RATE - 500 RPM PER SECOND			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
EE4-99D	IDLE TIME MINUTES : 5.0 minutes			
Engine Equipment				
99C-021	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION			STD
99D-009	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LEFT SIDE OF HOOD)			\$109.00
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			\$50.00
* 190-015	DONALDSON 1-STAGE AIR CLEANER WITH SAFETY ELEMENT			N/C

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCHICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			STD
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		\$14.00
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	\$823.00
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-020	10 FOOT 00 INCH (120 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			(\$4.00)
* 235-078	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL DPF ATD OR AFTERTREATMENT SYSTEM			N/C
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			N/C
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
23Y-002	DIESEL EXHAUST FLUID PUMP MOUNTED AFT OF DIESEL EXHAUST FLUID TANK			\$68.00
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD			\$48.00
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED			\$10.00
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-001	FULL FLOW OIL FILTER			STD
266-100	700 SQUARE INCH ALUMINUM RADIATOR			STD
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT			\$18.00
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER	4		\$108.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			\$46.00

Transmission

342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60	\$6,785.00
---------	--	-----	----	------------

Transmission Equipment

343-334	ALLISON VOCATIONAL PACKAGE 216 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS			N/C
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			STD
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
84M-001	PUMP MODE INPUT ENABLED 3RD/4TH LOCKUP WIRED ON TCM INPUT AJ/BQ - ALLISON 5TH GEN TRANSMISSIONS			N/C
353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB			\$49.00
362-824	(2) CUSTOMER INSTALLED CHELSEA 280 SERIES PTO'S			N/C
363-011	PTO MOUNTING, LH AND RH SIDES OF MAIN TRANSMISSION			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD

Front Axle and Equipment

400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			STD
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			STD
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			(\$12.00)
409-006	FRONT OIL SEALS			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
536-050	TRW THP-60 POWER STEERING			STD
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			STD
Front Suspension				
620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION			STD
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equipment				
420-1C7	DETROIT DA-RS-19.0-4 19,000# R-SERIES SINGLE REAR AXLE		-20	(\$87.00)
421-588	5.88 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-011	SPL170 XL DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES	5	5	\$433.00
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			\$24.00
451-023	CONMET CAST IRON REAR BRAKE DRUMS			\$28.00
440-006	REAR OIL SEALS			STD
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			STD
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			STD
41T-001	MINERAL SAE 80/90 REAR AXLE LUBE			(\$162.00)
Rear Suspension				
622-1MG	21,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER		100	(\$1,639.00)
621-001	SPRING SUSPENSION - NO AXLE SPACERS			N/C

Prepared for:
2023 CARB 26GVW PARADIGM
VACTOR TRUVAC T26FS325A 2023
1621 SOUTH ILLINOIS ST
STREATOR, IL 61364
Phone: 815 672 3171

Prepared by:
Bob Jensen
TRANSCICAGO TRUCK GROUP
776 N. YORK STREET
ELMHURST, IL 60126
Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			N/C
Brake System				
018-002	AIR BRAKE PACKAGE			STD
490-100	WABCO 4S/4M ABS			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			STD
479-012	AIR DRYER MOUNTED UNDER HOOD			N/C
* 460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION			\$160.00
	ONE LH MOUNTED BELOW RAIL .ONE RH ABOVE REAR AXLE. USE BRACKET 12-14352-000. FRONT AT 4550 AND REAR AT 4850			
477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)			\$5.00
Trailer Connections				
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			STD
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
Wheelbase & Frame				
545-487	4875MM (192 INCH) WHEELBASE			N/C
* 546-1AG	9/32X3-1/16X10-1/16 INCH STEEL FRAME (7.14X255.6MM/0.281X10.06 INCH) 80KSI	40		(\$39.00)
552-164	1175MM (46 INCH) REAR FRAME OVERHANG			N/C
55W-004	FRAME OVERHANG RANGE: 41 INCH TO 50 INCH	10	-60	N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 126.38 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 123.38 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 277.21			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 85.82 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 113.98 in			N/C

Must include line note

Must be this frame

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 120.45 in			
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
* 562-349	STANDARD MIDSHIP #1 CROSSMEMBER MOUNTED 1235MM (49 INCH) FROM BACK OF CAB			N/C
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	30		\$65.00
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$74.00
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
605-1AB	D15-16004-000 CENTER PUNCH TO MARK CENTERLINE OF REAR SUSPENSION ON FRAME WEB			\$21.00
* 606-244	DRLG PREP FOR VACTOR PER DWG 1550085AA, REV 0, 07/27/2017			\$69.00
Fuel Tanks				
204-219	70 GALLON/264 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	30	10	\$233.00
218-005	RECTANGULAR FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		STD
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
20E-004	AUXILIARY FUEL SUPPLY AND RETURN PORTS LOCATED ON LH FUEL TANK			\$19.00
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCHICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

	Data Code	Description	Weight Front	Weight Rear	Retail Price
*	221-021	FUEL COOLER MOUNTED LEFT HAND IN RAIL AT 3600			\$280.00
Tires					
	093-12C	HANKOOK AL21 11R22.5 14 PLY RADIAL FRONT TIRES	12		(\$426.00)
	094-2EU	HANKOOK DH06 11R22.5 14 PLY RADIAL REAR TIRES		64	(\$824.00)
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels					
	502-1F2	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS			STD
	505-1F2	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC REAR WHEELS			STD
	496-011	FRONT WHEEL MOUNTING NUTS			STD
	497-011	REAR WHEEL MOUNTING NUTS			STD
	495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS			STD
Cab Exterior					
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
	650-009	RUBBER CAB MOUNTS			STD
	705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS	2		\$63.00
	678-001	LH AND RH GRAB HANDLES			STD
	646-009	PAINTED PLASTIC GRILLE			\$50.00
	65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			N/C
	644-004	FIBERGLASS HOOD			STD
	726-001	SINGLE ELECTRIC HORN			STD
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
	78G-004	KEY QUANTITY OF 4			\$18.00
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
	302-001	(5) AMBER MARKER LIGHTS			STD
	294-001	INTEGRAL STOP/TAILO/BACKUP LIGHTS			STD
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS			STD
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			\$43.00
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD			STD
659-020	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED			N/C
Cab Interior				
707-1AK	OPAL GRAY VINYL INTERIOR			N/C
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
*	689-804 PREP KIT FOR CUSTOMER INSTALLED AUXILIARY HEATER, INSTALL SPECIFIC FOR VACTOR BODY, PLUMBING FROM ENG TO RAIL MTD SHUTOFF VALVES AT CUSTOMER SPECIFIED LOCATION			\$307.00
	170-045 STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY			\$16.00
*	724-001 AUXILIARY HEATER PLUMBING			N/C
	130-041 VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
	702-002 BINARY CONTROL, R-134A			STD
	739-033 STANDARD INSULATION			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCHICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-014	DOMELIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			STD
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			\$21.00
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		\$167.00
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	25	10	\$255.00
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8		\$138.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-036	VINYL WITH VINYL INSERT DRIVER SEAT			STD
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			STD
763-101	BLACK SEAT BELTS			STD
532-001	FIXED STEERING COLUMN			STD
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$36.00
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
160-039	(1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH			\$11.00
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			STD
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS			N/C
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10		\$490.00
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS IN CAB			N/C
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			N/C
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
6TS-003	(2) TMC RP 1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND DASH B PANEL AND (1) LOCATED PASSENGER SIDE OF DASH			\$49.00
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			N/C
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Data Code	Description	Weight Front	Weight Rear	Retail Price
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD

Design

065-000	PAINT: ONE SOLID COLOR			STD
---------	------------------------	--	--	-----

Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-976	POWDER BLACK (N0001EA) FRONT WHEELS/RIMS (PKBLK21, BK, PB1)			\$46.00
966-976	POWDER BLACK (N0001EA) REAR WHEELS/RIMS (PKBLK21, BK, PB1)			\$92.00
964-3A1	BUMPER PAINT: N0001EA BLACK ELITE SS			\$70.00
963-003	STANDARD E COAT/UNDERCOATING			STD

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
---------	--	--	--	-----

Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 123.38 in			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 120.45 in			

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$119,164.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	6175 lbs	3687 lbs	9862 lbs

Prepared for:
 2023 CARB 26GVW PARADIGM
 VACTOR TRUVAC T26FS325A 2023
 1621 SOUTH ILLINOIS ST
 STREATOR, IL 61364
 Phone: 815 672 3171

Prepared by:
 Bob Jensen
 TRANSCHICAGO TRUCK GROUP
 776 N. YORK STREET
 ELMHURST, IL 60126
 Phone: 630-279-0600 ext.631

Total Weight ⁺	6175 lbs	3687 lbs	9862 lbs
---------------------------	----------	----------	----------

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

PNZ-001	CARB22 BASE WARRANTY SURCHARGE DD5/DD8 SS/B6.7/L9 <=325	\$1,075.00
PMV-021	GHG21 ENHANCEMENT PRICE	\$455.00
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
P73-2FT	STANDARD DESTINATION CHARGE	\$2,450.00

Extended Warranty

WAG-010	TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES	\$200.00
	Currency Exchange Rate	1.0000
	Total Extended Warranty (Local Currency)	\$200.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

TYPICAL CHASSIS MODIFICATION AND INSPECTION REQUIREMENTS:

00 XYZ 20XX - CHASSIS MODIFICATION REQUIREMENTS (ABC)

1. PROVIDE LH PTO/DRIVELINE CLEARANCE. REROUTE CABLES AND LINES AWAY FROM THE LH PTO WINDOW.

00 XYZ 20XX - CHASSIS INSPECTION REQUIREMENTS (ABC)

A. SHOULD HAVE FACTORY FRAME DRILL PER VACTOR DRAWING 1550085AA REV 0

B. SHOULD HAVE FUEL COOLER LOCATED INSIDE D/S RAIL 85" TO 88" FROM REAR AXLE CL

C. SHOULD HAVE TWO BATTERIES D/S UNDER CAB ABOVE FUEL TANK

D. SHOULD HAVE AIR DRYER LOCATED FORWARD OF P/S WHEEL

E. SHOULD HAVE ONE D/S AIR TANK INSIDE & BELOW RAIL JUST FORWARD OF REAR SUSPENSION

F. SHOULD HAVE AUXILIARY FUEL SUPPLY/RETURN PORTS IN D/S FUEL TANK

G. SHOULD HAVE COOLANT SHUTOFF VALVES INSIDE P/S RAIL UNDER CAB

ADDITIONAL REQUIREMENTS BASED ON SALES ORDER OPTIONAL CONTENT:

(PAR1095)2" TRAILER HITCH RECEIVER,RV STYLE TRAILER PLUG,ELECTRIC TRAILER BRAKE MODULE - 10,000 LBS CAPACITY

2. INSTALL ELECTRIC BRAKE CONTROLLER IN CAB AND RUN 7 PIN RV STYLE CONNECTOR TO REAR OF UNIT. CONNECTIONS TO INCLUDE STOP, TURN, RUNNING LIGHTS & BRAKE POWER.