

Meridian
IDAHO

[illegible]


IV. DECISION

A. Staff:


Staff recommends approval of the proposed final plat with the conditions of approval in Section VI of this report.

V. EXHIBITS


A. Preliminary Plat (dated: 1/10/2019)





B. Final Plat (dated: 7/19/22)



C. Landscape Plan (dated: 7/19/22)





VI. CITY/AGENCY COMMENTS & CONDITIONS

A. Planning Division

Site Specific Conditions:

1. Applicant shall comply with all previous conditions of approval associated with this development [annexation/preliminary plat ([H-2019-0021](#)), Development Agreement Inst. #[2019-060655](#)].
2. The applicant shall obtain the City Engineer's signature on the subject final plat by June 4, 2023 as granted with the time extension (TED-2021-0003); *or* apply for a time extension, in accord with UDC 11-6B-7.
3. Prior to submittal for the City Engineer's signature, have the Certificate of Owners and the accompanying acknowledgement signed and notarized.
4. The final plat prepared by KM Engineering, stamped on 7/19/22 by Aaron L. Ballard, included in Exhibit B shall be revised as follows:
 - a. Depict the required street buffers within a common lot or on a permanent dedicated buffer easement with a note that they will be maintained by the property owner or business owners' association, as applicable, in accord with UDC [11-3B-7C.2a](#).
 - b. Include the recorded instrument number of the ACHD permanent easement graphically depicted on the face of the plat.
 - c. Include the recorded instrument number of the City of Meridian pathway easement graphically depicted on the face of the plat.
 - d. Include a note stating direct lot access via W. Chinden Blvd./SH 20-26 is prohibited.
 - e. Correct the situate statement on the plat to reflect the correct Section and Township & Range.
5. The landscape plan prepared by KM Engineering, dated 7/19/22 included in Exhibit C, shall be revised as follows:
 - a. If the unimproved street right-of-way along Chinden Blvd. is 10 feet or greater from the edge of pavement to the edge of sidewalk or property line, the developer shall maintain a 10 foot compacted shoulder meeting the construction standards of the transportation authority and landscape the remainder with lawn or other vegetative ground cover as set forth in UDC [11-3B-7C.5](#); depict accordingly on the plan.
 - b. Depict landscaping within the buffer along the eastern boundary of the site adjacent to residential uses in accord with the standards listed in UDC [11-3B-9C.1](#), which requires a mix of evergreen and deciduous trees, shrubs, lawn, or other vegetative groundcover. *This landscaping may be installed with individual lot development.*
6. Prior to signature on the final plat by the City Engineer, a cross-access easement shall be recorded that provides access to the out-parcel (#S0421438700) at the southeast corner of the site and a driveway shall be provided for access and interconnectivity with the subject property in accord with UDC 11-3A-3A.2 and as set forth in the development agreement (provision #5.1c). **A copy of the recorded easement shall be submitted with the application for final plat signature.** *The driveway may be constructed with development of Lots 4 or 5, whichever is providing the access easement.*

7. Prior to signature on the final plat by the City Engineer, the existing easements and right-of-way (ROW) depicted on the preliminary plat shall be vacated. Proof of vacation shall be submitted with the application for final plat signature.
8. Prior to signature on the final plat by the City Engineer, submit an application for and obtain final approval of the proposed private streets within the development. Private streets shall comply with the standards listed in UDC [11-3F-4](#).
9. A 14-foot wide public pedestrian easement shall be submitted to the Planning Division for the multi-use pathway within the street buffer along Chinden Blvd./SH-20/26 if the pathway is located outside of ITD's right-of-way; coordinate the details of the easement with Kim Warren, Park's Dept.
10. Staff's failure to cite specific ordinance provisions or conditions from the preliminary plat and/or development agreement does not relieve the Applicant of responsibility for compliance.

B. Public Works

Site Specific Conditions:

1. Sewer easement widths vary depending on sewer depth. Sewer 0-15 ft deep require a 20 ft easement, 16-20 ft a 30 ft easement.
2. Ensure no sewer services pass through infiltration trenches.
3. A future install agreement for seven (7) streetlights will be required for the development of this property.

General Conditions:

4. Sanitary sewer service to this development is available via extension of existing mains adjacent to the development. The applicant shall install mains to and through this subdivision; applicant shall coordinate main size and routing with the Public Works Department, and execute standard forms of easements for any mains that are required to provide service. Minimum cover over sewer mains is three feet, if cover from top of pipe to sub-grade is less than three feet than alternate materials shall be used in conformance of City of Meridian Public Works Departments Standard Specifications. Sewer main extension is being constructed as part of application LDIR-2022-0031.
5. Water service to this site is available via extension of existing mains adjacent to the development. The applicant shall be responsible to install water mains to and through this development, coordinate main size and routing with Public Works. Water main extension is being constructed as part of application LDIR-2022-0031
6. All improvements related to public life, safety and health shall be completed prior to occupancy of the structures. Where approved by the City Engineer, an owner may post a performance surety for such improvements in order to obtain City Engineer signature on the final plat as set forth in UDC 11-5C-3B.
7. Upon installation of the landscaping and prior to inspection by Planning Department staff, the applicant shall provide a written certificate of completion as set forth in UDC 11-3B-14A.
8. A letter of credit or cash surety in the amount of 110% will be required for all incomplete fencing, landscaping, amenities, pressurized irrigation, prior to signature on the final plat..

9. The City of Meridian requires that the owner post to the City a warranty surety in the amount of 20% of the total construction cost for all completed sewer, and water infrastructure for a duration of two years. This surety amount will be verified by a line item final cost invoicing provided by the owner to the City. The surety can be posted in the form of an irrevocable letter of credit, cash deposit or bond. Applicant must file an application for surety, which can be found on the Community Development Department website. Please contact Land Development Service for more information at 887-2211. Warranty surety will be required under application LDIR-2022-0031.
10. In the event that an applicant and/or owner cannot complete non-life, non-safety and non-health improvements, prior to City Engineer signature on the final plat and/or prior to occupancy, a surety agreement may be approved as set forth in UDC 11-5C-3C.
11. It shall be the responsibility of the applicant to ensure that all development features comply with the Americans with Disabilities Act and the Fair Housing Act.
12. Applicant shall be responsible for application and compliance with any Section 404 Permitting that may be required by the Army Corps of Engineers.
13. Developer shall coordinate mailbox locations with the Meridian Post Office.
14. All grading of the site shall be performed in conformance with MCC 11-1-4B.
15. Compaction test results shall be submitted to the Meridian Building Department for all building pads receiving engineered backfill, where footing would sit atop fill material.
16. The applicants design engineer shall be responsible for inspection of all irrigation and/or drainage facility within this project that do not fall under the jurisdiction of an irrigation district or ACHD. The design engineer shall provide certification that the facilities have been installed in accordance with the approved design plans. This certification will be required before a certificate of occupancy is issued for any structures within the project.
17. At the completion of the project, the applicant shall be responsible to submit record drawings per the City of Meridian AutoCAD standards. These record drawings must be received and approved prior to the issuance of a certification of occupancy for any structures within the project.
18. Applicant shall be responsible for application and compliance with and NPDES permitting that may be required by the Environmental Protection Agency.
19. Any wells that will not continue to be used must be properly abandoned according to Idaho Well Construction Standards Rules administered by the Idaho Department of Water Resources. The Developer's Engineer shall provide a statement addressing whether there are any existing wells in the development, and if so, how they will continue to be used, or provide record of their abandonment.
20. Any existing septic systems within this project shall be removed from service per City Ordinance Section 9-1-4 and 9 4 8. Contact the Central District Health Department for abandonment procedures and inspections.
21. The City of Meridian requires that pressurized irrigation systems be supplied by a year-round source of water (MCC 9-1-28.C.1). The applicant should be required to use any existing surface or well water for the primary source. If a surface or well source is not available, a single-point connection to the culinary water system shall be required. If a single-point connection is utilized, the developer will be responsible for the payment of assessments for the common areas prior to development plan approval.

22. All irrigation ditches, canals, laterals, or drains, exclusive of natural waterways, intersecting, crossing or laying adjacent and contiguous to the area being subdivided shall be addressed per UDC 11-3A-6. In performing such work, the applicant shall comply with Idaho Code 42-1207 and any other applicable law or regulation.