


EXHIBIT B

EXHIBIT MAP

A PORTION OF LAND LYING WITHIN THE SE 1/4 OF
THE SW 1/4 OF SECTION 31, T.3N., R.1E., B.M.
ADA COUNTY—STATE OF IDAHO



SCALE: 1"=200'

LEGEND


- BOUNDARY LINE
- SECTION LINE
- PARCEL LINE

- FOUND 2" ALUMINUM CAP
IN ASPHALT
- FOUND 5/8" IRON PIN,
WITH PLASTIC CAP, AS NOTED
- FOUND 5/8" IRON PIN WITH
2" ALUMINUM CAP, PLS 11463
- FOUND 1/2" IRON PIN, WITH
PLASTIC CAP, PLS 4725
- SET 5/8" IRON PIN WITH
2" ALUMINUM CAP, PLS 11463

P.O.B. POINT OF BEGINNING

CURVE TABLE

CURVE	ARC LENGTH	RADIUS	DELTA ANGLE	CHORD BEARING	CHORD LENGTH
C1	122.44'	476.50'	14°43'21"	S 82°28'24" E	122.10'
C2	133.61'	523.50'	14°37'23"	S 82°25'25" E	133.25'



ACCURATE
SURVEYING & MAPPING


1520 W. Washington St.
Boise, Idaho 83702
(208) 488-4227
www accuratesurveyors.com

DATE: DEC, 2024

JOB 24-244

EXHIBIT MAP

A PARCEL OF LAND LYING WITHIN THE SE 1/4 OF
THE SW 1/4 OF SECTION 31, T.3N., R.1E., B.M.
ADA COUNTY—STATE OF IDAHO



SCALE: 1"=200'

LEGEND


- BOUNDARY LINE
- SECTION LINE
- PARCEL LINE
- FOUND 2" ALUMINUM CAP
IN ASPHALT
- FOUND 5/8" IRON PIN,
WITH PLASTIC CAP, AS NOTED
- FOUND 5/8" IRON PIN WITH
2" ALUMINUM CAP, PLS 11463
- FOUND 1/2" IRON PIN, WITH
PLASTIC CAP, PLS 4725
- SET 5/8" IRON PIN WITH
2" ALUMINUM CAP, PLS 11463
- P.O.B. POINT OF BEGINNING
- △ CALCULATED POINT

LINE TABLE


LINE	BEARING	DISTANCE
L1	S 89°51'33" E	62.50'
L2	N 89°51'33" W	62.50'

CURVE TABLE

CURVE	ARC LENGTH	RADIUS	DELTA ANGLE	CHORD BEARING	CHORD LENGTH
C1	122.44'	476.50'	14°43'21"	S 82°28'24" E	122.10'
C2	133.61'	523.50'	14°37'23"	S 82°25'25" E	133.25'



PROPOSED APEX WEST SUBDIVISION



ACCURATE
SURVEYING & MAPPING

1520 W. Washington St.
Boise, Idaho 83702
(208) 488-4227
www.accuratesurveyors.com

DATE: DEC, 2024


JOB 24-244

EXHIBIT MAP

A PORTION OF LAND LYING WITHIN THE SE 1/4 OF
THE SW 1/4 OF SECTION 31, T.3N., R.1E., B.M.
ADA COUNTY—STATE OF IDAHO



SCALE: 1"=200'



LEGEND

- BOUNDARY LINE
- SECTION LINE
- PARCEL LINE

- FOUND 2" ALUMINUM CAP IN ASPHALT
- FOUND 5/8" IRON PIN, WITH PLASTIC CAP, AS NOTED
- FOUND 5/8" IRON PIN WITH 2" ALUMINUM CAP, PLS 11463
- FOUND 1/2" IRON PIN, WITH PLASTIC CAP, PLS 4725
- SET 5/8" IRON PIN WITH 2" ALUMINUM CAP, PLS 11463
- P.O.B. POINT OF BEGINNING

SECTION CORNER
36 31
1 6
R.1W. R.1E.

N 89°42'24" W 2490.40'
E. LAKE HAZEL RD.

1/4 CORNER
31
6
T.3N. R.1E. B.M.
T.2N. R.1E. B.M.

S 00°15'54" W 1341.76'
BASIS OF BEARING
PROPOSED S. SUBLIMITY AVE.
PROPOSED APEX WEST SUBDIVISION



ACCURATE
SURVEYING & MAPPING
1520 W. Washington St.
Boise, Idaho 83702
(208) 488-4227
www.accuratesurveyors.com

DATE: DEC, 2024

JOB 24-244