

BEFORE THE MERIDIAN CITY COUNCIL

HEARING DATE: 6/16/2026
ORDER APPROVAL DATE: 7/7/2026

IN THE MATTER OF THE)
REQUEST FOR FINAL PLAT)
CONSISTING OF 41 BUILDING)
LOTS AND 12 COMMON LOTS ON)
17.88 ACRES OF LAND IN THE R-4,)
R-8 AND TN-4 ZONING DISTRICTS)
FOR DAYSPRING SUBDIVISION)
NO. 2)
BY: TOLL BROTHERS)
APPLICANT)
_____)

CASE NO. FP-2026-0004

ORDER OF CONDITIONAL
APPROVAL OF FINAL PLAT

This matter coming before the City Council on 6/16/26 for final plat approval pursuant to Unified Development Code (UDC) 11-6B-3 and the Council finding that the Administrative Review is complete by the Planning and Development Services Divisions of the Community Development Department, to the Mayor and Council, and the Council having considered the requirements of the preliminary plat, the Council takes the following action:

IT IS HEREBY ORDERED THAT:

1. The Final Plat of “PLAT SHOWING DAYSPRING SUBDIVISION NO. 2,
LOCATED IN A PORTION OF THE NW ¼ AND THE NE ¼ 4 OF SECTION
4, TOWNSHIP 3 NORTH, RANGE 1 WEST, B.M., CITY OF MERIDIAN,
ADA COUNTY, IDAHO, 2026, HANDWRITTEN DATE: 2/10/2026, by

ORDER OF CONDITIONAL APPROVAL OF FINAL PLAT
FOR DAYSPRING SUBDIVISION NO. 2 FP-2026-0004

CLINTON W. HANSEN, PLS, SHEET 1 OF 5,” is conditionally approved subject to those conditions of Staff as set forth in the staff report to the Mayor and City Council from the Planning and Development Services divisions of the Community Development Department dated 6/16/2026, a true and correct copy of which is attached hereto marked “Exhibit A” and by this reference incorporated herein.

2. The final plat upon which there is contained the certification and signature of the City Clerk and the City Engineer verifying that the plat meets the City’s requirements shall be signed only at such time as:
 - 2.1 The plat dimensions are approved by the City Engineer; and
 - 2.2 The City Engineer has verified that all off-site improvements are completed and/or the appropriate letter of credit or cash surety has been issued guaranteeing the completion of off-site and required on-site improvements.

NOTICE OF FINAL ACTION

AND RIGHT TO REGULATORY TAKINGS ANALYSIS

The Applicant is hereby notified that pursuant to Idaho Code § 67-8003, the Owner may request a regulatory taking analysis. Such request must be in writing, and must be filed with the City Clerk not more than twenty-eight (28) days after the final decision concerning the matter at issue. A request for a regulatory takings analysis will toll the time period within which a Petition for Judicial Review may be filed.

Please take notice that this is a final action of the governing body of the City of Meridian, pursuant to Idaho Code § 67-6521. An affected person being a person who has an interest in real property which may be adversely affected by this decision may, within twenty-eight (28) days after the date of this decision and order, seek a judicial review pursuant to Idaho Code § 67-52.

By action of the City Council at its regular meeting held on the _____ day of _____, 2026.

By:

Robert E. Simison
Mayor, City of Meridian

Attest:

Chris Johnson
City Clerk

Copy served upon the Applicant, Planning and Development Services Divisions of the Community Development Department and City Attorney.

By: _____ Dated: _____

EXHIBIT A

STAFF REPORT

COMMUNITY DEVELOPMENT DEPARTMENT



HEARING 06/16/2026

DATE:

TO: Mayor & City Council

FROM: Sonya Allen, Associate Planner
sallen@meridiancity.org

SUBJECT: Dayspring Subdivision No. 2
FP-2026-0004

LOCATION: Generally located off the southeast corner of the N. McDermott Road bypass and W. Ustick Rd., in the NW 1/4 of Section 4, T.3N., R.1W.



I. PROJECT DESCRIPTION

Final plat consisting of 41 buildable lots and 12 common lots on 17.88 acres of land in the R-4, R-8 and TN-R zoning districts for the second phase of Dayspring Subdivision.

II. APPLICANT INFORMATION

A. Applicant:

Kyle Prewett, Toll Brothers – 3103 W. Sheryl Drive, Meridian ID, 83642

B. Owner:

Alex Dunivan, Magnolia East Dayspring Owner, LLC – 8 Summer House Lane, Newport Beach CA, 92660

C. Representative:

Same as Applicant

III. STAFF ANALYSIS

In order for the proposed final plat to be deemed in substantial compliance with the approved preliminary plat as set forth in UDC 11-6B-3C.2, the number of buildable lots cannot increase, and the amount of common area cannot decrease.

Staff has reviewed the proposed final plat for substantial compliance with the approved preliminary plat for Dayspring Subdivision (H-2024-0070) and found there to be the same number of buildable lots and increased common open space for the same area as shown on the approved preliminary plat.


Therefore, Staff deems the proposed final plat to be in substantial compliance with the approved preliminary plat as required.

IV. DECISION


Staff recommends approval of the proposed final plat with the conditions noted in Section VI of this report.

V. EXHIBITS


A. Preliminary Plat (dated: 04/18/25)



B. Final Plat (dated: 2/10/26)



DAYSPRING SUBDIVISION NO. 2



SEE PAGE 1 FOR NOTES

LEGEND

- FOUND 5/8" REBAR WITH PLS 11118
- PLASTIC CAP ON AS NOTED
- SET 5/8" REBAR WITH PLS 11118
- PLASTIC CAP
- SET 5/8" REBAR WITH PLS 11118
- PLASTIC CAP
- SECTION LINE
- PUBLIC UTILITY, PRESSURE
- EASEMENT AND LOT DRAINAGE
- EASEMENT
- ACHD PERMANENT EASEMENT
- INST. NO.
- ACHD STORM WATER DRAINAGE EASEMENT
- EASEMENT LINE OR AS NOTED
- SUBDIVISION BOUNDARY LINE
- LOT LINE
- ADJACENT PROPERTY LINE
- LOT NUMBER

DETAIL A: 1"=20"

LINE TABLE		
LINE	LENGTH	BEARING
L1	63.00'	S89°02'23"E
L2	63.00'	S89°02'23"E
L3	63.00'	S89°02'23"E
L4	63.00'	S89°02'23"E
L5	63.00'	S89°02'23"E
L6	63.00'	S89°02'23"E
L7	63.00'	S89°02'23"E
L8	63.00'	S89°02'23"E
L9	63.00'	S89°02'23"E
L10	63.00'	S89°02'23"E
L11	63.00'	S89°02'23"E
L12	63.00'	S89°02'23"E
L13	63.00'	S89°02'23"E
L14	63.00'	S89°02'23"E
L15	63.00'	S89°02'23"E
L16	63.00'	S89°02'23"E
L17	63.00'	S89°02'23"E
L18	63.00'	S89°02'23"E
L19	63.00'	S89°02'23"E

CURVE TABLE		
CURVE	LENGTH	BEARING
C1	63.00'	S89°02'23"E
C2	63.00'	S89°02'23"E
C3	63.00'	S89°02'23"E
C4	63.00'	S89°02'23"E
C5	63.00'	S89°02'23"E
C6	63.00'	S89°02'23"E
C7	63.00'	S89°02'23"E
C8	63.00'	S89°02'23"E
C9	63.00'	S89°02'23"E
C10	63.00'	S89°02'23"E
C11	63.00'	S89°02'23"E
C12	63.00'	S89°02'23"E
C13	63.00'	S89°02'23"E
C14	63.00'	S89°02'23"E
C15	63.00'	S89°02'23"E
C16	63.00'	S89°02'23"E
C17	63.00'	S89°02'23"E

CURVE TABLE		
CURVE	LENGTH	BEARING
C18	63.00'	S89°02'23"E
C19	63.00'	S89°02'23"E
C20	63.00'	S89°02'23"E
C21	63.00'	S89°02'23"E
C22	63.00'	S89°02'23"E
C23	63.00'	S89°02'23"E
C24	63.00'	S89°02'23"E
C25	63.00'	S89°02'23"E
C26	63.00'	S89°02'23"E
C27	63.00'	S89°02'23"E
C28	63.00'	S89°02'23"E
C29	63.00'	S89°02'23"E
C30	63.00'	S89°02'23"E
C31	63.00'	S89°02'23"E
C32	63.00'	S89°02'23"E
C33	63.00'	S89°02'23"E
C34	63.00'	S89°02'23"E
C35	63.00'	S89°02'23"E
C36	63.00'	S89°02'23"E
C37	63.00'	S89°02'23"E

CURVE TABLE		
CURVE	LENGTH	BEARING
C38	63.00'	S89°02'23"E
C39	63.00'	S89°02'23"E
C40	63.00'	S89°02'23"E
C41	63.00'	S89°02'23"E
C42	63.00'	S89°02'23"E
C43	63.00'	S89°02'23"E
C44	63.00'	S89°02'23"E
C45	63.00'	S89°02'23"E
C46	63.00'	S89°02'23"E
C47	63.00'	S89°02'23"E
C48	63.00'	S89°02'23"E
C49	63.00'	S89°02'23"E
C50	63.00'	S89°02'23"E
C51	63.00'	S89°02'23"E
C52	63.00'	S89°02'23"E
C53	63.00'	S89°02'23"E
C54	63.00'	S89°02'23"E
C55	63.00'	S89°02'23"E
C56	63.00'	S89°02'23"E
C57	63.00'	S89°02'23"E

CURVE TABLE		
CURVE	LENGTH	BEARING
C58	63.00'	S89°02'23"E
C59	63.00'	S89°02'23"E
C60	63.00'	S89°02'23"E
C61	63.00'	S89°02'23"E
C62	63.00'	S89°02'23"E
C63	63.00'	S89°02'23"E
C64	63.00'	S89°02'23"E
C65	63.00'	S89°02'23"E
C66	63.00'	S89°02'23"E
C67	63.00'	S89°02'23"E
C68	63.00'	S89°02'23"E
C69	63.00'	S89°02'23"E
C70	63.00'	S89°02'23"E
C71	63.00'	S89°02'23"E
C72	63.00'	S89°02'23"E
C73	63.00'	S89°02'23"E
C74	63.00'	S89°02'23"E
C75	63.00'	S89°02'23"E
C76	63.00'	S89°02'23"E
C77	63.00'	S89°02'23"E



LandSolutions
Land Surveying and Consulting
231 E. 5TH ST.
MERRIDIAN, IN 46542
(317) 355-3557
www.landsolutions.biz



CUMULATIVE TABLE		CUMULATIVE TABLE	
CLIQUE	TABLE	CLIQUE	TABLE
C1	5.47	C1	23.62
C2	72.88	C2	21.51
C3	6.57	C3	285.07
C4	8.77	C4	222.56
C5	7.84	C5	272.56
C6	108.30	C6	2149.71
C7	288.33	C7	585.07
C8	118.85	C8	4500.07
C9	92.86	C9	1377.08
C10	94.96	C10	1745.14
C11	198.35	C11	2778.94
C12	162.48	C12	4500.07
C13	43.55	C13	3701.57
C14	8.36	C14	879.53
C15	46.99	C15	222.56
C16	37.37	C16	1113.15
C17	59.33	C17	778.94
C18	43.65	C18	7808.30

CURE TABLE		
CURE	HAIRUS	BETA
C08	50.00	2677.00
C18	43.32	350.00
C19	50.00	1632.42
C20	50.00	673.00
C21	64.85	300.00
C22	56.63	2071.55
C23	70.79	2702.23
C24	41.18	200.00
C25	50.00	2722.25
C26	113.05	2534.34
C27	122.41	1371.00
C28	488.00	137.00
C29	40.66	731.46
C30	110.21	450.00
C31	385.00	450.00
C32	93.87	1754.25
C33	184.57	450.00
C34	14.62	2635.00
C35	335.00	1790.23
C36	42.00	2308.98


		CURVE SHAPE				CHORD	
		CHORD	MAJORS	MINORS	DELTA	BEARING	CHORD
C00	0.00	43.07	41.86	42.07	0.21	53.33	46.79
C01	0.05	43.07	41.86	42.07	0.21	53.33	46.79
C02	0.10	43.07	41.86	42.07	0.21	53.33	46.79
C03	0.15	43.07	41.86	42.07	0.21	53.33	46.79
C04	0.20	43.07	41.86	42.07	0.21	53.33	46.79
C05	0.25	43.07	41.86	42.07	0.21	53.33	46.79
C06	0.30	43.07	41.86	42.07	0.21	53.33	46.79
C07	0.35	43.07	41.86	42.07	0.21	53.33	46.79
C08	0.40	43.07	41.86	42.07	0.21	53.33	46.79
C09	0.45	43.07	41.86	42.07	0.21	53.33	46.79
C10	0.50	43.07	41.86	42.07	0.21	53.33	46.79
C11	0.55	43.07	41.86	42.07	0.21	53.33	46.79
C12	0.60	43.07	41.86	42.07	0.21	53.33	46.79
C13	0.65	43.07	41.86	42.07	0.21	53.33	46.79
C14	0.70	43.07	41.86	42.07	0.21	53.33	46.79
C15	0.75	43.07	41.86	42.07	0.21	53.33	46.79
C16	0.80	43.07	41.86	42.07	0.21	53.33	46.79
C17	0.85	43.07	41.86	42.07	0.21	53.33	46.79
C18	0.90	43.07	41.86	42.07	0.21	53.33	46.79
C19	0.95	43.07	41.86	42.07	0.21	53.33	46.79
C20	1.00	43.07	41.86	42.07	0.21	53.33	46.79


CURVE TABLE				
CURVE	LENGTH	RADIUS	DELTA	BEARING
C32	60.52	131.50	28.222°	51700.70°
C33	60.52	131.50	28.222°	58.68°
C34	44.57	150.92	14.44°	352.741°
C35	44.57	150.92	14.44°	44.47°
C36	20.06	368.50	6.7283°	351.71°
C37	20.06	368.50	6.7283°	54.055°
C38	56.81	118.50	27.022°	79.737°
C39	56.81	118.50	27.022°	58.41°
C40	33.94	268.50	17.022°	169.254°
C41	33.94	268.50	17.022°	58.70°
C42	51.76	268.50	11.024°	57.707°
C43	51.76	268.50	11.024°	51.68°
C44	104.68	230.50	13.402°	56.513°
C45	104.68	230.50	25.954°	8.91°
C46	9.13	368.50	1.9532°	184.4237°
C47	9.13	368.50	1.9532°	8.13°



231 E. 5TH ST.
MERIDIAN, ID 83642
(208) 288-2040 fax (208) 288-2557
www.landsolutions.biz

C. Landscape Plan (dated: 2/9/2026)





D. Amenity Exhibit for Lot 1, Block 9


Typical Amenity Pool – Example Only



Pool House – Example Only




Playground – Example Only



PLAYGROUND COLOR SCHEME TO BE NATURAL COLORS (GREEN, TAN, BROWN, BLACK)
PLAYGROUND SURFACING TO BE ENGINEERED WOOD FIBERS PER THE PLAYGROUND EQUIPMENT FALL DEPTH REQUIREMENT.

① SMALL PLAYGROUND

NOT TO SCALE



PLAYGROUND COLOR SCHEME TO BE NATURAL COLORS (GREEN, TAN, BROWN, BLACK)
PLAYGROUND SURFACING TO BE ENGINEERED WOOD FIBERS PER THE PLAYGROUND EQUIPMENT FALL DEPTH REQUIREMENT.


② LARGE PLAYGROUND

NOT TO SCALE

Picnic Shelter – Example Only



Sport Court – Example Only



E. Emergency Access Exhibit



VI. CITY/AGENCY COMMENTS & CONDITIONS

A. Planning Division

1. Applicant shall meet all terms of the approved annexation and preliminary plat H-2024-0070 (Dayspring Subdivision); Development Agreement Inst. #2026-007562; Toll Brothers, Inc. Sewer Trunk Line Cooperative Agreement applications approved for this site.
2. The applicant shall obtain the City Engineer's signature on the final plat within two (2) years of the City Engineer's signature on the previous phase final plat as set forth in UDC 11-6B-7, in order for the preliminary plat to remain valid; or, a time extension may be requested.
3. Prior to submittal for the City Engineer's signature, have the Certificate of Owners and the accompanying acknowledgement signed and notarized.
4. The final plat prepared by Clinton W. Hansen, Land Solutions Land Surveying and Consulting, dated: 2/10/2026, included in Section V.B shall be revised as follows:
 - a. Include the Book and Page numbers for Dayspring Subdivision No. 1.
 - b. Legend: Include the recorded instrument number of the ACHD permanent easement.
 - c. Include the recorded instrument number of the ACHD drainage easement.
 - d. Include the recorded instrument number of the City of Meridian sewer easement.
 - e. Note #9: Include the recorded instrument number for the development agreement (i.e. #2026-007562).
 - f. Note #11: Include the recorded instrument number of the ACHD temporary license agreement.

A copy of the revised plat shall be submitted with the final plat mylar signature application.

5. The landscape plan prepared by Jensen Belts Associates, dated 2/9/2026, included in Section V.C, shall be revised as follows:
 - i. All pathways and associated landscaping shall be located outside of irrigation district easements unless permission is specifically obtained from the governing Irrigation District. If permission cannot be obtained, adjustments shall be made to the plat to provide these improvements outside of the easement.
 - ii. Depict landscaping in all street buffers in accord with the standards listed in UDC 11-3B-7C, which requires landscape areas to be designed and planted with a *variety* of trees, shrubs, lawn or other vegetative groundcover that elicit design principles including rhythm, repetition, balance and focal elements.
 - iii. Depict minimum 5-foot wide landscape strips along each side of all pathways with landscaping per the standards in UDC 11-3B-12C, which require a *mix* of trees, shrubs, lawn and/or other vegetative groundcover.
 - iv. Depict landscaping in common open space areas per the standards listed in UDC 11-3G-5B.3, which require a minimum of one (1) deciduous shade tree for every 5,000 sq. ft. of area and include a variety of trees, shrubs, lawn or other vegetative groundcover. Include calculations that demonstrate compliance with this standard.
 - v. Include the required vs. proposed number of street trees in the Landscape Calculations table for the street buffer along N. Dayspring Way that demonstrates compliance with the standards listed in UDC 11-3B-7C.3.

- vi. Include the required vs. proposed width of the street buffer along N. Dayspring Ave. in the Landscape Calculations table.
- vii. Include the required vs. proposed number of trees along pathways, including linear feet of pathways, in the Landscape Calculations table that demonstrates compliance with the standards listed in UDC 11-3B-12C.

A copy of the revised landscape plan shall be submitted with the final plat mylar signature application.

- 6. Future development should comply with the dimensional standards for the R-4 district in UDC Table 11-2A-5, the R-8 zoning district in UDC Table 11-2A-6, and the TN-R district in UDC Table 11-2D-6, as applicable.
- 7. Comply with all ACHD's staff report conditions of approval.
- 8. Stormwater integration shall comply with the standards listed in UDC 11-3B-11C.
- 9. Submit a 14-foot wide public use easement for all multi-use pathways that are not located within ACHD right-of-way prior to signature on the final plat by the City Engineer for this phase.
- 10. A Certificate of Zoning Compliance and Administrative Design Review applications shall be submitted for the clubhouse, swimming pool, sports courts, picnic area with shelter and playground and common area landscaping on Lot 1, Block 9. Landscaping shall be required in accord with the standards listed in UDC 11-3G-5B. These improvements shall be completed prior to issuance of the first Certificate of Occupancy in this phase of development.
- 11. Prior to submittal of the final plat mylar signature application, the sewer shall be extended to Dayspring Subdivision per the Cooperative Development Agreement for construction of the sewer trunk line.
- 12. The sides of homes on lots that face N. Dayspring Way (i.e. Lot 3, Block 7 and Lots 2-7, Block 14), a collector street, shall incorporate articulation through changes in two or more of the following: modulation (e.g. projections, recesses, step-backs, pop-outs), bays, banding, porches, balconies, material types, or other integrated architectural elements to break up monotonous wall planes and roof lines that are visible from the subject public street. Single-story structures are exempt from this requirement.
- 13. Provide off-site traffic calming on N. Tricia Way as discussed during the City Council hearing and agreed upon by the developer and as allowed by Ada County Highway District (ACHD) per the development agreement. Submit an exhibit that demonstrates compliance with this requirement.
- 14. Upon completion of the landscape installation, a written Certificate of Completion shall be submitted to the Planning Division verifying all landscape improvements are in substantial compliance with the approved landscape plan as set forth in UDC 11-3B-14.
- 15. The preliminary plat approval shall become null and void if the applicant fails to either: 1) obtain the City Engineer's signature on a final plat within two years of the date of the approved findings; or 2) obtain approval of a time extension as set forth in UDC 11- 6 B- 7.
- 16. Staff's failure to cite specific ordinance provisions or conditions from the preliminary plat and/or development agreement does not relieve the Applicant of responsibility for compliance.

B. Public Works

Wastewater	
- Distance to Sewer Services - Sewer Shed - Estimated Project Sewer ERU's - WRRF Declining Balance - Project Consistent with WW Master Plan/Facility Plan	Flow is Committed Area is subject to the Oaks Lift Station and Pressure Sewer Reimbursement agreement See application
Impacts/concerns	- See Public Works Site Specific Conditions
Water	
- Distance to Water Services - Pressure Zone - Estimated Project Water ERU's - Water Quality - Project Consistent with Water Master Plan - Impacts/Concerns	Water Available at Site See application None Yes None -

SITE SPECIFIC CONDITIONS:

1. This project is subject to the Oaks lift station and pressure sewer reimbursement agreement for infrastructure enhancement pursuant to meridian city code section 8-6-5.
2. It has come to the City's attention that the IDAPA 58.01.08 Section 542.07. c rules were updated in 2024 and now state:
Requirements for potable water pipelines crossing non-potable pipelines. Crossings must be perpendicular, unless otherwise approved by the Department. 58.01.08

GENERAL CONDITIONS:

1. Sanitary sewer service to this development is available via extension of existing mains adjacent to the development. The applicant shall install mains to and through this subdivision; applicant shall coordinate main size and routing with the Public Works Department, and execute standard forms of easements for any mains that are required to provide service. Minimum cover over sewer mains is three feet, if cover from top of pipe to sub-grade is less than three feet than alternate materials shall be used in conformance of City of Meridian Public Works Departments Standard Specifications.

2. Water service to this site is available via extension of existing mains adjacent to the development. The applicant shall be responsible to install water mains to and through this development, coordinate main size and routing with Public Works.
3. All improvements related to public life, safety and health shall be completed prior to occupancy of the structures. Where approved by the City Engineer, an owner may post a performance surety for such improvements in order to obtain City Engineer signature on the final plat as set forth in UDC 11-5C-3B.
4. Upon installation of the landscaping and prior to inspection by Planning Department staff, the applicant shall provide a written certificate of completion as set forth in UDC 11-3B-14A.
5. A letter of credit or cash surety in the amount of 110% will be required for all incomplete fencing, landscaping, amenities, pressurized irrigation, prior to signature on the final plat.
6. The City of Meridian requires that the owner post with the City a performance surety in the amount of 125% of the total construction cost for all incomplete sewer, water infrastructure prior to final plat signature. This surety will be verified by a line item cost estimate provided by the owner to the City. The applicant shall be required to enter into a Development Surety Agreement with the City of Meridian. The surety can be posted in the form of an irrevocable letter of credit, cash deposit or bond. Applicant must file an application for surety, which can be found on the Community Development Department website. Please contact Land Development Service for more information at 887-2211.
7. The City of Meridian requires that the owner post to the City a warranty surety in the amount of 20% of the total construction cost for all completed sewer, and water infrastructure for a duration of two years. This surety amount will be verified by a line item final cost invoicing provided by the owner to the City. The surety can be posted in the form of an irrevocable letter of credit, cash deposit or bond. Applicant must file an application for surety, which can be found on the Community Development Department website. Please contact Land Development Service for more information at 887-2211.
8. In the event that an applicant and/or owner cannot complete non-life, non-safety and non-health improvements, prior to City Engineer signature on the final plat and/or prior to occupancy, a surety agreement may be approved as set forth in UDC 11-5C-3C.
9. Applicant shall be required to pay Public Works development plan review, and construction inspection fees, as determined during the plan review process, prior to the issuance of a plan approval letter.
10. It shall be the responsibility of the applicant to ensure that all development features comply with the Americans with Disabilities Act and the Fair Housing Act.
11. Applicant shall be responsible for application and compliance with any Section 404 Permitting that may be required by the Army Corps of Engineers.
12. Developer shall coordinate mailbox locations with the Meridian Post Office.
13. All grading of the site shall be performed in conformance with MCC 11-1-4B.
14. Compaction test results shall be submitted to the Meridian Building Department for all building pads receiving engineered backfill, where footing would sit atop fill material.
15. The engineer shall be required to certify that the street centerline elevations are set a minimum of 3-feet above the highest established peak groundwater elevation. This is to ensure that the bottom elevation of the crawl spaces of homes is at least 1-foot above.
16. The applicants design engineer shall be responsible for inspection of all irrigation and/or

drainage facility within this project that do not fall under the jurisdiction of an irrigation district or ACHD. The design engineer shall provide certification that the facilities have been installed in accordance with the approved design plans. This certification will be required before a certificate of occupancy is issued for any structures within the project.

17. At the completion of the project, the applicant shall be responsible to submit record drawings per the City of Meridian AutoCAD standards. These record drawings must be received and approved prior to the issuance of a certification of occupancy for any structures within the project.
18. Street light plan requirements are listed in section 6-7 of the Improvement Standards for Street Lighting (http://www.meridiancity.org/public_works.aspx?id=272). All street lights shall be installed at developer's expense. Final design shall be submitted as part of the development plan set for approval, which must include the location of any existing street lights. The contractor's work and materials shall conform to the ISPWC and the City of Meridian Supplemental Specifications to the ISPWC. Contact the City of Meridian Transportation and Utility Coordinator at 898-5500 for information on the locations of existing street lighting.
19. The applicant shall provide easement(s) for all public water/sewer mains outside of public right of way (include all water services and hydrants). The easement widths shall be 20-feet wide for a single utility, or 30-feet wide for two. The easements shall not be dedicated via the plat, but rather dedicated outside the plat process using the City of Meridian's standard forms. The easement shall be graphically depicted on the plat for reference purposes. Submit an executed easement (on the form available from Public Works), a legal description prepared by an Idaho Licensed Professional Land Surveyor, which must include the area of the easement (marked EXHIBIT A) and an 8 1/2" x 11" map with bearings and distances (marked EXHIBIT B) for review. Both exhibits must be sealed, signed and dated by a Professional Land Surveyor. DO NOT RECORD. Add a note to the plat referencing this document. All easements must be submitted, reviewed, and approved prior to signature of the final plat by the City Engineer.
20. Applicant shall be responsible for application and compliance with and NPDES permitting that may be required by the Environmental Protection Agency.
21. Any wells that will not continue to be used must be properly abandoned according to Idaho Well Construction Standards Rules administered by the Idaho Department of Water Resources (IDWR). The Developer, Owner, or project Engineer, shall provide a statement addressing whether there are any existing wells in the development, and if so, how they will continue to be used, or provide record of their abandonment. If wells are to be abandoned, the project owner or their representative must contact the IDWR Groundwater Protection Section (Aaron Skinner, Hydrogeologist 208-287-4972) BEFORE any work is done to decommission an existing well (even if it is believed that the well is less than 18 ft deep). Proof of communication with IDWR must be submitted to the City prior to any work being done to decommission the well. Failure to communicate with IDWR may result in additional work and expense to decommission the well.
22. Any existing septic systems within this project shall be removed from service per City Ordinance Section 9-1-4 and 9 4 8. Contact the Central District Health Department for abandonment procedures and inspections.
23. The City of Meridian requires that pressurized irrigation systems be supplied by a year-round source of water (UDC 11-3B-6.). The applicant should be required to use any existing surface or well water for the primary source. If a surface or well source is not available, a single-point connection to the culinary water system shall be required. If a single-point connection is utilized, the developer will be responsible for the payment of assessments for the common areas prior to development plan approval.
24. All irrigation ditches, canals, laterals, or drains, exclusive of natural waterways, intersecting, crossing or laying adjacent and contiguous to the area being subdivided shall be addressed per UDC 11-3A-6. In performing such work, the applicant shall comply with Idaho Code 42-1207 and any other applicable law or regulation.