

**P.O. Box 316**  
**312 Mineral Avenue**  
**Mineral, Virginia 23117**  
**Phone 540-894-5100**

Dear Mr Singh

At the last planning committee meeting the following conditions were stipulated as a condition of moving your application forward. Please indicate if you concur with these conditions so that I may provide this information to the planning committee for their meeting on 30 November 2023:

- 1) Hours of Operation – Hours of Operations for gas pumps 24 x 7 provided the level of lighting is reduced over the entire parcel.
- 2) Number of pumps - Consensus was for the inclusion/restriction of two pumps with four dispensers in the CUP.
- 3) Lighting - Requires dark sky lighting techniques to be required on all facilities and the parking area of the total business and to neighboring properties as much as possible. Canopy design, signage on canopy and lighting below, around and the timing of the canopy emphasizing dark sky lighting techniques.
- 4) U-Haul rentals- Limit the number of U-Haul vehicles on the premises at any one time to six (6) or less. Also, no tractor trailer overnight parking shall be permitted on the business property.
- 5) Previous well on property – Requires engineering report be made available to the Town/County prior to issuing a building permit. Applicant shall consult the VDH and County Building Official concerning the proper and safe well closing on site.
- 6) The entire parking lot for Miller's Market should be resurfaced, parking spaces sized as required by Town Code shall be painted on the parking lot.
- 7) VDOT should be consulted on traffic entrances safety, possible requirement of one-way traffic through the parking area for added safety around the gas pumps area and the blind hill approaches along Mineral Avenue.

Any questions you may have please either contact Mr. Kube or myself.

Warm Regards

Edwin J. Jarvis  
Acting Town Manager,  
Mayor, Town of Mineral

I agree with all conditions.



AJ Singh  
Millers Market