

# **Presents a Proposal Summary**

of the





## 2100i

Combination Single Engine Sewer Cleaner with Positive Displacement Vacuum System Mounted on a Heavy-Duty Peterbilt 567 Truck Chassis

For



Rafael Castillo Tel: 956-463-6514

## **BASIC**

#### MODEL

**Vacuum System Model Type** Water Flow **Chassis Source** 

Roots 824-18 Blower Combination Sewer Cleaner 80 GPM

Rush Truck Center

**Debris Body Capacity Water Capacity Water Pressure Water Tank Material Blower High Temp Shutdown** 

12 Cubic Yards 1300 Gallons 2500 PSI Aluminum Included

### **CHASSIS**

Tandem Axle -2025 Peterbilt 567 SBA6x4 - 370 HP - Auto -66 -000 **GVWR - GHG** 

### STANDARD FEATURES

Operator Station Curbside Toolbox

Aluminum Fenders

Mud Flaps

Color Coded Sealed Electrical System

Intuitouch Electronic Package

Double Acting Hoist Cylinder

Handgun Assembly

Ex-Ten Steel Cylindrical Debris Tank

Flexible Hose Guide

(3) Nozzles with Carbide Inserts w/Rack

Suction Tube Storage

1" Nozzle Pipe

10' Leader Hose

Flat Rear Door w/Hydraulic Locks

Dual Stainless-Steel Float Shut Off System

Microstrainer Prior to Blower

Lube Manifold, with Lube Chart

Debris Body Vacuum Relief System

Debris Deflector Plate

60" Dump Height

Debris Body-Up Message and Alarm

Low Water Indicator on Screen w/Alarm and Water Pump Flow Indicator

3" Y -Strainer at Passenger Side Fill with 25' Fill Hose

Additional Water Tank Sight Gauge

Liquid Float Level Indicator

Digital Water Pressure Gauge

Front Joystick Boom Control

Boom Hose Storage

Rafael Castillo Tel: 956-463-6514

Boom Out of Position Message and Alarm

Rodder System Accumulator - Jack Hammer on/off Control w/ manual valve

3"Y -Strainer @ Water Pump

Midship Handgun Coupling

Chassis Engine Cooling Package

Side Mounted Water Pump

Digital Hose Footage Counter

Hose Reel Manual Hyd Extend/Retract

Hose Reel Chain Cover

Hydraulic Tank Shutoff Valves

Rodder Pump Drain Valves

Hydraulic Extending 15" - Rotating Hose

Reel - 1" x800' Capacity

Tachometer/Chassis Engine w/Hourmeter

Water Pump Hour Meter

PTO Hour Meter

Hydraulic Oil Temp Alarm

Tachometer & Hourmeter/Blower

Circuit Breakers

LED Lights- Clearance- Back-up- Stop- Tail

& Turn

Tow Hooks- Front and Rear

Electronic Back-Up Alarm

Module Paint- DuPont Imron Elite - Wet on Wet

7" Vacuum Pipe Package

**Emergency Flare Kit** 

Fire Extinguisher 5 Lbs.

### **BOOM**

Rotatable Boom Inlet Hose

180 deg. 10' x 15' Rapid Deployment Boom

Heavy Duty RDB Hose

**RDB Washout Coupling** 

## **DEBRIS BODY**

Fixed Rear Door Pipe Rack -7" Pipe

"Subframe Mounted -2 Pipe Rack -7"

Debris Body Washout

Centrifugal Separators (Cyclones)

Folding Pipe Rack - Curbside -7" Pipe

Tel: 956-463-6514 Quote Number: 2024-72984

Rear Door Splash Shield

Digital Debris Body Level Indicator Tied to

Vacuum Relief

Anti Splash Valve- Body Inlet

Cyclone Washout System

## **VACUUM OPTIONS**

Blower High Temp Safety Shutdown

Final Filter and Silencer Ball Valve Drains

### **REAR DOOR**

6" Rear Door Knife Valve w/Camloc - 3:00 position

### **HOSE REEL**

800' x 1" Piranha Sewer Hose2500 PSI in lieu of STD

Rodder Hose Pinch Roller

High Pressure Hose Reel

Hose Wind Guide (Dual Roller)- Auto-Indexing

### **WATER TANKS**

Additional Water- 1300-Gal Total

Digital Water Level Indicator

Handgun Couplers- Front and Rear

## **MISCELLANEOUS**

Amber Lights for Flashing Light Package

Safety Cone Storage Rack - Post Style

Additional Safety Cone Storage Rack - Post Style

Water Cooler Storage Rack

Chassis Modifications - 2025 Peterbilt PAPT370A

### LIGHTING

Rear Directional Control- LED Arrowboard

Rear Mounted- LED Beacon Light w/ Limb Guard

H.A.L.O. (Handsfree Accessory Light Option)

10 Light Package- 10 Federal Signal Strobe Lights- LED

Tel: 956-463-6514 Quote Number: 2024-72984

Worklights (2), Self-Leveling Boom LED

Worklights (2)- LED- Rear Door

Worklight- LED- Curb Side

Camera System- Front and Rear

### **PAINT**

Cab Paint Color White

Module Paint Color White

Vactor 2100i Body Decal- Standard

Vactor Logos - Applied

## **TOOLBOX**

Front Hose Reel Tool Storage

Toolbox- Behind Cab - 16w 30h x 96d

Toolbox- Driver Side Chassis Frame- 24w x

24h x 24d

Toolbox- Passenger Side Chassis Frame-

30w x 18h x 24d

## WATER ACCESSORIES

Hydro Excavation Kit - Includes Lances w/ Shield- Nozzles- Storage Tray- and Vacuum Tube

### **WATER SYSTEM**

80 GPM/2500 PSI Jet Rodder pump

### WARRANTY

Extended Factory Warranty - 5 yrs.

| <b>BuyBoard Cooperative Contract Price Each F.O.B. Mission, TX:</b> | \$625,192.17   |
|---|----------------|
| Quantity:   | 2              |
| Total BuyBoard Cooperative Contract Price F.O.B. Mission, TX:       | \$1,250,384.34 |

Product Model: 2100i Proposal Date: 3/11/2025 Quote Number: 2024-72984 Price List Date: 1/17/2025

Quote Number: 2024-72984

Payment Terms: Net Due Upon Delivery

Rafael Castillo Tel: 956-463-6514

### **Proposal Notes:**

- 1. Prices quoted herein are valid until 4.11.25.
- 2. Prices quoted herein are in accordance with our BuyBoard Contract # 676-22.
- 3. The proposal is made as a matter of convenience. Per the state of Texas Motor Vehicle laws, any order desired to be placed in conjunction with this proposal must be made in favor of Rush Truck Centers as only a franchise motor vehicle dealer may title, register, and plate new motor vehicles within the State of Texas. Rush Truck Centers is the exclusive BuyBoard contract holder for the Peterbilt Model 567 chassis as offered in this proposal.

| SIGNED BY: | Date: |
|------------|-------|
|            |       |

Rafael Castillo Tel: 956-463-6514

#### LIMITED WARRANTY

<u>Limited Warranty.</u> Each machine manufactured by VACTOR MANUFACTURING (or, "the Company") is warranted against defects in material and workmanship for a period of 12 months, provided the machine is used in a normal and reasonable manner and in accordance with all operating, maintenance and safety instructions. In addition, certain machines and components of certain machines have extended warranties as set forth below. If sold to an end user, the applicable warranty period commences from the date of delivery to the end user. If used for rental purposes, the applicable warranty period commences from the date the machine is first made available for rental by the Company or its representative. This limited warranty may be enforced by any subsequent transferee during the warranty period. This limited warranty given by the Company.

#### STANDARD EXTENDED WARRANTIES (Total Warranty Duration)

are covered for 5 yrs. against any factory defect in material or workmanship.

2100 Series, HXX Series and Jetters 10 years against water tank leakage due to corrosion. Nonmetallic water tanks

2100 Series, HXX Series and Guzzler only 5 years against leakage of debris tank, centrifugal compressor or housing due to

rust-through.

2100 Series and Jetters 2 years - Vactor Rodder Pump

Exclusive Remedy. Should any warranted product fail during the warranty period, the Company will cause to be repaired or replaced, as the Company may elect, any part or parts of such machine that the Company's examination discloses to be defective in material or factory workmanship. Repairs or replacements are to be made at the selling Company's authorized dealer's or distributor's location or at other locations approved by the Company. In lieu of repair or replacement, the Company may elect, at its sole discretion, to refund the purchase price of any product deemed defective. The foregoing remedies shall be the sole and exclusive remedies of any party making a valid warranty claim.

This Limited Warranty shall not apply to (and the Company shall not be responsible for):

- 1. Major components or trade accessories that have a separate warranty from their original manufacturer, such as, but not limited to, trucks and truck chassis, engines, hydraulic pumps and motors, tires and batteries.
- 2. Normal adjustments and maintenance services.
- 3. Normal wear parts such as, but not limited to, oils, fluids, vacuum hose, light bulbs, fuses and gaskets.
- 4. Failures resulting from the machine being operated in a manner or for a purpose not recommended or not in accordance with operating, maintenance or safety instructions provided by the Company.
- 5. Repairs, modifications or alterations without the express written consent of the Company, which in the Company's sole judgment, have adversely affected the machine's stability, operation or reliability as originally designed and manufactured.
- 6. Items subject to misuse, negligence, accident or improper maintenance.
- \*NOTE\* The use in the product of any part other than parts approved by the Company may invalidate this warranty. The Company reserves the right to determine, in its sole discretion, if the use of non-approved parts operates to invalidate the warranty. Nothing contained in this warranty shall make the Company liable for loss, injury, or damage of any kind to any person or entity resulting from any defect or failure in the machine.

THIS WARRANTY SHALL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND TO THE EXTENT PERMITTED, CONFERRED BY STATUTE, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY AGAINST FAILURE OF ITS ESSTENTIAL PURPOSE, ALL OF WHICH ARE DISCLAIMED.

This warranty is in lieu of all other obligations or liabilities, contractual and otherwise, on the part of the Company. For the avoidance of doubt, the Company shall not be liable for any indirect, special, incidental or consequential damages, including, but not limited to, loss of use or lost profits. The Company makes no representation that the machine has the capacity to perform any functions other than as contained in the Company's written literature, catalogs or specifications accompanying delivery of the machine. No person or affiliated company representative is authorized to alter the terms of this warranty, to give any other warranties or to assume any other liability on behalf of the Company in connection with the sale, servicing or repair of any machine manufactured by the Company. Any legal action based hereon must be commenced within eighteen (18) months of the event or facts giving rise to such action.

The Company reserves the right to make design changes or improvements in its products without imposing any obligation upon itself to change or improve previously manufactured products.



VACTOR MANUFACTURING 1621 S. Illinois Street Streator, IL 61364



Rafael Castillo Tel: 956-463-6514