

RESOLUTION 2026-21

A RESOLUTION ADOPTING THE USER DISCHARGE RESTRICTIONS AND PLANT PROTECTION CRITERIA CONTEMPLATED BY THE SEWER PRE-TREATMENT ORDINANCE

WHEREAS, Section 18-207(4) of the City of Mount Pleasant's Municipal Codes states:

Restrictions on wastewater strength. No person or user shall discharge wastewater which exceeds the set of standards provided in **§ 18-207, Table B - Plant Protection Criteria**, unless specifically allowed by their discharge permit local limits (**§ 18-207, Table A - User Discharge Restrictions**). Dilution of any wastewater discharge for the purpose of satisfying these requirements shall be considered in violation of this chapter. The City may adopt (**§ 18-207 Table A - User Discharge Restrictions**) by appropriate ordinance or resolution.

WHEREAS, Section 18-207(6) of the City of Mount Pleasant's Municipal Code states:

Protection of treatment plant influent. The pretreatment coordinator shall monitor the treatment works influent for each parameter in the following table. (**§ 18-207, Table B - Plant Protection Criteria**). Industrial users shall be subject to reporting and monitoring requirements regarding these parameters as set forth in this chapter. In the event that the influent at the POTW reaches or exceeds the levels established by this table, the pretreatment coordinator shall initiate technical studies to determine the cause of the influent violation and shall recommend to the city the necessary remedial measures, including, but not limited to, recommending the establishment of new or revised pre-treatment levels for these parameters. The pretreatment coordinator shall also recommend changes to any of these criteria in the event that: the POTW effluent standards are changed, there are changes in any applicable law or regulation affecting same, or changes are needed for more effective operation of the POTW. The City may adopt **§ 18-207 Table B - Plant Protection Criteria** by appropriate ordinance or resolution.

WHEREAS, the Commissioners of the City of Mount Pleasant desire to adopt **§ 18-207 Table A - User Discharge Restrictions and § 18-207 Table B - Plant Protection Criteria** attached hereto and incorporated herein as Exhibit A, contemplated by section 18-207(4) and 18-207(6) of the municipal code; and,

WHEREAS, same is beneficial to and in the best interests of the City of Mount Pleasant.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY OF MOUNT PLEASANT, TENNESSEE, AS FOLLOWS:

Section 1. The **§ 18-207 Table A - User Discharge Restrictions and § 18-207 Table B - Plant Protection Criteria** attached hereto and incorporated as Exhibit A is approved and adopted.

Section 2. If any one or more of the provisions of this Resolution, or any exhibit or attachment thereof, shall be held invalid, illegal, or unenforceable in any respect, by final decree of any court of lawful jurisdiction, such invalidity, illegality, or unenforceability shall not affect any other provision hereof, or of any exhibit or attachment thereto, but this Resolution, and the exhibits and attachments thereof, shall be construed the same as if such invalid, illegal, or unenforceable provision had never been contained herein, or therein, as the case may be.

Section 3. This Resolution shall take effect immediately.

Approved and adopted this ____ day of _____, 2026.

WILLIAM F. WHITE, JR., MAYOR

ATTEST:

SHIPRAH COX, RECORDER

LEGAL FORM APPROVED:

KORI BLEDSOE JONES, ATTORNEY