

# ESTIMATE

**Midwest Breathing Air L.L.C.**  
7866 123rd Ave  
Wapello, IA 52653

sales@midwestbreathingair.com  
+1 (800) 517-6455  
www.midwestbreathingair.com



## Moberly MO Fire Department

### Bill to

Moberly Fire Department  
310 N.Clark  
Moberly, MO 65270

### Ship to

Moberly Fire Department  
310 N.Clark  
Moberly, MO 65270

### Estimate details

Estimate no.: 14153  
Estimate date: 01/16/2025  
Expiration date: 04/16/2025

Equipment: Breathing Air Compressor

#	Product or service	Description	Qty	Rate	Amount
1.		Estimate for complete Breathing Air Systems			
2.	<b>BAM06HE3</b>	Mako model BAM06HE3 Breathing Air Module compressor package including: -Four stage, air-cooled compressor (14.0 cfm @ 6000 psi) -10 Horsepower electric motor (230V/ 3 phase) -UL listed electric panel -Direct online IEC starter package -PLC controller -Instrumentation / controls: -High air temperature switch -Low oil pressure switch -Start/stop air pressure switch -Overtime timer -Gauge panel including: -Hour meter -High air temperature warning light -Low oil pressure warning light -High air pressure light -Emergency stop button -Final stage pressure gauge -MK2C purification system (processes 34,200 cf w/ a 70 F inlet) -Automatic condensate drain with muffler reservoir -Enclosed, insulated, vertical cabinet -Hinged access door in front -Removable, hinged access doors on sides -Weight: 1160 lb	1	\$38,017.01	\$38,017.01

3.	<b>CO Monitor</b>	CO Monitor with Auto Calibration	1	\$5,467.84	\$5,467.84
4.	<b>MBAS8ft</b> hose per foot	HP 3/16" Paraflex hose 8 foot w/ 2 female ends, 6000 working/24000 burst	1	\$115.34	\$115.34
5.	<b>SSCFS2-4HP</b>	Mako model SSCFS2-4HP Two position, SCBA/Scuba, containment fill station including: - Two position, front loading, containment fill station capable of holding a 120 cf 3500 psi Scuba cylinder - Latching front door with safety interlock - Two fill whips with isolation valves, bleed valves and SCBA fill adapters - Fill panel including: - Regulator complete with push action valve - Inlet and outlet gauges - Color zoned gauges - Safety relief valve on outlet of regulator set at 4700* psi - One fill control valve and gauge - Four bank cascade control with to and from valves - Bypass valve - Regulated auxiliary outlet with valve and high pressure male coupler - Embedded silk screen air flow schematic - Weight: 1077 lbs	1	\$15,047.38	\$15,047.38
6.	<b>SHP586C</b>	ISO/UN 6000 psi cylinder	4	\$1,884.25	\$7,537.00
7.	<b>N-702</b>	CGA 702 6000psi Reg inlet nut	4	\$46.90	\$187.60
8.	<b>NP-843</b>	Inlet Nipple 702 Brass 6000 PSI	4	\$40.99	\$163.96
9.	<b>MBAS4ft</b> hose per foot	HP 3/16" Paraflex hose 4 foot w/ 2 female ends, 6000 working/24000 burst	4	\$67.62	\$270.48
10.	<b>2404-4-4</b>	Male Connector	4	\$12.85	\$51.40
11.	<b>Air Test Start Up</b>	Air Test at Initial Start up	1	\$0.00	\$0.00
12.	<b>Installation</b>	Installation and Instruction on operation	1	\$0.00	\$0.00
13.		Options: Extended Warranty Add \$1200			

Subtotal \$66,858.01

Discount 15% -\$9,970.83

Shipping \$1,200.00

**Note to customer**

There is no compromise for Quality Breathing Air

**Total \$58,029.31**

Expiry date 04/16/2025

Accepted date

Accepted by