ATTACHMENT D

Comment Letter No. 1

From: SCG SE Region Redlands Utility Request

To: <u>Danny Friend</u>

Cc: SCG SE Region Redlands Utility Request

Subject: 10/1/25- RES-BCT and Regional Water Reclamation Facility Solar Development Project

Date: Wednesday, October 1, 2025 1:17:59 PM

Attachments: 20251001115432.pdf

Hello,

Regarding: RES-BCT and Regional Water Reclamation Facility Solar Development Project

SoCalGas Distribution does not appear to have a conflict with this project. Please include a note to have the developer contact 811 / USA at Cable Locator prior to any excavation / demolition activities so we can Locate & Mark out our facilities.

If the Developer needs new gas service, please have them contact our Builder Services group to begin the application process as soon as practicable,

at https://www.socalgas.com/for-your-business/builder-services.

To avoid delays in processing requests and notifications, please have all Franchise correspondence sent to our Utility Request inbox,

at SCGSERegionRedlandsUtilityRequest@semprautilities.com

I cover the **Southeast Region - Redlands**

<u>SCGSERegionRedlandsUtilityRequest@semprautilities.com</u> would be your contact for requests in the southeastern ends of LA County, Riverside County, San Bernardino & Imperial Counties.

<u>Southeast Region - Anaheim</u> office which is all of Orange County and the southern ends of Los Angeles County; therefore, any Map and/or Will Serve Letter requests you have in these areas please send them

to AtlasRequests/WillServeAnaheim@semprautilities.com

<u>Northwest Region – Compton HQ</u> For West and Central LA County, your Map Request and Will Serve Letters, will go to <u>SCG-ComptonUtilityRequest@semprautilities.com</u>

Northwest Region - Chatsworth

For any requests from the northern most parts of LA County all the way up to Visalia, San Luis Obispo, Fresno and Tulare you would

 $contact \underline{NorthwestDistributionUtilityRequest@semprautilities.com}$

Transmission

For Transmission requests, please contact SoCalGas Transmission, at SoCalGasTransmissionUtilityRequest@semprautilities.com

READ MORE

MINOR STREET IMPROVEMENT PROJECTS: (CHIP SEAL, SLURRY SEAL, GRIND & OVERLAY)

Please notify Southern California Gas Company 4 months prior to start of pavement

projects for the gas company to complete leak survey & repair leaks if found.

MAJOR STREET IMPROVEMENT PROJECTS: (PROJECTS REQUIRING EXCAVATIONS GREATER THAN 9 INCHES, WIDENING OF EXISTING STREETS, INSTALLING NEW CURBS &

GUTTERS, BUS PADS, TRAFFIC SIGNALS, REALIGNMENT, GRADE SEPARATION, ETC.) &

<u>PIPELINE PROJECTS</u>: (STORM DRAIN, WATERLINE, WATER, SEWER, ELECTRICAL, TELECOMUNICATIONS, ETC.)

Please provide Southern California Gas Company with your signed designed plans

with <u>gas company facilities posted</u> on your designs plans, 4-6 months prior to start of construction for possible relocation of SCG medium pressure facilities and 9-12 months

for possible relocation of SCG high pressure facilities.

This time is needed to analyze plans and to design required alterations to any conflicting SCG gas facilities. Please keep us informed of any and all preconstruction meetings, construction schedules, etc., so that our work can be scheduled accordingly.

Potholing may be required to determine if a conflict exists between the proposed development and our facilities. If, for any reason, there are SCG facilities in conflict, and a request to be relocated is needed, it is important to send the request in writing. Please include all required information below:

 A Signed "Notice to Owner" request on Official Letterhead from the City, County,

and/or company.

- Name, Title and Project Number.
- Address, Location, Start Date, Parameters & Scope of Entire Job/Project.

- Copy of Thomas Guide Page and/or Google Map Screenshot Highlighting Project Area.
- Requestor Company's Contact Name, Title, Phone Number, Email, and other pertinent information.

Thank you,
Josh Rubal
Lead Planning Associate
Distribution Planning & Project Management
Redlands HQ - Southeast Region
(213) 231-7978 Office
SCGSERegionRedlandsUtilityRequest@semprautilities.com

CENTRALIZED CUSTOMER CORRESPONDENCE WORKSHEET - SC 8410

CCT#	-	PROCESSED BY:				
DATE RECEIVED 9/23/2025		DATE COMPLETED:				
NO ACTION REQUIRED:		REASON:				
INFO ONLY T/N Close	E-M/ADR M/ADR	PYMT Airdy Updated/Compl	eted DUPLICATE			
REFERRED TO: cycle	sec seg	Rebate Processing - compltd	SCERC1			
Accounts Payable - Compltd W9	GT15B9	Receipt Desk	SDCRC			
Billing/MPK -EDI - Sylvia Quezada	SC710K (E-MAIL)	Billing-Redlands (CAI DESK) Set Desk-Redlands	SC8022 (Billing) SC8021 (Call Ctr)			
Care/Medical Baseline	GT19A1	Residential Marketing	CSR/LD			
Claims	GT14A3	Commercial/Industrial / (C & I)	CSR/LD			
Collections (Bankruptcy Desk)	SC710J	Environmental Affairs Manager- (air quality, etc)	GT17E5			
Facilities Supervisor:GasCo Twr	<u>GT17G4</u>	Employee Care Services (ECS)	GT16C0			
Fleet Services	t Services SC722F HEIS enrollme		ANAG2B			
Gas Contruction Portfolio (Prelim (Supply Management)	Ntc) GT10A8	Home Energy Report Complets OUTREACH & BEHAVIOR PROD.	MPKA26			
НВІ	CSR/LD	Special Accounts	SC710L			
SDG&E	CP12W1	Special Investigations				
Insurance Administrator	CP22D (Cert of Ins)	SupervisorR.Zaragoza	SC8021			
Leiton Hashimoto - Legal docs <u>GT14G1</u>		Subpoenas/Summons	GT14G1			
Mail Payments / ACH pymt app		Sundry Billing	GT15B7			
** SPOC & DirDebit **	711A	Supply Chain Process	GT17F1			
Mail Room	GT17B0	supplies/cntrctrs/adds/prdcts				
Non-Core	SC710N	Tax Services DepartmentTax Admin (Blank W9)	HQ08N1			
Payroll Services (Name of recipient)	MLGOZ (Mail Location)	Technical Services Supervisor (Region)	(Mail Location)			
WORK PROCESSED IN THE CCC						
CAI		GMOA or Write off SEC				
Cancel CSA		Letter Mailed				
Care		M-ADDR/E-ADDR CHANGE				
Close		Memo Issued				
Customer Comment		Paper Bill Request				
Customer Profile Update		Phoned / Emailed / Faxed Cust.				
Cust. Reimbursement Direct Debit		RMS Letter Generated (Memo Required) Turn on				
Duplicate Bill or SOA		Third Party Request	CORR LEAD			
Return Envelope Request			ELAD			

MISSION SPRINGS WATER DISTRICT NOTICE OF INTENT TO ADOPT A MITIGATED NEGATIVE DECLARATION

To: Office of Land Use and Climate Innovation

From: Mission Springs Water District

State Clearinghouse 66575 Second Street
1400 Tenth Street Desert Hot Springs, CA 92240

and

Riverside County, County Clerk 2724 Gateway Drive Riverside, CA 92507

Project Title: RES-BCT and Regional Water Reclamation Facility Solar Development Project

SCH Number: To be assigned

Sacramento, CA 95814

Project Location: The Mission Springs Water District (MSWD or District) service area is located in southern California within the northwestern portion of the Coachella Valley. The project will occur within several parcels owned by the District along Little Morongo Road, at and just north of the Nancy Wright Regional Water Reclamation Facility (RWRF). The project is generally located at 19011 Little Morongo Road, Desert Hot Springs, CA 92240, and surrounds the existing photovoltaic system owned by the District. The project is located within the USGS Topo 7.5-minute map for Desert Hot Springs, CA, and is located in Section 14, Township 3 South and Range 4 East. The approximate GPS coordinates of the project area are 33.911291°, -116.528833°. Refer to Figures 1 and 2 for the regional and site location maps.

Project Description: As part of the District's continued development of the Nancy Wright Regional Wastewater Reclamation Facility [Nancy Wright RWRF], the District has determined that its operations would be best served with expanded solar generation to the north of the Nancy Wright RWRF site. Thus, the District will serve as the CEQA lead agency for the proposed project, which would involve installation of ground mounted solar to the north and west of the existing solar plant located at the northwest intersection of 19th Avenue and Little Morongo Road. The first photovoltaic system would be installed in support of the existing RES-BCT site (north of the existing photovoltaic system along Little Morongo Road) and would be sized at 3,585 kilowatts (kW) (the system's Direct Current [DC] system rating). The second photovoltaic system would be installed in support of the Nancy Wright RWRF site (west of the existing photovoltaic system along 19th Avenue), and would be sized at 392.04 kW (the system's DC system rating). Each of the proposed solar facilities will require installation of associated transmission lines and electrical appurtenances. Construction of this project is anticipated to begin in Quarter 4 of 2025, and conclude in (approximately) the second quarter of 2026. The photovoltaic systems at the Nancy Wright RWRF and RES-BCT would generate a combined 3.97 megawatt of electricity per day.

Project Sponsor(s): Mission Springs Water District

This is to advise that the Mission Springs Water District, acting as the lead agency, has prepared an Initial Study to determine if the project may have a significant effect on the environment and is proposing to adopt a Mitigated Negative Declaration based on the following finding:

The Initial Study shows that there is no substantial evidence that the project may have a significant
effect on the environment.

- The Initial Study identified potentially significant effects but:
 - (1) Revisions in the project plans or proposal made or agreed to by the applicant before this proposed Negative Declaration was released for public review would avoid the effects or mitigate the effects to a point where clearly no significant effects would occur; and,
 - (2) There is no substantial evidence before the agency that the project as revised may have a significant effect on the environment.

Notice of Intent, page 2

A copy of the Initial Study and all other material which constitutes the record of proceedings upon which the Mission Springs Water District based its decision to adopt this Mitigated Negative Declaration may be obtained at the District's website (https://www.mswd.org/solarceqa).

The CEQA-required public review period of the Initial Study/Mitigated Negative Declaration begins September 15, 2025 and ends on October 15, 2025 (30-days). Written comments on the Initial Study should be submitted to Mr. Danny Friend at the mailing address listed below no later than October 15, 2025 by 5:00 PM

Mission Springs Water District 66575 Second Street Desert Hot Springs, CA 92240 Phone: (760) 329-6448 Email: dfriend@mswd.org

The CEQA-required public review period of the Initial Study/Mitigated Negative Declaration begins September 15, 2025 and ends on October 15, 2025 (30-days). Written comments on the Initial Study should be submitted to Mr. Danny Friend at the mailing address listed above no later than October 15, 2025 by 5:00 PM.

18	Direc	tor of	Operations	9/11/2
Signature		Title		Date
Date received for filing and postin	g	X	Clerk of the Board o	f Supervisors

Comment Letter No. 2

AGUA CALIENTE BAND OF CAHUILLA INDIANS

TRIBAL HISTORIC PRESERVATION



September 25, 2025

[VIA EMAIL TO:dfriend@mswd.org] Mission Springs Water District Mr. Danny Friend 66575 Second Steet Desert Hot Springs, CA 92240

Re: CEQA Public Review of Initial Study RES-BCT and Regional Water Reclamation Facility Solar Development Project

Dear Mr. Danny Friend,

The Agua Caliente Band of Cahuilla Indians (ACBCI) appreciates your efforts to include the Tribal Historic Preservation Office (THPO) in the District Well 33 Solar Photovoltaic Facility project. The project area is not located within the boundaries of the ACBCI Reservation. However, it is within the Tribe's Traditional Use Area. For this reason, the ACBCI THPO requests the following:

*At this time ACBCI has no comments, but please continue to provide our office with updates as the project progresses. Also, please inform our office if there are changes to the scope of this project.

*Should human remains be discovered during construction of the proposed project, the project contractor would be subject to either the State law regarding the discovery and disturbance of human remains or the Tribal burial protocol. In either circumstance all destructive activity in the immediate vicinity shall halt and the County Coroner shall be contacted pursuant to State Health and Safety Code §7050.5. If the remains are determined to be of Native American origin, the Native American Heritage Commission (NAHC) shall be contacted. The NAHC will make a determination of the Most Likely Descendent (MLD). The City and Developer will work with the designated MLD to determine the final disposition of the remains.

*Contact Agua Caliente for monitoring prior to construction

Again, the Agua Caliente appreciates your interest in our cultural heritage. If you have questions or require additional information, please call me at (760)-898-5950. You may also email me at ACBCI-THPO@aguacaliente.net.

Cordially,



AGUA CALIENTE BAND OF CAHUILLA INDIANS

TRIBAL HISTORIC PRESERVATION



Christopher Nicosia Archaeologist Tribal Historic Preservation Office AGUA CALIENTE BAND OF CAHUILLA INDIANS