



CORPORATE SAFETY PLAN

DOCUMENT ID: ECOSAF – 1025

REV: NEW DATE: 09/12/2025

TITLE: **SPILL RESPONSE PLAN**

LOCATION: BIOSOLIDS

1.0 SCOPE

- 1.1 The Spill Response Plan has been written to establish detailed procedures to be followed in case a spill occurs while hauling biosolids, both Class A and B.
- 1.2 This Plan applies to personnel involved in the transportation and hauling of biosolids to meet compliance requirements and to ensure spill cleanup procedures are carried out and implemented as planned.

2.0 BIOSOLIDS HAZARDS

- 2.1 Biosolids are considered non-hazardous and non-toxic. Spilled biosolids can cause roadways to become slick. Biosolids should not be allowed to wash into storm drains or water ways.
- 2.2 Use gloves to clean or handle biosolids. Always wash your hands and any body part that came in contact with biosolids with soap and water.
- 2.3 Do not eat or drink while handling or working with biosolids.

3.0 EMERGENCY CONTACTS AND NOTIFICATIONS

- 3.1 In the case a spill or accident occurs during the transportation of biosolids, the following emergency contacts will be contacted, regardless of the amount spilled:
 - Joel Santos/General Manager Cell (213) 440-5861
 - Johnnie Caballero/Dispatcher Cell (562) 972-5241
 - Roy Blanco/HR Director Cell (562) 459-0730
- 3.2 An Ecology representative will notify the Generator of the load origin as soon as possible.
- 3.3 The Dispatcher or an Ecology representative will notify the Generator where the material originated from about the spill as soon as possible.



CORPORATE SAFETY PLAN

DOCUMENT ID: ECOSAF – 1025

REV: NEW DATE: 02/26/2025

TITLE: **SPILL RESPONSE PLAN**

LOCATION: BIOSOLIDS

4.0 PERSONAL PROTECTIVE EQUIPMENT

4.1 Trucks hauling biosolids will be carrying the following equipment for their protection in case of a biosolids spill:

- a) First Aid Kit
- b) Cell Phone
- c) Reflective triangles or cones
- d) Gloves
- e) Broom and Shovel to avoid contact with biosolids.
- f) Kitty litter or sand

5.0 RESPONSE INSTRUCTIONS IN CASE OF SPILLS

5.1 If a spill or accident occurs and the driver is not hurt, the following procedures will be followed:

6.0 DRIVER PROCEDURES

- 6.1 The driver will be sure that he/she is safe and not in any danger. If the Driver is in danger or injured, the driver must contact his immediate supervisor.
- 6.2 If safe to perform, drivers will place traffic cones or reflector triangles to divert traffic around spill.
- 6.3 If safe to perform and whenever possible driver will contain spill and maintain spill away from waterways or storm drains.
- 6.4 The driver is responsible to notify his immediate supervisor of spill location and severity.
- 6.5 Whenever possible spilled material will be cleaned and returned to trailer.
- 6.6 Biosolids Spill Report Form will be completed (see attached form).
- 6.7 The truck to remain at site until the complete up has been completed.

7..0 DISPATCHER PROCEDURES



CORPORATE SAFETY PLAN

DOCUMENT ID: ECOSAF – 1025

REV: NEW DATE: 09/12/2025

TITLE: **SPILL RESPONSE PLAN**

LOCATION: BIOSOLIDS

- 7.1 The appropriate agencies will be contacted (see Emergency Contacts above).
- 7.2 If the spill requires a cleanup crew, one will be dispatched.
- 7.3 The crew will include:
 - a) Two-person crew unless more personnel is needed.
 - b) Rubber tired front-end loader or another loader
 - c) Sandbags and/or hay bales, or absorbent material
 - d) Street sweeper
 - e) Shovels, brooms, cones, and flares
 - f) truck or trailer is not operable, an alternative truck and trailer will be sent
 - g) Contact the generator where the biosolids originated as soon as possible.
 - h) Biosolids Spill Report will be completed and submitted to the appropriate agencies and WWTP.

8.0 SPILL CLEAN UP

- 8.1 If the spill does not require a crew for cleanup, the driver will replace spilled biosolids in trailer.
 - 8.2 If biosolids replaced into trailer were not contaminated, the load will be delivered to its intended site.
 - 8.3 Contaminated biosolids will be sent to an approved landfill for disposal.
 - 8.4 If spill does require a crew, the following cleanup will be performed:
 - a) Contain biosolids to the spill area and block storm drains with sand, sandbags, or absorbent material.
 - b) Place biosolids into one pile using shovels, broom, and/or loader.
-



CORPORATE SAFETY PLAN

DOCUMENT ID: ECOSAF – 1025

REV: NEW DATE: 09/12/2025

TITLE: **SPILL RESPONSE PLAN**

LOCATION: BIOSOLIDS

- c) Load biosolids into operable truck and trailer with loader and shovels.
- d) Follow any other instructions by local permitting agency or health officer.
Transport spill material to the intended site or disposal site, if contaminated.
- e) Transport equipment used to intend site or wastewater treatment site to be washed and cleaned.