



DATE: Jul 09, 2024
QUOTE #:342020-01

SOURCEWELL ID# 58904

NEW BRAUNFELS UTILITIES
PAUL MATA

Jordan, Robert
210.414.9252

PO BOX 310289
NEW BRAUNFELS, TEXAS 78131-0289

One (1) New Caterpillar Inc Model: 420 C4SX Backhoe Loaders with all standard equipment in addition to the additional specifications listed below:

CATERPILLAR SOURCE WELL #020223-CAT

STOCK NUMBER: SERIAL NUMBER: 0 YEAR: 2024 HOURS: 5

SALE PRICE	\$132,495.00
TOTAL PRICE	\$132,495.00
<hr/>	
SUB TOTAL	\$132,495.00
TOTAL PURCHASE PRICE	\$132,495.00

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine

PER MACHINE BREAKDOWN

CAT LIST PRICE	\$189,925.00
SOURCE WELL DISCOUNT (30.0%)	-\$57,430.00
SALE PRICE	\$132,495.00

NOTES

DATE: Jul 09, 2024QUOTE #:Quote 342020-01

MACHINE SPECIFICATIONS

STOCK NUMBER:**SERIAL NUMBER:****YEAR: 2024****HOURS: 5**

DESCRIPTION	REF.#
420 07A BACKHOE LOADER CFG2	542-7992
ENGINE, 82KW, C3.6 DITA, T4F	542-7780
PT, 4WD/2WS, POWERSHIFT	544-1066
CAB, DELUXE	544-0883
LINES, COMBINED AUX, STD STICK	548-1230
BUCKET-GP, 1.5 YD3, PO	337-7401
TIRES, 12.5 80/19.5L-24, GY	379-2161
AIR CONDITIONER, T4F	542-7810
COUNTERWEIGHT, 1015 LBS	337-9696
HYDRAULICS, GP, 6FCN/8BNK, ST	542-7772
COUPLER, PIN LOCK, BL F	544-1901
SEAT, DELUXE FABRIC	611-0339
GUARD, STABILIZER	353-1389
STANDARD RADIO (12V)	540-2298
DISPLAY, SECURITY, ENABLED	573-0397
STABILIZER PADS, FLIP-OVER	9R-6007
CUTTING EDGE, TWO PIECE,WIDE	9R-5320
FAN	387-6682
BATTERY, HEAVY DUTY	516-5913
PLATE GROUP - BOOM WEAR	423-7607
SHIPPING/STORAGE PROTECTION	461-6839
RUST PREVENTATIVE APPLICATOR	462-1033
LOADER BUCKET PINS	545-8548
PACK, DOMESTIC TRUCK	0P-0210
AUTO-UP STABILIZERS	567-5090
INSTRUCTIONS, ANSI	559-0872
SERIALIZED TECHNICAL MEDIA KIT	421-8926
BELT, SEAT, 2" SUSPENSION	206-1747
PRODUCT LINK, CELLULAR, PLE643	560-6797
DISPLAY, STANDARD	545-5047
WORKLIGHTS (8) HALOGEN LAMPS	491-6734
LANE 3 ORDER	0P-9003
STICK, STANDARD, 14FT	543-4283
420 LANE 3 ZCON	626-9390
BUCKET - H8T4883RB	247-1950
24IN HD QC BUCKET	
RIDE CONTROL KIT	

STANDARD EQUIPMENT

BOOMS, STICKS, AND LINKAGES

BACKHOE

- 14'4" Center pivot backhoe
4.3 Meters
- Boom and swing transport locks
- Pilot operated backhoe and electro hydraulic stabilizer controls
- Street type stabilizer shoes
- Anti-drift hydraulics (boom, stick, and E-stick)
- Cat Cushion Swing(tm) system

POWERTRAIN

- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with integral precleaner
- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock

HYDRAULICS

- Pilot hoe and mechanical loader controls
- Load sensing, variable flow system with 43 gpm (162 L/min) axial piston pump
- 6 micron hydraulic filter

ELECTRICAL

- 12 volt electrical start
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights

OPERATOR ENVIRONMENT

- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch (50mm) retractable seat belt
- Tilt steering column

LOADER

- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single lever control
- Return-to-dig
(automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

- Torque converter
- Transmission-four speed manual shift
- Neutral safety switch
- Spin-on filters for
Fuel
Engine oil
Transmission oil
- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- Flow-sharing hydraulic valves
- Hydraulic suction strainer

- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Diagnostic ports for engine and machine Electronic Control Modules

- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap
- Lockable storage area

- Steering knob
- Hand and foot throttle

- Air suspension seat

FLUIDS

- Antifreeze - Extended Life Coolant

-20F (-30C)

OTHER STANDARD EQUIPMENT

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with 42.3 gal (160L) capacity & 5 gal (19L) diesel exhaust fluid
- Rubber impact strips on radiator

- guard
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

CAT® BACKHOE LOADER
MORE OF WHAT YOU ASKED FOR

415
416
420
430

YOU SPOKE, WE LISTENED



More Comfort – More Performance – More Versatility
 CAT® BACKHOE LOADERS BUILT WITH CUSTOMERS INPUT.

OPERATOR EXPERIENCE

- NEW Operator Display Improves User Interface
- Effortlessly Shift Gears with the Powershift Transmission
- SAHRI Parking Brake provides Peace of Mind
- Proportional Thumb Rollers on the Joysticks Improve Aux Hydraulic Control.

Building Construction Products
 cat.com/en-us/ucp

Caterpillar: Confidential Green

UP TO **10%*** MORE PERFORMANCE

- NEW Cat® C3.6 provides 10%+ more Fuel Efficiency
- Up to 15% more Boom Lift Performance (420)
- Standard 4wd gets you out of any Sticky Situation

IMPROVED MACHINE UTILIZATION

- IT Loader Coupler
 - Change Attachments for various applications with a touch of a button
 - > Pallet Forks
 - > Material Handling Arms
 - > Snow Pushes

