

Guadalupe – Blanco River Authority Drought Contingency Plan

**Presented by:
Michael G. Short, P.E.
Director of Water Services**

April 25, 2024




GBRA – Drought Contingency Plan

- **Purpose of this presentation**
 - Create awareness
 - No action required
- **Basis requirements of DCP**
- **GBRA's DCP**
- **What it means to NBU**

GBRA – Drought Contingency Plan

- **Basic requirements of a Wholesale DCP**
 - Initiating and terminating drought stages
 - Notification procedures
 - Targets for water use reductions
 - Pro rata curtailments
 - Enforcement
- **GBRA's Draft DCP**
 - Draft DCP presented to the GBRA Board on March 20, 2024
 - NBU received a draft on March 22, 2024 for review
 - Final due in May



GBRA – Drought Contingency Plan

- **What it means to NBU**

- Impacts our firm Contracted Canyon Water Supply of 18,070 AFY
- Adds:
 - Stage 4 - 880 ft-msl, 49% full mandatory, 15% reduction 15,360 AFY
 - Stage 5 - 865 ft-msl, 31% full mandatory, 30% reduction 12,649 AFY
- Abandons the requirement for GBRA to demonstrate that a drought greater than the DOR is occurring prior to imposing mandatory curtailments as determined by the GBRA Board