

Northwest. Vacuum Tank Sizes available in 250,350,500,800 and 1,200 Gallons. PT1000 Valve Exerciser has an available Torque range of 0-850 ft. lbs. and has an on-board A.I. System that operates and records all exercising data for thumbdrive storage.

PV500



☑ Click for Product Information

Features of this unit include:

- Powder coat inside & out.
- 500 gallon capacity debris tank.
- 4" diameter pickup hose and non-conductive pickup wands.
- "Zero leak" submarine type hatch.



Estimate

Estimate# : EST-001949
Estimate Date : 06-11-2024
Expiry Date : 07-11-2024

Freight/Shipping
Lead Time
Payment Terms:

: See Below : 15-18 weeks ARO

: Net 20

City of Needles

Bill To

Accts. Payable 817 3rd Street Needles, CA 92363 City of Needles 817 3rd Street Needles,CA 92363 928-577-7570

Ship To

Item No	Item & Description	Qty
1	PV500-GHO-W-T • 500 Gallon Vac • 38 HP Engine 1000 CFM • 14 HP Engine Pressure Washer System 3500 PSI @ 4 GPM with 100 Gallons fresh water • Split Gas Motor Package • Trailer • All Equipment Powder Coated Safety Yellow • (2) 6k axles rated GVWR 9990LB	1
2	Tank Mounted Telescoping Hose Support Boom - Mounted to top of tank - tank reinforced to support fulcrum weight - Hose support reach 6' to 10' from mounting - Manual operation	1
3	Delivery & Training	1
		Sub Total 85,288.00

 Sub Total
 85,288.00

 San Bernardino County - Needles (7.75%)
 6,377.32

 Total
 \$91,665.32

There will be a 2.9% service fee charge added to the total invoice amount if payment is made by credit card.

Terms & Conditions

Returns: All returns must be pre-approved by Pres Tech and returned to Pres Tech in resalable condition. Returns are subject to 45% restocking charge fee; freight charges are non-refundable. Custom trailer mounted and custom truck mounted units are non-returnable. No warranty will apply if the product has been subject to misuse, neglect, accident, modification, or altered in any way. Special orders are non-refundable. Any used equipment is not returnable and non-refundable.



Estimate

Estimate#
Estimate Date
Expiry Date

: EST-001950 : 06-11-2024 : 07-11-2024 Freight/Shipping Lead Time Payment Terms:

: See Below : 23-28 Weeks ARO

: Net 20

Bill To

City of Needles Accts. Payable 817 3rd Street Needles, CA 92363 Ship To

City of Needles 817 3rd Street Needles,CA 92363 928-577-7570

Item No	Item & Description		Qty
1	PV500-DHOT4F-D1W-T • 500 Gallon Vac • 49 HP Tier 4 Final Diesel Engine 1000 CFM • 3500 PSI @ 4 GPM pressure washer System with 200 gallons fresh water • Trailer • All Equipment Powder Coated Safety Yellow • (2) 8k axles rated GVWR 16000LB		1
2	Tank Mounted Telescoping Hose Support Boom - Mounted to top of tank - tank reinforced to support fulcrum weight - Hose support reach 6' to 10' from mounting - Manual operation		1
3	Delivery & Training		1
Th	will be a 2.00/ comise for above added to the total in the control of the control	Sub Total	115,532.00

There will be a 2.9% service fee charge added to the total invoice amount if payment is made by credit card.

 Sub Total
 115,532.00

 San Bernardino County - Needles (7.75%)
 8,721.23

 Total
 \$124,253.23

Terms & Conditions

Returns: All returns must be pre-approved by Pres Tech and returned to Pres Tech in resalable condition. Returns are subject to 45% restocking charge fee; freight charges are non-refundable. Custom trailer mounted and custom truck mounted units are non-returnable. No warranty will apply if the product has been subject to misuse, neglect, accident, modification, or altered in any way. Special orders are non-refundable. Any used equipment is not returnable and non-refundable.



Estimate

 Estimate#
 : EST-001952

 Estimate Date
 : 06-11-2024

 Expiry Date
 : 07-11-2024

Freight/Shipping Lead Time Payment Terms:

: See Below : In Stock : Net 20

Bill To

City of Needles Accts. Payable 817 3rd Street Needles, CA 92363 Ship To

City of Needles

817 3rd Street Needles,CA 92363 928-577-7570

Item No	Item & Description	Qty
1	PV500-GHO-W-T • 500 Gallon Vac • 38 HP Engine 1000 CFM • 14 HP Engine Pressure Washer System 3500 PSI @ 4 GPM with 100 Gallons fresh water	1
	 Split Gas Motor Package Trailer All Equipment Powder Coated Safety Yellow (2) 6k axles rated GVWR 9990LB 	
2	Delivery & Training	1

 Sub Total
 81,264.00

 San Bernardino County - Needles (7.75%)
 6,065.46

 Total
 \$87,329.46

There will be a 2.9% service fee charge added to the total invoice amount if payment is made by credit card.

Terms & Conditions

Returns: All returns must be pre-approved by Pres Tech and returned to Pres Tech in resalable condition. Returns are subject to 45% restocking charge fee; freight charges are non-refundable. Custom trailer mounted and custom truck mounted units are non-returnable. No warranty will apply if the product has been subject to misuse, neglect, accident, modification, or altered in any way. Special orders are non-refundable. Any used equipment is not returnable and non-refundable.



Estimate

Estimate# Estimate Date **Expiry Date**

: EST-001951 : 06-11-2024 : 07-11-2024

Freight/Shipping Lead Time Payment Terms:

: See Below : 18-24 weeks ARO

: Net 20

Bill To

City of Needles Accts. Payable 817 3rd Street Needles, CA 92363 Ship To City of Needles

817 3rd Street Needles, CA 92363 928-577-7570

Item No	Item & Description	Qty
1	WV500-D1W-T Wolverine Line- 500 Gallon Drive one 26.5HP 580CFM 100 Gallons Fresh Water 2500 PSI Trailer 9990# GVWR Electric brakes White Tank Black trailer	1
2	Delivery & Training	1

Sub Total

Total

57,749.00

San Bernardino County - Needles (7.75%)

4,243.05

There will be a 2.9% service fee charge added to the total invoice amount if payment is made by credit card.

Terms & Conditions

Returns: All returns must be pre-approved by Pres Tech and returned to Pres Tech in resalable condition. Returns are subject to 45% restocking charge fee; freight charges are non-refundable. Custom trailer mounted and custom truck mounted units are non-returnable. No warranty will apply if the product has been subject to misuse, neglect, accident, modification, or altered in any way. Special orders are non-refundable. Any used equipment is not returnable and non-refundable.

\$61,992.05



Investment Proposal (Quote)

RDO Equipment Co. 20 Iowa Avenue Riverside CA, 92507 Phone: (951) 778-3700 - Fax: (951) 778-3746



Proposal for: CITY OF NEEDLES 817 3RD ST NEEDLES, CA, 92363 SAN BERNARDINO

Investment Proposal Date:
Pricing Valid Until:
Deal Number:
Customer Account#:
Account Manager:
Phone:
Fax:
Email:

6/12/2024 7/12/2024 1786883 5740005 Paul Suquett

psuquett@rdoequipment.com

Comments

*** SOURCEWELL #110421-VRM, ACCT#101385 ***

All LP SD Trailer Series Include: 49 HP Yanmar Diesel (Tier 4 Final) Engine, 1000 CFM Vacuum Pump (High-CFM), Baghouse, Hydraulic Pump. Debris Tank with Hydraulic Tilt, 3000 PSI @ 4 GPM - High Pressure Water System, Fully enclosed and insulated engine stand (lockable), Anti-Freeze Tank, Air Gap, Reverse Pressure to off-load liquids and dislodge debris in hose, Polymer liner on bottom half of tank for easy dumping and cleanout, 30' Suction Hose and Suction Tool, Hydraulically operated full open and locking rear door, Water Knife and Clean-up wand, 30 Gallon Fuel Tank

Quantity	Serial Number Stock Number	Hours (approx.)	Status / Year / Make / Model Additional Items	Cash Price
1	7NWH16A68RK050615 X844605	0	New 2024 VERMEER LP573SDT	\$103,142.27
			Other DMV	\$62.00
			Customer Discount Sourcewell discount	(\$9,918.36)
			Equipment Subtotal:	\$93,285.91

Purchase Order Totals

\$93,285.91 Balance: CA STATE TAX: \$5,597.15 CA COUNTY TAX: \$233.22 CA SPECIAL TAX: \$1,399.29 Sales Tax Total: \$7,229.66 CA Tire Fee: \$7.00 Sub Total: \$100,522.57 Cash with Order: \$0.00 **Balance Due:** \$100,522.57

Equipment Options					
Qty	Serial Number	Year / Make / Model	Description		
1	7NWH16A68RK050615	2024 VERMEER LP573SDT	LPSDT4490 SHT PACKAGE UNDER-TANK STORAGE LPSDT3520 HYDRAULIC JACK LPSDT4010 STRONG ARM BOOM LPSDT3601 4" HOSE AND TOOLING		

LP SDT VACUUM EXCAVATOR





CVS (CYCLONE 4-WAY VALVE SILENCER) FILTRATION SYSTEM. .5-micron filtration. The CVS filter housing also contains the 4-way valve for reverse pressure and an oversized silencer for quiet operation. The silencer is located inside the 28-in (71-cm) diameter cyclone.



I BEAM TRAILER. Units are built from start to finish at our factory, including the trailer which consists of a sturdy I beam construction.



SIDE HOSE AND TOOLING (SHT) STORAGE (OPTION). The new SHT package allows for 60 ft (18 m) of suction hose storage on a trailer-mounted unit. This doubles the traditional 30-ft (9-m) hose storage on all other brands.



STRONG ARM (OPTION). With 270-degree rotation, the strong arm supports the weight of the vacuum hose, and the roller head makes handling efficient by allowing smooth, fluid movements and adjustments.



HYDRAULIC BOOM (OPTION). The hydraulic boom offers a 6-way function, wireless remote with vacuum valve operation, 330-degree rotation, remote water jet for ease of cleanout, and a 5-in (13-cm) hose with quick connect to 4-in (10-cm) tooling.



FLOWMASTER (OPTION). The FlowMaster option can be used to hydraulically exercise water valves and hydrants, making sure they will work properly in times of need.





LP SDT VACUUM EXCAVATOR

DIMENSIONS - SKID	573	573 HEAVY	873	873 HEAVY	1273
Length	N/A	N/A	N/A	229 in (582 cm)	N/A
Width	N/A	N/A	N/A	99 in (251.8 cm)	N/A
Height	N/A	N/A	N/A	82 in (208.3 cm)	N/A
Empty weight	N/A	N/A	N/A	6,400 lb (2,903 kg)	N/A
DIMENSIONS - TRAILER					
Length	231 in (586.7 cm)	231 in (586.7 cm)	268.8 in (682.8 cm)	268.8 in (682.8 cm)	265 in (673 cm)
Width	92 in (234 cm)	97 in (246 cm)	92 in (234 cm)	102 in (259 cm)	102 in (259 cm)
Height	95 in (241 cm)	95 in (241 cm)	95 in (241 cm)	95 in (241 cm)	122 in (282 cm)
Empty weight	6,700 lb (3,039 kg)	6,700 lb (3,039 kg)	7,800 lb (3,538 kg)	8,000 lb (3,629 kg)	9,800 lb (3,334 kg)
GVWR	9,995 lb (4,533 kg) / 12,000 lb (5,443 kg)	14,000 lb (6,350 kg)	14,000 lb (6,350 kg)	20,000 lb (9,072 kg)	24,000 lb (10,886.2 kg)
Trailer axles	(2) 7,000 lb (3,175 kg)	(2) 7,000 lb (3,175 kg)	(2) 7,000 lb (3,175 kg)	(2) 10,000 lb (4,536 kg)	(2) 12,000 lb (5,443 kg)
ENGINE					
Make and model	Yanmar diesel Tier 4 Final	Yanmar diesel Tier 4 Final	Yanmar diesel Tier 4 Final	Yanmar diesel Tier 4 Final	Yanmar diesel Tier 4 Fin
Horsepower	49 hp (36.5 kW)	49 hp (36.5 kW)	49 hp (36.5 kW)	49 hp (36.5 kW)	49 hp (36.5 kW)
Fuel tank capacity	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)	30 gal (114 L)
Enclosure	Yes	Yes	Yes	Yes	Yes
WATER TANK					
Nater tank capacity	200 gal (757 L)	300 gal (1,136 L)	200 gal (757 L)	400 gal (1,515 L)	400 gal (1,515 L)
Number of tanks	2	2	2	2	2
High pressure pump flow rate	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)	4 gpm (15.1 L/min)
High pressure pump	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)	3,000 psi (206.8 bar)
ligh pressure hose length	50 ft (15 m)	50 ft (15 m)	50 ft (15 m)	50 ft (15 m)	50 ft (15 m)
Low water shutoff	Electric	Electric	Electric	Electric	Electric
SPOIL TANK					
Spoil tank capacity	500 gal (1,892.7 L)	500 gal (1,892.7 L)	800 gal (3,028.3 L)	800 gal (3,028.3 L)	1,200 gal (4,542.5 L)
Door type	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Tank lift type	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
/ACUUM					
Type of filters	.5 micron	.5 micron	.5 micron	.5 micron	.5 micron
lose length	30 ft (9 m)	30 ft (9 m)	30 ft (9 m)	30 ft (9 m)	30 ft (9 m)
lose width	4 in (10 cm)	4 in (10 cm)	4 in (10 cm)	4 in (10 cm)	4 in (10 cm)
/acuum	1,000 cfm (1,699 m ³ /hr)	1,000 cfm (1,699 m ³ /hr)	1,000 cfm (1,699 m ³ /hr)	1,000 cfm (1,699 m ³ /hr)	CONTROL OF THE PARTY OF THE PAR
acuum blower type	PD blower	PD blower	PD blower	PD blower	1,000 cfm (1,699 m³/hr)
acuum mercury	16 in hg (.6 bar)	16 in hg (.6 bar)			PD blower
CONTROL PANEL	. 5 m ng (10 bui)	10 III ng (.0 Dai)	16 in hg (.6 bar)	16 in hg (.6 bar)	16 in hg (.6 bar)
Controls	Curbside	Curbside	Curheida	Curhaida	Overheide
Gauges	Analog and digital		Curbside	Curbside	Curbside
	midiou and utilital	Analog and digital	Analog and digital	Analog and digital	Analog and digital

Vermeer MV Solutions, Inc. reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on machine specifications. Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. Yanmar is a trademark of Yanmar Holdings Co., Ltd. © 2021 Vermeer MV Solutions, Inc. All Rights Reserved, Printed in the U.S.A. Please recycle,

Hydraulic jack

FlowMaster



Strong arm



DITCH WITCH WEST (CORONA, CA) 1201 E 6TH ST CORONA, CA 92879-1657 +1 951-735-7510 https://www.ditchwitchwest.com/ United States

City Of Needles N.p.u.a. 317 3rd Street Needles, CA 92363 United States

Bryan Hickstein +1 192-857-7757 bhickstein@cityofneedles.com
 Date
 06/14/2024

 Quote
 117232

 Valid Until
 07/14/24

 Account
 100317035

Prepared by: Jim King jking@ditchwitchwest.com

EQUIPMENT QUOTE

Product	Description	Qty	
HX50A	HX50A Debris Tank: 500 Gallon Water Tank: 200 Gallons Controls: Right Hand Traffic Reverse Flow: Yes Hose and Tooling: 4 Inch Filter: Cyclonic Separator HX Boom: Powered 4in Hoses Water Heater: No Quiet Option: Yes Options: Vac Suction Tool 4IN Options: Traffic Cone Storage Options: Prospector Digging Lance Options: Water Air Gap Options: Trailer Tongue Tool Box Prospector Digging Lance: Yes Water Air Gap: Yes Water Air Gap: Yes Weight Display: Yes Traffic Cone Storage: Yes Trailer Jack: Hydraulic Hydraulic Oil: Standard Color: Standard	Qty 1	
INSTALL-CHARGE	Installation Charge	5	
190-2695	CLM3000 TELEMATICS KIT	1	

Taxes are an estimate at time of quotation. Actual tax will be calculated at time of invoicing. If this is a tax exempt transaction, please provide tax exempt certificate or leasing details.

Notes

Quoted price does not include sales tax, DMV fees or tire

Equipment Subtotal

Quote Total

\$134,419.47

\$134,419.47