


RIV Exterior Improvements


Preliminary Layout



Jeff Johnson Architectural PC

RIV Exterior Improvements

Summary



This submittal package goes over the different exercise equipment and their location on the new improvements. The renderings offers an idea as to what the new area will look like with the changes we discussed.

We have also included options for selective exercise equipment for your review. There is flexibility here. The equipment can come in a package and that is what we are showing in the renderings. Although picking items one by one may be more expensive, the equipment we are showing you is more advanced than a swing set, but designed to fit the grade level of Riverside.


We suggest you involve the community in the selection of these items (or maybe just the PTA).

The project area is large and will entail excavation and earthwork. Because this area is being improved, we are introducing elements like concrete walkways, partial retainage walls, landscape, irrigation, and outdoor lighting.

We have also introduced a narrative to the area that integrates the Viking mascot of Riverside. This includes some refined outdoor space surrounding a Viking statue. As in other instances, we would recommend soliciting a local artisan to be commissioned to design and build the statue.


RIV Exterior Improvements

Narrative




RIV Exterior Improvements

Site Plan Images







RIV Exterior Improvements

Site Plan Images






RIV Exterior Improvements

Perspective Images




RIV Exterior Improvements

Perspective Images



RIV Exterior Improvements


Preliminary Layout



- Preferred equipment

[TerraBound Solutions Inc.](https://www.terraboundsolutions.com)
<https://www.terraboundsolutions.com/product/12-unit-course-2/>

12 Unit Course Playground System



Price: \$10,641.00

SKU: 511-215

Product Page:
<https://www.terraboundsolutions.com/product/12-unit-course-2/>

Product Summary

Dimensions: 64' x 47'
Weight: 1,425 lbs.

Product Description

This 12 Unit Course features several different types of playground and fitness equipment that are guaranteed to liven up any outdoor activity area.

Installation Tips:

- Do not place equipment in an area where people walking past could be injured while the equipment is in use
- Install multiple pieces at a safe distance from other equipment – A good rule of thumb is maintaining a minimum of 8' between each unit.

Product Attributes

- Dimensions: N/A
- Weight: 1425 lbs

Export date: Fri Jan 31 17:05:11 2025 / +0000 GMT
Product data have been exported from TerraBound Solutions Inc. [<https://www.terraboundsolutions.com>]

Product Print by [WooCommerce PDF & Print](#) plugin.

Swing Frame, 4 Seat, 8 ft H

KSW924



Item no. KSW924-0910	
General Product Information	
Dimensions LxWxH	23'4"x6'0"x8'4"
Age group	2 - 12
Play capacity (users)	-
Color options	



KOMPAN Portal swings are a modern update on a traditional favorite, constructed from galvanized steel. They are configurable for the unique needs and requirements of every playground site. All Portal swings come standard in 7", 8" or 10" heights with posts made from hot dip galvanized steel. For swing seats, we offer as standard a rubber swing

seat, baby seat, or toddler swing seat for individual use, or the duo swing seat, birds nest, or you & me swing seat for multiple users. The seats are available with either hot dip galvanized chains or stainless steel chains with the option of antiwrap suspension. The modular swing system is also available in multibay configurations with 2, 3, 4 or more sections.

Swing Frame, 4 Seat, 8 ft H

KSW924



Item no. KSW924-0910	
Installation Information	
Total installation time	7.0
Excavation volume	2.2yd ³
Concrete volume	0yd ³
Footing depth (standard)	2'11"
Shipment weight	605lbs
Anchoring options	In-ground ▾
Warranty Information	
Hot dip galvanized steel	Lifetime
Movable parts	2 Years
Post	10 Years
Spare Parts Availability	10 Years

**ASTM
F1487**
compliant

Sustainability Data

KSW924



Cradle to Gate A1-A3	Total CO ₂ emission		CO ₂ e/kg		Recycled materials	
	kg CO ₂ e	670.66	kg CO ₂ e/kg	3.19	%	46.78
KSW924-0910						


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)



Kompani A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Date version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint: impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no. KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompani product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark, Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Swing, 3 seat, 8 ft H, 1 Shell Seat

KSW92009



Item no. KSW92009-0910	
General Product Information	
Dimensions LxWxH	21'11" x 6'0" x 8'4"
Age group	2 - 12
Play capacity (users)	8
Color options	●



WOW! The combination of the bird's nest swing and two single seats swing is a hit: children love it, as it can be done individually and together. It facilitates lying, seated, and standing swinging, alone or together. It is a great facilitator of fun rough-and-tumble play. The seats allow for multiple users of all abilities and most ages to play day after day, for hours

and hours. Swinging, apart from being tremendous fun, trains the children's ABCs: agility, balance and coordination, as well as their spatial awareness. These motor skills are crucial to being able to judge distance and navigate traffic safely. The standing sitting, lying and standing swing activities train the arm, leg and core muscles. Jumping off builds


bone density – the majority of which is built up during the first years of life. Finally, this swing supports social skills such as taking turns and cooperation.

Swing, 3 seat, 8 ft H, 1 Shell Seat

KSW92009



Two single swing seats
Physical: balance, coordination and spatial awareness are trained when swinging. All necessary when judging distances and managing traffic safely. The swinging movement trains the arm, leg and core muscles. Social-Emotional: parallel play invites cooperation and consideration. Cognitive: cause and effect and thinking skills for younger children. Rules games for bigger children, when swinging in same or different rhythm.



Shell nest swing
Physical: balance, coordination and spatial awareness are developed. The swinging movement trains the arm, leg and core muscles, and strengthens bone density when jumping off. Social-Emotional: the spacious seat allows for many children standing, lying, seated together and is inclusive for all. Cognitive: develops cause and effect understanding, rhythm and thinking skills in younger children.

Swing, 3 seat, 8 ft H, 1 Shell Seat

KSW92009



Vertical posts of hot dip galvanized steel or powder coated on pre-galvanized steel base. Swing frame end connectors and crossbeam of hot dip galvanized steel or powder coated on hot dip galvanized steel base.




KOMPAN heavy duty designed swing hangers of stainless steel with anti-twist function. The hangers are attached to the cross beam on a welded bracket with two bolts. The bearings are embedded with silicone lubricant and needs no further lubrication.




The standard seats of KOMPAN swings is engineered for maximum safety and durability. The seat two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot dip galvanized steel or stainless steel for all swings heights.



The swing hangers are made of high quality UV-stabilized nylon (PA6) housing with integrated lifetime sealed ball bearings. The height adjustable chains are fixed by a stainless steel hook with theft proof snake-eye bolt in a turn able anti twist housing. All seats with two chain fixation are available with either standard or anti-wrap suspension.



KOMPAN designed the bird's nest seats to be light in weight and in compliance with global safety standards. The soft, shock absorbent bumpers with non-slip surface makes the swing seat extremely user friendly. Choose between a rope version with reinforced PA rope or a molded PE version. Both equipped with soft rubber bumpers.



Unique designed seats for toddlers: Baby seat of rubber. Toddler seat of PUR with four chain suspension for easy movement. Cradle seat. You & Me swing seat for adult/child or children of different ages to swing together while facing each other.



Item no. KSW92009-0910	
Installation Information	
Max. fall height	7'11"
Safety surfacing area	850ft ²
Total installation time	7.0
Excavation volume	2.07yd ³
Concrete volume	0.76yd ³
Footing depth (standard)	2'11"
Shipment weight	675lbs
Anchoring options	In-ground ✓
Warranty Information	
Chains	10 Years
Spare Parts Availability	10 Years
Steel post HDG	Lifetime
Swing hangers	5 Years
Swing seat	10 Years

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	1	1	1



Sustainability Data

KSW92009



Cradle to Gate A1-A3	Total CO ₂ emission		CO ₂ e/kg		Recycled materials	
	kg CO ₂ e	764.34	kg CO ₂ e/kg	3.18	%	44.74
KSW92009-0910						

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)



Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Date version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint: impact according to the GHG protocol (Greenhouse Gas Protocol). Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment", represented by item no. KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark, Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000


Swing, 3 seat, 8 ft H, 1 Shell Seat

KSW92009




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KSW92009
**7'-11" / 241cm
**8'-4" / 255cm
***848ft² / 79m²



[Click to see TOP VIEW](#)


[Click to see SIDE VIEW](#)

Swing Seat, Stainless

SW990011



Item no. SW990011-00	
General Product Information	
Dimensions LxWxH	2'1"x0'8"x0'0"
Age group	2 - 12
Play capacity (users)	1
Color options	●



YES! The Swing is an all time playground favorite: children love swinging, individually and together. Swinging is pure thrill and joy, being swung up and down, using all the body to increase speed, or slow down. The seat is shaped with a slight curve in the middle, to facilitate the secure seat position of a wide age span. A great place to play, for all ages, for

hours and days. Swinging, apart from being great fun, trains the children's ABC: agility, balance and coordination as well as their spatial awareness. These motor skills are crucial to being able to judge distances and navigate traffic safely. Swings allows for standing sitting, lying – and not least jumping off. Apart from the motor skills training, this

trains the arm, leg and core muscles. The jumping off builds bone density – the majority of which is built up during the first years of life.




Swing Seat, Stainless

SW990011



Swing seat

Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. The swinging movement trains the arm, leg and core muscles, and strengthens bone density when jumping off. **Cognitive:** cause and effect understanding and thinking skills for younger children when swinging.



Swing Seat, Stainless

SW990011



The standard seats of KOMPAN swings is engineered for maximum safety and durability. The seat two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot dip galvanized steel or stainless steel for all swings heights.



Item no. SW990011-00	
Installation Information	
Max. fall height	7'11"
Safety surfacing area	212ft ²
Total installation time	0.1
Excavation volume	0yd ³
Concrete volume	0yd ³
Footing depth (standard)	0'0"
Shipment weight	12lbs
Anchoring options	
Warranty Information	
Chains	10 Years
Spare Parts Availability	10 Years
Swing seat	10 Years

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0

Sustainability Data

SW990011



Cradle to Gate A1-A3

SW990011-00	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
	21.35	4.01	31.28

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint, impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category, "Freestanding play equipment" represented by item no. KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | **Valid until:** 30. October 2025

Verified by:



Julie Marie Vejsgaard, Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by Bureau Veritas HSE, Denmark. Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

Swing Seat, Stainless

SW990011




* Max fall height | ** Total height | *** Safety surfacing area



SW990011
***212ft² / 19.7m²

* Max fall height | ** Total height



SW990011
1:100

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Balance Beam

FSW215



Item no. FSW21500-0900	
General Product Information	
Dimensions LxWxH	17'6"x10'5"x1'6"
Age group	13+
Play capacity (users)	3
Color options	



See KOMPAN Fit App for More Information



In addition to running, jumping, climbing and crawling, balancing should always be a part of a challenging obstacle course. The balance beam is divided into three sections with increasing degrees of difficulty. The real dare devils can make the exercises even more difficult by balancing backwards. The surface of the Balance Beam is made from Ekogrip®

panels with a top-layer of thermoplastic rubber, this has a non-skid effect for comfortable and safe training in all weather circumstances.

Balance Beam

FSW215




Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



The bars intended for exercises are made of hot-dip galvanized steel $\varnothing 48\text{mm}$. The diameter of these bars provide a good support when used to for push ups exercises or when doing exercises standing on the tubes.



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



All decks are made of High Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.

Item no. FSW21500-0900	
Installation Information	
Max. fall height	1'4"
Safety surfacing area	278ft ²
Total installation time	3.7
Excavation volume	0.14yd ³
Concrete volume	0.01yd ³
Footing depth (standard)	2'11"
Shipment weight	215lbs
Anchoring options	In-ground ✓
	Surface ✓
Warranty Information	
Connectors	10 Years
EcoCore HDPE	Lifetime
Hot dip galvanized steel	Lifetime
Post	10 Years
Spare Parts Availability	10 Years

Sustainability Data

FSW215



Cradle to Gate A1-A3	Total CO ₂ emission		CO ₂ e/kg		Recycled materials	
	kg CO ₂ e	156.40	kg CO ₂ e/kg	2.29	%	53.91
FSW21500-0900						

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)



Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category "Fitness" represented by item no. FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | **Valid until:** 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Balance Beam


FSW215



* Max fall height | ** Total height | **** Safety surfacing area



* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)



Product Name	Nebula Mini IV
Product Number	DX-918
Size -- Length	6.00 m / 19' 8"
Size -- Width	2.50 m / 8' 2"
Size -- Height	3.07 m / 10' 1"
Shipping Weight	500 kg / 1102.3 lb
Shipping Volume	4.50 m ³ / 158.9 ft ³
Foundations	8
Concrete Volume	2.35 m ³ / 83.0 ft ³

	ASTM F-1487	CSA Z614	EN 1176
Capacity	15	15	15
Use Zone -- Length	9.80 m / 32' 2"	9.80 m / 32' 2"	10.60 m / 34' 9"
Use Zone -- Width	6.16 m / 20' 3"	6.16 m / 20' 3"	6.96 m / 22' 10"
Fall Height	2.60 m / 8' 6"	2.60 m / 8' 6"	2.60 m / 8' 6"

*Note: Concrete must be minimum 3500 PSI / 25MPa

Product Features:

SUPPORT POSTS:	This will be 5 1/2" (139.8mm) OD phosphate dipped steel tubing finished with hot dipped galvanization.
CLIMBING NETS:	These will be 20 mm diameter, polyamide (nylon) rope cable with UV protection and fire retardant solution. Each rope consists of 6 strands each containing 24 galvanized steel reinforcing strands within a polyamide sleeve, wrapped around a solid polyamide core for a total of 144 steel reinforcing strands; each end of the cable having a junction loop attached onto the cable with a finished aluminum sleeve and lined with a galvanized steel wear bar. Rope shall achieve a Class 7-8 Colourfastness rating.
BALL KNOTS:	This will be a one-piece compressed aluminum ball, compressed in place with 150,000 pounds force (667 kN) to prevent the connection from moving and causing premature cable wear.
BASIC FASTENERS:	All fasteners for component attachments are stainless steel.
FOUNDATION:	These will be 10" (250mm) square steel plates, 1/8" (3mm) thick, bolted to concrete blocks and attached to the main structure with 12" (300mm) long, 2 3/8" (60.5mm) OD steel tubing, all finished with either polyester powder coating or hot dipped galvanization.
ANCHOR BOLTS:	Mounting plates will be secured to concrete blocks with 7/8" (22mm) diameter x 20" (500mm) long "L" Anchor bolts, inserted into the wet concrete when poured.
SURFACE MOUNT:	Optionally, the product may be surface mounted utilizing 6" (150mm) long expansion bolts in place of the standard anchor bolts.
INSTALLATION:	This should be installed only by a licensed playground installer, trained and certified on the relevant playground standards in place in the region of installation, e.g., NPSI, CPSI or similar certified.

COMPLIANT WITH:

CAN/CSA-Z614-14
ASTM F-1487-11
EN-1176
CPSC Handbook for Public Playground Safety




† Where proper surfacing is used, this product meets the ADAAG guidelines for accessibility, allowing the same play possibilities for people of all abilities.



Support Post



Climbing Net - 20 mm



Ball Knot



Footing



Anchor Bolt



Expansion Bolt

We offer the following colour choices. 1) Other paint colours may be possible as a special order item at increased cost. 2) Biggo seats are standard Window Grey painted metal with Galvanized Chain and Blue bumper. 3) The selection of colours available for the PE Panels will vary according to supplier stock; please contact us to find out what combinations are available prior to placing your order. 4) Depending on the style of slide required, colour availability may vary; there may also be additional colour options not shown below. 5) Purple and Orange rope are available for select products only. Please consult your sales representative for confirmation.


ROPE COLOURS




PAINT COLOURS



NATURE'S AURA WOOD STAIN COLOURS



PE SLIDE COLOURS



PE PANEL COLOURS



DECKING



NOTE: Actual colours of products and materials may appear slightly different than pictured. Products are subject to availability and may change without notice.



12/19/2024

Chain Ring Challenge Ladder

Brand: SportsPlay

Regular Price: **MSRP \$2,480.00**

Sale Price: **\$2,311.00**

Product Specifications:

Age Range: 5 to 12 Years Old

Equipment Weight: 325 lb

Installed Dimensions: 8 ft x 8 ft

Use Zone: 20 ft x 20 ft

Description:

The Chain Ring Ladder Fitness Course Section is designed to challenge and engage individuals in active play and physical fitness. This unique obstacle combines the fun of swinging chains with the skillful navigation of ring ladders, offering a stimulating workout that enhances coordination and agility. Its robust construction ensures durability for sustained use in outdoor environments. This piece is an excellent addition to any fitness course, encouraging users to push their limits in a fun and dynamic way.



Overhead Ladder, Wide

FSW205



Item no. FSW20501-0901	
General Product Information	
Dimensions LxWxH	7'5"x3'11"x7'10"
Age group	13+
Play capacity (users)	2
Color options	



See KOMPAN Fit App for More Information



The overhead ladder, also known as the monkey bar, may be the most famous of all obstacle course elements. The goal is to get to the other side without using your feet. This overhead ladder is wide and high to ensure anyone can hang and move freely. To make sure that everyone can reach the overhead ladder we added 4 stepping pods at different

heights. The overhead ladder has a clear instruction sign showing the basic exercise and a QR code. By clicking on the QR code users can connect to the KOMPAN Fitness App, where they will find multiple exercises and workouts at every level.



Overhead Ladder, Wide

FSW205



Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.




The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



Steps are made of extruded aluminium with a non-skid surface. Aluminium has high corrosion resistance and ensures durability of the product. Steps have been mounted at heights of 34,7cm and 54,7cm this creates an easy access to reach the overhead activity

Item no. FSW20501-0901	
Installation Information	
Max. fall height	7'8"
Safety surfacing area	124ft ²
Total installation time	3.5
Excavation volume	0.14yd ³
Concrete volume	0.1yd ³
Footing depth (standard)	2'11"
Shipment weight	321lbs
Anchoring options	In-ground ✓
	Surface ✓
Warranty Information	
Connectors	10 Years
Hot dip galvanized steel	Lifetime
Post	10 Years
Spare Parts Availability	10 Years



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



KOMPAN fitness products are standard available in Orange, RAL2010 and Grey, RAL7012. All other RAL colors are available on request. It will always be possible to match the surroundings or color theme!

ASTM F3101
compliant

Sustainability Data

FSW205



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FSW20501-0901	179.77	1.83	68.73

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompani A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol). Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no. FAZ10100-0900.

(Scope 3 emissions include emissions from sources in the upstream and downstream value chain).

Date: 30. October 2023 | **Valid until:** 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompani product line, version 1.0, prepared by Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000



Overhead Ladder, Wide

FSW205



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height




[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Parallel Bars

FSW201



Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.




The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



Bars intended as grips during exercises are made of hot-dip galvanized steel ø38mm. A great diameter to support the wrist when doing dips or handstands.

Item no. FSW20100-0901	
Installation Information	
Max. fall height	3'6"
Safety surfacing area	88ft²
Total installation time	2.6
Excavation volume	0.14yd³
Concrete volume	0.1yd³
Footing depth (standard)	2'11"
Shipment weight	163lbs
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Connectors	10 Years
Hot dip galvanized steel	Lifetime
Post	10 Years
Spare Parts Availability	10 Years



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.




KOMPAN fitness products are standard available in Orange, RAL2010 and Grey, RAL7012. All other RAL colors are available on request. It will always be possible to match the surroundings or color theme!

ASTM F3101
compliant

Sustainability Data

FSW201



Cradle to Gate A1-A3	Total CO ₂ emission		CO ₂ e/kg		Recycled materials	
	kg CO ₂ e	113.80	kg CO ₂ e/kg	2.02	%	65.93
FSW20100-0901						


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)



Kompani A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol). Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no. FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompani product line, version 1.0, prepared by Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Parallel Bars

FSW201




* Max fall height | ** Total height | *** Safety surfacing area



FSW20100
* 3'-6" / 107cm
** 3'-6" / 107cm
***88ft² / 8.2m²

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

12/19/2024

Pole Climb Challenge

Brand: SportsPlay

Regular Price: **MSRP \$680.00**

Sale Price: **\$661.00**

Features:

Your choice of Galvanized or Powder Coated finish, color choice is only needed if you choose the painted option

Materials:

Galvanized or Powder Coated finish

Product Specifications:

Age Range: 5 to 12 Years Old

Equipment Weight: 125 lb

Installed Dimensions: 4 ft x 8 ft x 8 ft

Use Zone: 16 ft x 20 ft



Description:

The Pole Climb Fitness Course Section is a thoughtfully designed outdoor playground equipment that skillfully blends entertainment with a dose of educational enrichment. This innovative piece not only challenges users physically, encouraging the development of strength and coordination, but also stimulates problem-solving skills, offering a multifaceted approach to outdoor play. Its robust design ensures durability and safety, making it a perfect addition to parks, schools, and community spaces. It's an inviting structure that promises endless hours of active fun, while subtly fostering an appreciation for physical education and outdoor activities. Its appeal lies in its ability to provide a balanced mix of fun and learning in an engaging environment.

12/19/2024

Pull Slide Challenge

Brand: SportsPlay

Regular Price: \$1,730.00

Sale Price: \$1,686.00

Features:

Your choice of Galvanized or Powder Coated finish, color choice is only needed if you choose the painted option

Materials:

Galvanized or Powder Coated finish

Product Specifications:

Age Range: 5 to 12 Years Old

Equipment Weight: 250 lb

Installed Dimensions: 2 ft x 10 ft

Use Zone: 14 ft x 22 ft




Description:

Transform your outdoor area with the Pull Slide Fitness Course Section, a brilliantly crafted playground piece that seamlessly combines fun with learning opportunities. Made from robust galvanized aluminum, it ensures durability and offers customization through eye-catching, colorful powder-coated finishes. Designed to promote active engagement, it aids in physical development and boosts social interaction among children. Featuring a mix of climbing and sliding options, it challenges yet entertains, making it an excellent addition to any play space. This equipment not only enriches the playground experience but also cultivates a sense of community, allowing children to play, grow, and learn together in a joyful and stimulating environment.

Sit Up Bench

FSW203




Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



The surface is made of Ekogrip™ panels, consisting of 15mm polyethylene with a 3mm top-layer of thermoplastic rubber. The Ekogrip™ panels have a non-skid effect for comfortable and safe training at all weather circumstances.



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



KOMPAN fitness products are standard available in Orange, RAL2010 and Grey, RAL7012. All other RAL colors are available on request. It will always be possible to match the surroundings or color theme!

Item no. FSW20300-0901	
Installation Information	
Max. fall height	2'1"
Safety surfacing area	110ft²
Total installation time	2.9
Excavation volume	0.14yd³
Concrete volume	0yd³
Footing depth (standard)	2'11"
Shipment weight	124lbs
Anchoring options	In-ground ✓
	Surface ✓
Warranty Information	
Connectors	10 Years
EcoCore HDPE	Lifetime
Hot dip galvanized steel	Lifetime
Post	10 Years
Spare Parts Availability	10 Years

ASTM F3101 compliant

Sustainability Data

FSW203



Cradle to Gate A1-A3

	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FSW20300-0901	95.74	2.44	50.48


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)



Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category "Fitness" represented by item no. FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Sit Up Bench

FSW203




* Max fall height | ** Total height | *** Safety surfacing area



FSW20300
* 2'-1" / 63cm
** 2'-8" / 81cm
*** 110ft² / 10.2m²

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Pull Up Station

FSW208



Item no. FSW20801-0901	
General Product Information	
Dimensions LxWxH	9'0"x0'5"x7'10"
Age group	13+
Play capacity (users)	2
Color options	



See KOMPAN Fit App for More Information



reaching the pull-up bar.

The Pull-Up Bar is made from solid steel and has a diameter of 1.26 inches. This is an ideal size for both men and women to have a good grip. The vertical ladder can be used like a wall, offering a spot for varied difficulty levels for handstand push-ups, Bulgarian split squats and push-ups. Additionally, the vertical ladder is perfect for stretching and offers a step up for

Pull Up Station

FSW208




Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



All bars intended for pull ups are made of solid, $\varnothing 32\text{mm}$ x 138 m, hot dip galvanized, S235JR steel bars. This diameter gives the right grip for everyone.



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



The pull up bar is mounted at a height of 233cm with a clean work out space underneath, next to a vertical ladder with 6 horizontal bars. The spaces in between the bars is 38cm.

Item no. FSW20801-0901	
Installation Information	
Max. fall height	7'8"
Safety surfacing area	138ft ²
Total installation time	3.2
Excavation volume	0.5yd ³
Concrete volume	0.3yd ³
Footing depth (standard)	2'11"
Shipment weight	230lbs
Anchoring options	In-ground <input checked="" type="checkbox"/>
	Surface <input checked="" type="checkbox"/>
Warranty Information	
Connectors	10 Years
Hot dip galvanized steel	Lifetime
Post	10 Years
Spare Parts Availability	10 Years

ASTM F3101 compliant

Sustainability Data

FSW208



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FSW20801-0901	131.11	1.88	69.14


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)



Kompani A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category "Fitness" represented by item no. FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompani product line, version 1.0, prepared by Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000


Pull Up Station

FSW208




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FSW20801
* 7'-8" / 233cm
** 7'-10" / 240cm
*** 138ft² / 12.8m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Double Turbo Challenge

FSW21201



Item no. FSW21201-0900	
General Product Information	
Dimensions LxWxH	14'6"x3'11"x8'10"
Age group	13+
Play capacity (users)	3
Color options	



See KOMPAN Fit App for More Information



The Turbo Challenge is the most dynamic and thrilling element of all obstacle course exercises. To do the exercise in the best way, a combination of skills, timing, rhythm and cross body coordination is needed. This Turbo Challenge is wide and high to ensure anyone can hang and move freely. To make sure that everyone can reach the dynamic wheels we

added 4 stepping pods at different heights. For an optimized and direct swing the 4 four dynamic wheels have been mounted under a 5 degree angle.

Double Turbo Challenge

FSW21201



Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



Steps are made of extruded aluminium with a non-skid surface. Aluminium has high corrosion resistance and ensures durability of the product. Steps have been mounted at heights of 34,7cm and 54,7cm this creates an easy access to reach the overhead activity



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.




KOMPAN fitness products are standard available in Orange, RAL2010 and Grey, RAL7012. All other RAL colors are available on request. It will always be possible to match the surroundings or color theme!

Item no. FSW21201-0900	
Installation Information	
Max. fall height	7'5"
Safety surfacing area	245ft ²
Total installation time	5.2
Excavation volume	0.22yd ³
Concrete volume	0.17yd ³
Footing depth (standard)	2'11"
Shipment weight	608lbs
Anchoring options	In-ground ✓
	Surface ✓
Warranty Information	
Bearing construction	5 Years
Hot dip galvanized steel	Lifetime
Post	10 Years
Spare Parts Availability	10 Years
Wheels	10 Years

**ASTM
F3101**
compliant

Sustainability Data

FSW21201



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FSW21201-0900	373.68	1.99	65.72

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Kompani A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category "Fitness" represented by item no. FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompani product line, version 1.0, prepared by Bureau Veritas HSE, Denmark, Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Double Turbo Challenge


FSW21201



* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)



12/19/2024

Swing Bars Challenge

Brand: SportsPlay

Regular Price: **MSRP \$1,580.00**

Sale Price: \$1,498.00

Product Specifications:

Age Range: 5 to 12 Years Old

Equipment Weight: 220 lb

Installed Dimensions: 7 ft x 8 ft x 15 ft

Use Zone: 19 ft x 27 ft



Description:


The Swing Bars Fitness Course Section is a captivating addition to any outdoor fitness or play area, blending the excitement of swinging movements with the rigorous benefits of physical exercise. This outdoor fitness apparatus is engineered to boost agility, strength, and coordination, promoting an active lifestyle in a fun and engaging manner. Its sturdy design ensures lasting durability and safety for users, making it a standout feature in community parks or playgrounds. Ideal for those seeking to incorporate playful elements into fitness routines, it epitomizes the harmonious blend of entertainment and health.

Triple Somersault Bars

PCM803



Item no. PCM803-0902	
General Product Information	
Dimensions LxWxH	10'0"x3'11"x5'7"
Age group	2 - 12
Play capacity (users)	3
Color options	●



The Triple Somersault Bars are great old-school playground favorites. They are irresistible to children, and their parents, repeatedly. The Triple Somersault Bars make possible cooperation and sharing, in two varied heights. They accommodate more users and different age and ability levels. The Triple Somersault Bars cater to a range of play

activities, including hanging from your arms, swaying, and training upper body muscles. They also create space for sitting on the bars with friends, sharing, using social-emotional skills or somersaulting. Somersaulting on the Triple Somersault Bars trains children's proprioception: the awareness of where body parts are and how to coordinate movements to

fit a space. It trains the senses of space and balance, too, making the child able to navigate the surroundings securely. Last, but not least, it develops major muscles.

Triple Somersault Bars

PCM803



Somersault bar

Physical: develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. **Social:** Emotional: meeting, socializing and turn-taking when climbing up and down via bar.




Triple Somersault Bars

PCM803



Steel posts are galvanized inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.



The turnbars are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and it requires low maintenance.



Item no. PCM803-0902	
Installation Information	
Max. fall height	4'10"
Safety surfacing area	250ft ²
Total installation time	3.1
Excavation volume	0.14yd ³
Concrete volume	0.05yd ³
Footing depth (standard)	2'9"
Shipment weight	175lbs
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Post	10 Years
Spare Parts Availability	10 Years

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

**ASTM
F1487**
compliant

Sustainability Data

PCM803



Kompani A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no. GX916012.3417.

(Scope 3 emissions include emissions from sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:




Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompani product line, version 1.0, prepared by Bureau Veritas HSE, Denmark, Julie M. V. Larsen.

Publication date: 30. October 2023

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

PCM803-0902	Cradle to Gate A1-A3		Recycled materials	
	Total CO ₂ emission kg CO ₂ e	CO ₂ e/kg kg CO ₂ e/kg	kg CO ₂ e/kg	%
	123.82	2.20		61.42




By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Triple Somersault Bars


PCM803



* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)



12/19/2024

Vault Bar Challenge

Brand: SportsPlay

Regular Price: **\$560.00**

Sale Price: **\$525.00**

Product Specifications:

Age Range: 5 to 12 Years Old

Equipment Weight: 85 lb

Description:

The Vault Bar Challenge revolutionizes outdoor fitness by merging fun with educational benefits, creating an unmatched exercise experience. This robust equipment, with its durable, galvanized finish, is built to last, aiming to enhance coordination, agility, and strength in a fun-filled yet structured manner. Proudly crafted in the USA, it not only offers endless entertainment but also fosters active learning and physical advancement. Ideal for fitness courses or playgrounds, it appeals to a diverse audience looking for a mix of challenge and enjoyment. This standout product exemplifies the best in engaging and dynamic fitness solutions, making it an essential offering for those committed to promoting health, education, and fun.

