

Ivan McDaniel

Pay Period

9/16/2023 to

9/30/2023

Day	Date	Regular	Paid OT	Comp Time			Holiday	PTO	VAC	Total
				Comp Time Earned (Straight)	Earned Comp Time Used	Comp Conversion Earned (Not in totals)				
Sunday									0.00	
Monday									0.00	
Tuesday									0.00	
Wednesday									0.00	
Thursday									0.00	
Friday									0.00	
Saturday	9/16/2023								0.00	
Total Week		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Sunday	9/17/2023								0.00	
Monday	9/18/2023	8.32							8.32	
Tuesday	9/19/2023	7.88							7.88	
Wednesday	9/20/2023	7.62							7.62	
Thursday	9/21/2023	6.90							6.90	
Friday	9/22/2023	5.73							5.73	
Saturday	9/23/2023	0.15							0.15	
Total Week		36.60	0.00	0.00	0.00	0.00	0.00	0.00	36.60	
Sunday	9/24/2023								0.00	
Monday	9/25/2023	7.88							7.88	
Tuesday	9/26/2023	8.03							8.03	
Wednesday	9/27/2023	8.03							8.03	
Thursday	9/28/2023	8.10							8.10	
Friday	9/29/2023	6.98							6.98	
Saturday	9/30/2023								0.00	
Total Week		39.02	0.00	0.00	0.00	0.00	0.00	0.00	39.02	
Total Pay Period		75.62	0.00	0.00	0.00	0.00	0.00	0.00	75.62	

I hereby certify the hours indicated above are true and correct and that I have not worked unauthorized overtime. I further certify and acknowledge the hours logged on the city's tracking system (as attached) are true and correct to the best of my knowledge. (Notes on T-Sheets)

Employee Signature: _____

Date: _____

Supervisor Signature: _____

Date: _____

Payperiod Notes:

Ivan McDaniel

09/16/2023 to 09/30/2023

Regular	PTO	OT	DT	Total Hours
75.62	0.00	0.00	0.00	75.62

Time in	Time out	Duration	
September 18, 2023			8.32
7:56am (MDT)	8:20am (MDT)	0.40	PARK > PARK - Restroom
8:20am (MDT)	8:32am (MDT)	0.20	WTR > WTR - Booster Station & Well Logs
8:32am (MDT)	9:11am (MDT)	0.65	MTG > MTG - Staff Meeting
9:11am (MDT)	9:47am (MDT)	0.60	SWR > SWR - System Maintenance
NOTES: getting stuff ready for scada fixing			
9:47am (MDT)	10:40am (MDT)	0.88	PARK > PARK - Irrigation
10:40am (MDT)	11:04am (MDT)	0.40	IND > IND - Industrial Park Maintenance
11:04am (MDT)	1:21pm (MDT)	2.28	WTR > WTR - Service Call
1:21pm (MDT)	2:47pm (MDT)	1.43	IND > IND - Industrial Park Maintenance
NOTES: clean up the fallout from water tank fall			
2:47pm (MDT)	4:15pm (MDT)	1.47	SWR > SWR - System Maintenance
NOTES: weedeat pond			
September 19, 2023			7.88
7:58am (MDT)	8:08am (MDT)	0.17	PARK > PARK - Restroom
8:08am (MDT)	8:12am (MDT)	0.07	SWR > SWR - Sewer Logs
8:12am (MDT)	8:32am (MDT)	0.33	SWR > SWR - Auger Room Maintenance
8:32am (MDT)	9:08am (MDT)	0.60	PARK > PARK - Irrigation
9:08am (MDT)	12:36pm (MDT)	3.47	IND > IND - Industrial Park Maintenance
NOTES: wall			
12:36pm (MDT)	12:57pm (MDT)	0.35	SWR > SWR - Service Call
NOTES: marking sewer line			
12:57pm (MDT)	1:12pm (MDT)	0.25	IND > IND - Industrial Park Maintenance
1:12pm (MDT)	1:35pm (MDT)	0.38	WTR > WTR - Service Call
NOTES: data log 210 larea			
1:35pm (MDT)	2:16pm (MDT)	0.68	IND > IND - Industrial Park Maintenance
NOTES: Weeds			
2:16pm (MDT)	3:20pm (MDT)	1.07	EQP > EQP - Backhoe Maintenance
3:20pm (MDT)	3:51pm (MDT)	0.52	STRTS > Train - Streets
September 20, 2023			7.62
7:53am (MDT)	8:02am (MDT)	0.15	PARK > PARK - Restroom
8:02am (MDT)	8:13am (MDT)	0.18	WTR > WTR - Booster Station & Well Logs
8:13am (MDT)	8:44am (MDT)	0.52	SWR > SWR - Auger Room Maintenance
8:44am (MDT)	8:56am (MDT)	0.20	WTR > WTR - Well #4 Maintenance
NOTES: well 5 check up			
8:56am (MDT)	10:58am (MDT)	2.03	WTR > WTR - Meter Reading
10:58am (MDT)	12:10pm (MDT)	1.20	PARK > PARK - Irrigation

12:10pm (MDT)	1:09pm (MDT)	0.98	WTR > WTR - Service Call
NOTES: filling in abandoned meter on larea			
1:09pm (MDT)	3:30pm (MDT)	2.35	SWR > SWR - System Maintenance
NOTES: moving river intake pump			

September 21, 2023 **6.90**

7:52am (MDT)	8:05am (MDT)	0.22	PARK > PARK - Restroom
8:05am (MDT)	8:08am (MDT)	0.05	SWR > SWR - Sewer Logs
8:08am (MDT)	8:26am (MDT)	0.30	SWR > SWR - Auger Room Maintenance
8:26am (MDT)	10:03am (MDT)	1.62	WTR > WTR - Meter Reading
NOTES: working on meter issues			
10:03am (MDT)	12:20pm (MDT)	2.28	IND > IND - Industrial Park Maintenance
NOTES: installation of vents in the wall			
12:20pm (MDT)	2:26pm (MDT)	2.10	PARK > PARK - Mowing / Trimming
2:26pm (MDT)	2:46pm (MDT)	0.33	PW > PW - City Shop > Shop

September 22, 2023 **5.73**

7:39am (MDT)	7:53am (MDT)	0.23	PARK > PARK - Restroom
7:53am (MDT)	8:02am (MDT)	0.15	WTR > WTR - Booster Station & Well Logs
8:02am (MDT)	8:38am (MDT)	0.60	SWR > SWR - Auger Room Maintenance
8:38am (MDT)	9:09am (MDT)	0.52	STRTS > STRTS - Storm Drainage
9:09am (MDT)	10:10am (MDT)	1.02	WTR > WTR - Well #4 Maintenance
NOTES: weedeat wells			
10:10am (MDT)	10:31am (MDT)	0.35	IND > IND - Industrial Park Maintenance
10:31am (MDT)	11:51am (MDT)	1.33	SWR > SWR - Land Application Project
NOTES: winter prep			
11:51am (MDT)	1:12pm (MDT)	1.35	SWR > SWR - System Maintenance
NOTES: measure lagoon 3			
3:04pm (MDT)	3:15pm (MDT)	0.18	IND > IND - Industrial Park Maintenance

September 23, 2023 **0.15**

12:07pm (MDT)	12:16pm (MDT)	0.15	SWR > SWR - Land Application Project
---------------	---------------	------	--------------------------------------

September 25, 2023 **7.88**

7:51am (MDT)	8:01am (MDT)	0.17	PARK > PARK - Restroom
8:01am (MDT)	8:11am (MDT)	0.17	WTR > WTR - Booster Station & Well Logs
8:11am (MDT)	8:20am (MDT)	0.15	WTR > WTR- Fire Hydrants
NOTES: look for reasons to high flow rate			
8:20am (MDT)	9:04am (MDT)	0.73	MTG > MTG - Staff Meeting
9:04am (MDT)	9:24am (MDT)	0.33	SWR > SWR - Auger Room Maintenance
9:24am (MDT)	10:30am (MDT)	1.10	WTR > WTR - Well #4 Maintenance
NOTES: depth measurement			
10:30am (MDT)	10:51am (MDT)	0.35	IND > IND - Industrial Park Maintenance
NOTES: get non burnibles out of burn pile			

10:51am (MDT)	11:57am (MDT)	1.10	WTR > WTR - Well #3 Maintenance
NOTES: finding out if there is a sulfur smell at the wells			
11:57am (MDT)	12:28pm (MDT)	0.52	WTR > WTR - Leak Letters
NOTES: red door notice			
12:28pm (MDT)	12:34pm (MDT)	0.10	WTR > WTR - Service Call
NOTES: help at heartland			
12:34pm (MDT)	1:09pm (MDT)	0.58	WTR > WTR - Leak Letters
1:09pm (MDT)	3:44pm (MDT)	2.58	STRTS > STRTS - Storm Drainage

September 26, 2023 **8.03**

7:48am (MDT)	8:09am (MDT)	0.35	PARK > PARK - Restroom
8:09am (MDT)	8:15am (MDT)	0.10	SWR > SWR - Sewer Logs
8:15am (MDT)	8:18am (MDT)	0.05	SWR > SWR - Auger Room Maintenance
8:18am (MDT)	9:12am (MDT)	0.90	STRTS > STRTS - Storm Drainage
NOTES: build drain cover			
9:12am (MDT)	9:55am (MDT)	0.72	WTR > WTR - Reporting
NOTES: sample			
9:55am (MDT)	11:48am (MDT)	1.88	IND > IND - Industrial Park Maintenance
NOTES: tree removal			
11:48am (MDT)	12:51pm (MDT)	1.05	WTR > WTR - Leak Letters
12:51pm (MDT)	3:05pm (MDT)	2.23	IND > IND - Industrial Park Maintenance
3:05pm (MDT)	3:50pm (MDT)	0.75	PW > PW - City Shop > Shop

September 27, 2023 **8.03**

7:51am (MDT)	8:01am (MDT)	0.17	PARK > PARK - Restroom
8:01am (MDT)	8:11am (MDT)	0.17	WTR > WTR - Booster Station & Well Logs
8:11am (MDT)	8:14am (MDT)	0.05	SWR > SWR - Sewer Logs
8:14am (MDT)	8:30am (MDT)	0.27	SWR > SWR - Auger Room Maintenance
8:30am (MDT)	12:44pm (MDT)	4.23	IND > IND - Industrial Park Maintenance
NOTES: burn pile			
12:44pm (MDT)	1:04pm (MDT)	0.33	WTR > WTR - Well #4 Maintenance
NOTES: depth			
1:04pm (MDT)	3:40pm (MDT)	2.60	SWR > SWR - System Maintenance
NOTES: finding manholes for John			
4:51pm (MDT)	5:04pm (MDT)	0.22	STRTS > STRTS - Sign Maintenance / Replacement

September 28, 2023 **8.10**

7:49am (MDT)	8:07am (MDT)	0.30	PARK > PARK - Restroom
8:07am (MDT)	8:16am (MDT)	0.15	WTR > WTR - Booster Station & Well Logs
8:16am (MDT)	8:18am (MDT)	0.03	SWR > SWR - Sewer Logs
8:18am (MDT)	9:20am (MDT)	1.03	SWR > SWR - Auger Room Maintenance
9:20am (MDT)	9:53am (MDT)	0.55	PW > PW - City Shop > Shop
9:53am (MDT)	10:10am (MDT)	0.28	WTR > WTR - Well #4 Maintenance

NOTES: depth

10:10am (MDT)	10:23am (MDT)	0.22	STRTS > STRTS - Storm Drainage
10:23am (MDT)	12:40pm (MDT)	2.28	PARK > PARK - Mowing / Trimming
12:40pm (MDT)	3:55pm (MDT)	3.25	SWR > SWR - Service Call

September 29, 2023

6.97

7:51am (MDT)	8:09am (MDT)	0.30	PARK > PARK - Restroom
8:09am (MDT)	8:19am (MDT)	0.17	WTR > WTR - Booster Station & Well Logs
8:19am (MDT)	8:20am (MDT)	0.02	SWR > SWR - Sewer Logs
8:20am (MDT)	8:42am (MDT)	0.37	SWR > SWR - Auger Room Maintenance
8:42am (MDT)	9:47am (MDT)	1.08	SWR > SWR - System Maintenance
NOTES: clean chlorine room, and pump station			
9:47am (MDT)	10:25am (MDT)	0.63	SWR > SWR - Service Call
NOTES: mark sewer line			
10:25am (MDT)	10:37am (MDT)	0.20	WTR > WTR - Well #3 Maintenance
NOTES: check for sulfur smell			
10:37am (MDT)	12:00pm (MDT)	1.38	PW > PW - City Shop > Shop
NOTES: clean office and other rooms			
12:00pm (MDT)	2:49pm (MDT)	2.82	STRTS > STRTS - Pot Hole Repair