

Ivan McDaniel

Pay Period

11/16/2023 to

11/30/2023

Day	Date	Regular	Paid OT	Comp Time			Holiday	PTO	VAC	Total
				Comp Time Earned (Straight)	Earned Comp Time Used	Comp Conversion Earned (Not in totals)				
Sunday									0.00	
Monday									0.00	
Tuesday									0.00	
Wednesday									0.00	
Thursday	11/16/2023	8.08							8.08	
Friday	11/17/2023	6.18							6.18	
Saturday	11/18/2023								0.00	
<b>Total Week</b>		<b>14.26</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>14.26</b>	
Sunday	11/19/2023								0.00	
Monday	11/20/2023	8.30							8.30	
Tuesday	11/21/2023	8.23							8.23	
Wednesday	11/22/2023	8.22							8.22	
Thursday	11/23/2023					8.00			8.00	
Friday	11/24/2023	3.77							3.77	
Saturday	11/25/2023								0.00	
<b>Total Week</b>		<b>28.52</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>8.00</b>	<b>0.00</b>	<b>0.00</b>	<b>36.52</b>	
Sunday	11/26/2023								0.00	
Monday	11/27/2023	8.07							8.07	
Tuesday	11/28/2023	8.43							8.43	
Wednesday	11/29/2023	9.17							9.17	
Thursday	11/30/2023	8.07							8.07	
Friday									0.00	
Saturday									0.00	
<b>Total Week</b>		<b>33.74</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>33.74</b>	
<b>Total Pay Period</b>		<b>76.52</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>8.00</b>	<b>0.00</b>	<b>0.00</b>	<b>84.52</b>	

I hereby certify the hours indicated above are true and correct and that I have not worked unauthorized overtime. I further certify and acknowledge the hours logged on the city's tracking system (as attached) are true and correct to the best of my knowledge. (Notes on T-Sheets)

Employee Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Supervisor Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Payperiod Notes:

# Ivan McDaniel

11/16/2023 to 11/30/2023

Regular	PTO	OT	DT	Total Hours
<b>76.52</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>76.52</b>

Time in	Time out	Duration	
<b>November 16, 2023</b>			<b>8.08</b>
7:50am (MST)	7:59am (MST)	0.15	PARK > PARK - Restroom
7:59am (MST)	8:05am (MST)	0.10	SWR > SWR - Sewer Logs
8:05am (MST)	9:00am (MST)	0.92	SWR > SWR - Auger Room Maintenance
9:00am (MST)	3:55pm (MST)	6.92	IND > IND - Industrial Park Maintenance
<b>November 17, 2023</b>			<b>6.18</b>
7:48am (MST)	8:01am (MST)	0.22	PARK > PARK - Restroom
8:01am (MST)	8:17am (MST)	0.27	WTR > WTR - Booster Station & Well Logs
8:17am (MST)	9:15am (MST)	0.97	SWR > SWR - Auger Room Maintenance
9:15am (MST)	1:59pm (MST)	4.73	EQP > EQP - Grader Maintenance
<b>NOTES:</b> put wing on			
<b>November 20, 2023</b>			<b>8.30</b>
7:54am (MST)	8:02am (MST)	0.13	PARK > PARK - Restroom
8:02am (MST)	8:16am (MST)	0.23	WTR > WTR - Booster Station & Well Logs
8:16am (MST)	8:29am (MST)	0.22	SWR > SWR - Auger Room Maintenance
8:29am (MST)	9:09am (MST)	0.67	MTG > MTG - Staff Meeting
9:09am (MST)	11:43am (MST)	2.57	WTR > WTR - Meter Reading
11:43am (MST)	1:20pm (MST)	1.62	SWR > SWR - System Maintenance
1:20pm (MST)	3:17pm (MST)	1.95	PW > PW - City Shop > Shop
<b>NOTES:</b> odd jobs			
3:17pm (MST)	4:12pm (MST)	0.92	SWR > SWR - System Maintenance
<b>NOTES:</b> get pressure gauge and hose connected to the new Ball			
<b>November 21, 2023</b>			<b>8.23</b>
7:46am (MST)	7:57am (MST)	0.18	PARK > PARK - Restroom
7:57am (MST)	8:00am (MST)	0.05	SWR > SWR - Sewer Logs
8:00am (MST)	8:03am (MST)	0.05	SWR > SWR - Sewer Testing
8:03am (MST)	9:11am (MST)	1.13	SWR > SWR - Auger Room Maintenance
9:11am (MST)	9:33am (MST)	0.37	STRTS > STRTS - Pot Hole Repair
9:33am (MST)	10:08am (MST)	0.58	WTR > WTR - Meter Reading
<b>NOTES:</b> meter troubleshooting			
10:08am (MST)	10:19am (MST)	0.18	SWR > SWR - Auger Room Maintenance
<b>NOTES:</b> prepping for integrity			
10:19am (MST)	10:57am (MST)	0.63	WTR > WTR - Meter Reading
10:57am (MST)	12:14pm (MST)	1.28	IND > IND - Industrial Park Maintenance
12:14pm (MST)	1:09pm (MST)	0.92	SWR > SWR - Sewer Testing

1:09pm (MST)	1:35pm (MST)	0.43	WTR > WTR - Meter Reading
1:35pm (MST)	4:00pm (MST)	2.42	IND > IND - Industrial Park Maintenance
<b>November 22, 2023</b>			<b>8.22</b>
7:43am (MST)	8:03am (MST)	0.33	PARK > PARK - Restroom
8:03am (MST)	8:18am (MST)	0.25	WTR > WTR - Booster Station & Well Logs
8:18am (MST)	8:49am (MST)	0.52	SWR > SWR - Auger Room Maintenance
8:49am (MST)	3:09pm (MST)	6.33	IND > IND - Industrial Park Maintenance
<b>NOTES:</b> build water tank holder			
3:09pm (MST)	3:56pm (MST)	0.78	PW > PW - City Shop > Shop
<b>NOTES:</b> moving decorations			
<b>November 24, 2023</b>			<b>3.77</b>
7:58am (MST)	8:09am (MST)	0.18	PARK > PARK - Restroom
8:09am (MST)	8:29am (MST)	0.33	WTR > WTR - Booster Station & Well Logs
8:29am (MST)	9:32am (MST)	1.05	SWR > SWR - Auger Room Maintenance
11:53am (MST)	2:05pm (MST)	2.20	PARK > PARK - Maintenance
<b>November 27, 2023</b>			<b>8.07</b>
7:47am (MST)	7:53am (MST)	0.10	PARK > PARK - Restroom
7:53am (MST)	8:04am (MST)	0.18	WTR > WTR - Booster Station & Well Logs
8:04am (MST)	8:20am (MST)	0.27	SWR > SWR - Auger Room Maintenance
8:20am (MST)	9:12am (MST)	0.87	MTG > MTG - Staff Meeting
9:12am (MST)	9:58am (MST)	0.77	WTR > WTR - Meter Reading
<b>NOTES:</b> meter troubleshooting			
9:58am (MST)	10:51am (MST)	0.88	WTR > WTR - Leak Letters
<b>NOTES:</b> Red door notice			
10:51am (MST)	11:06am (MST)	0.25	STRTS > STRTS - Sign Maintenance / Replacement
11:06am (MST)	3:51pm (MST)	4.75	PARK > PARK - Maintenance
<b>November 28, 2023</b>			<b>8.43</b>
7:51am (MST)	8:02am (MST)	0.18	PARK > PARK - Restroom
8:02am (MST)	8:05am (MST)	0.05	SWR > SWR - Sewer Logs
8:05am (MST)	8:58am (MST)	0.88	SWR > SWR - Auger Room Maintenance
8:58am (MST)	10:20am (MST)	1.37	PARK > PARK - Maintenance
<b>NOTES:</b> moving bench			
10:20am (MST)	12:18pm (MST)	1.97	EQP > EQP - Grader Maintenance
12:18pm (MST)	12:42pm (MST)	0.40	WTR > WTR - Service Call
<b>NOTES:</b> shut off			
12:42pm (MST)	4:17pm (MST)	3.58	EQP > EQP - Grader Maintenance
<b>November 29, 2023</b>			<b>9.17</b>
7:50am (MST)	8:14am (MST)	0.40	PARK > PARK - Restroom

8:14am (MST)	8:33am (MST)	0.32	WTR > WTR - Booster Station & Well Logs
8:33am (MST)	9:33am (MST)	1.00	SWR > SWR - Auger Room Maintenance
<b>NOTES:</b> prep for integrity			
9:33am (MST)	5:00pm (MST)	7.45	EQP > EQP - Grader Maintenance

**November 30, 2023**

**8.07**

7:48am (MST)	7:57am (MST)	0.15	PARK > PARK - Restroom
7:57am (MST)	8:00am (MST)	0.05	SWR > SWR - Sewer Logs
8:00am (MST)	8:36am (MST)	0.60	SWR > SWR - Auger Room Maintenance
8:36am (MST)	8:58am (MST)	0.37	WTR > WTR - Leak Letters
<b>NOTES:</b> Red door notice			
8:58am (MST)	9:31am (MST)	0.55	PARK > PARK - Maintenance
<b>NOTES:</b> lights			
9:31am (MST)	12:09pm (MST)	2.63	EQP > EQP - Loader Maintenance
<b>NOTES:</b> chains			
12:09pm (MST)	2:59pm (MST)	2.83	EQP > EQP - Grader Maintenance
<b>NOTES:</b> chains			
2:59pm (MST)	3:52pm (MST)	0.88	EQP > EQP - Loader Maintenance