

Ivan McDaniel

Pay Period

6/1/2023 to

6/15/2023

| Day | Date | Regular | Paid OT | Comp Time | | | Holiday | PTO | VAC | Total |
|-------------------------|-----------|--------------|-------------|-----------------------------|-----------------------|--|-------------|-------------|--------------|-------|
| | | | | Comp Time Earned (Straight) | Earned Comp Time Used | Comp Conversion Earned (Not in totals) | | | | |
| Sunday | | | | | | | | | 0.00 | |
| Monday | | | | | | | | | 0.00 | |
| Tuesday | | | | | | | | | 0.00 | |
| Wednesday | | | | | | | | | 0.00 | |
| Thursday | 6/1/2023 | 8.28 | | | | | | | 8.28 | |
| Friday | 6/2/2023 | 7.89 | | | | | | | 7.89 | |
| Saturday | 6/3/2023 | | | | | | | | 0.00 | |
| Total Week | | 16.17 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 16.17 | |
| Sunday | 6/4/2023 | 0.67 | | | | | | | 0.67 | |
| Monday | 6/5/2023 | 8.90 | | | | | | | 8.90 | |
| Tuesday | 6/6/2023 | 8.33 | | | | | | | 8.33 | |
| Wednesday | 6/7/2023 | 8.28 | | | | | | | 8.28 | |
| Thursday | 6/8/2023 | 7.23 | | | | | | | 7.23 | |
| Friday | 6/9/2023 | 6.59 | | 0.35 | | | | | 6.94 | |
| Saturday | 6/10/2023 | | | | | | | | 0.00 | |
| Total Week | | 40.00 | 0.00 | 0.35 | 0.00 | 0.00 | 0.00 | 0.00 | 40.35 | |
| Sunday | 6/11/2023 | | | | | | | | 0.00 | |
| Monday | 6/12/2023 | 9.38 | | | | | | | 9.38 | |
| Tuesday | 6/13/2023 | 8.80 | | | | | | | 8.80 | |
| Wednesday | 6/14/2023 | 8.98 | | | | | | | 8.98 | |
| Thursday | 6/15/2023 | 8.69 | | | | | | | 8.69 | |
| Friday | | | | | | | | | 0.00 | |
| Saturday | | | | | | | | | 0.00 | |
| Total Week | | 35.85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 35.85 | |
| Total Pay Period | | 92.02 | 0.00 | 0.35 | 0.00 | 0.00 | 0.00 | 0.00 | 92.37 | |

I hereby certify the hours indicated above are true and correct and that I have not worked unauthorized overtime. I further certify and acknowledge the hours logged on the city's tracking system (as attached) are true and correct to the best of my knowledge. (Notes on T-Sheets)

Employee Signature: _____

Date: _____

Supervisor Signature: _____

Date: _____

Payperiod Notes:

Ivan McDaniel

06/01/2023 to 06/15/2023

| | | | | |
|--------------|-------------|-------------|-------------|--------------|
| Regular | PTO | OT | DT | Total Hours |
| 92.02 | 0.00 | 0.35 | 0.00 | 92.37 |

| Time in | Time out | Duration | |
|---|---------------|----------|---|
| June 1, 2023 | | | 8.28 |
| 7:34am (MDT) | 7:38am (MDT) | 0.07 | WTR > WTR - Booster Pump Maintenance |
| NOTES: opening gate for tcg | | | |
| 7:38am (MDT) | 7:53am (MDT) | 0.25 | PARK > PARK - Restroom |
| 7:53am (MDT) | 7:57am (MDT) | 0.07 | SWR > SWR - Sewer Logs |
| 7:57am (MDT) | 8:16am (MDT) | 0.32 | SWR > SWR - Auger Room Maintenance |
| 8:16am (MDT) | 8:40am (MDT) | 0.40 | WTR > WTR - Service Call |
| 8:40am (MDT) | 10:25am (MDT) | 1.75 | PARK > PARK - Mowing / Trimming |
| NOTES: weedeat | | | |
| 10:25am (MDT) | 11:00am (MDT) | 0.58 | PARK > PARK - Mowing / Trimming |
| NOTES: weedeat bulbouts | | | |
| 11:00am (MDT) | 1:09pm (MDT) | 2.15 | WTR > WTR - Well #4 Maintenance |
| NOTES: weedeat wells | | | |
| 1:09pm (MDT) | 3:18pm (MDT) | 2.15 | IND > IND - Industrial Park Maintenance |
| 3:18pm (MDT) | 3:51pm (MDT) | 0.55 | WTR > WTR - Well #4 Maintenance |
| NOTES: well depth measurement | | | |
| June 2, 2023 | | | 7.88 |
| 7:57am (MDT) | 8:09am (MDT) | 0.20 | PARK > PARK - Restroom |
| 8:09am (MDT) | 8:50am (MDT) | 0.68 | WTR > WTR - Booster Station & Well Logs |
| 8:50am (MDT) | 9:25am (MDT) | 0.58 | SWR > SWR - Land Application Project |
| NOTES: monitoring Wells | | | |
| 9:25am (MDT) | 1:05pm (MDT) | 3.67 | IND > IND - Industrial Park Maintenance |
| NOTES: fixing up shed | | | |
| 1:05pm (MDT) | 1:49pm (MDT) | 0.73 | PARK > PARK - Mowing / Trimming |
| 1:49pm (MDT) | 2:16pm (MDT) | 0.45 | SWR > SWR - Sewer Testing |
| 2:16pm (MDT) | 3:23pm (MDT) | 1.12 | IND > IND - Industrial Park Maintenance |
| 3:23pm (MDT) | 3:50pm (MDT) | 0.45 | WTR > WTR - Well #4 Maintenance |
| NOTES: depth measurement | | | |
| June 4, 2023 | | | 0.67 |
| 4:43pm (MDT) | 5:23pm (MDT) | 0.67 | EMERGENCY > 1 Emergency - Water |
| NOTES: heartland leak | | | |
| June 5, 2023 | | | 8.90 |
| 7:45am (MDT) | 8:00am (MDT) | 0.25 | PARK > PARK - Restroom |
| NOTES: unlocked stuff for the booster station | | | |
| 8:00am (MDT) | 8:10am (MDT) | 0.17 | WTR > WTR - Booster Station & Well Logs |
| 8:10am (MDT) | 8:28am (MDT) | 0.30 | WTR > WTR - Service Call |
| NOTES: getting ready for the depot service line installation | | | |
| 8:28am (MDT) | 9:00am (MDT) | 0.53 | MTG > MTG - Staff Meeting |

| | | | |
|--|---------------|------|---------------------------------|
| 9:00am (MDT) | 9:29am (MDT) | 0.48 | WTR > WTR - Service Call |
| 9:29am (MDT) | 9:35am (MDT) | 0.10 | WTR > WTR - Service Call |
| NOTES: shut off heartland | | | |
| 9:35am (MDT) | 12:48pm (MDT) | 3.22 | WTR > WTR - Service Call |
| NOTES: depot | | | |
| 12:48pm (MDT) | 1:05pm (MDT) | 0.28 | PW > PW - City Shop > Shop |
| NOTES: figuring out tanker truck info | | | |
| 1:05pm (MDT) | 2:57pm (MDT) | 1.87 | WTR > WTR - Service Call |
| NOTES: depot | | | |
| 2:57pm (MDT) | 4:39pm (MDT) | 1.70 | PARK > PARK - Mowing / Trimming |

June 6, 2023

8.33

| | | | |
|--|---------------|------|------------------------------------|
| 7:47am (MDT) | 7:54am (MDT) | 0.12 | PARK > PARK - Restroom |
| NOTES: opened gate for tcg | | | |
| 7:54am (MDT) | 8:10am (MDT) | 0.27 | SWR > SWR - Auger Room Maintenance |
| 8:10am (MDT) | 8:25am (MDT) | 0.25 | SWR > SWR - Sewer Logs |
| 8:25am (MDT) | 8:46am (MDT) | 0.35 | WTR > WTR - Service Call |
| NOTES: fix leak at 214 1/2 s miller | | | |
| 8:46am (MDT) | 8:53am (MDT) | 0.12 | PARK > PARK - Restroom |
| 8:53am (MDT) | 9:53am (MDT) | 1.00 | WTR > WTR - Service Call |
| 9:53am (MDT) | 10:10am (MDT) | 0.28 | PARK > PARK - Restroom |
| 10:10am (MDT) | 1:51pm (MDT) | 3.68 | WTR > WTR - Service Call |
| 1:51pm (MDT) | 2:14pm (MDT) | 0.38 | PARK > PARK - Maintenance |
| NOTES: trying to get a urinal to flush properly | | | |
| 2:14pm (MDT) | 2:35pm (MDT) | 0.35 | SWR > SWR - Service Call |
| 2:35pm (MDT) | 4:07pm (MDT) | 1.53 | PARK > PARK - Maintenance |
| NOTES: urinal | | | |

June 7, 2023

8.28

| | | | |
|--|---------------|------|---|
| 7:31am (MDT) | 7:38am (MDT) | 0.12 | WTR > WTR - Service Call |
| 7:38am (MDT) | 8:01am (MDT) | 0.38 | PARK > PARK - Restroom |
| 8:01am (MDT) | 8:06am (MDT) | 0.08 | WTR > WTR - Booster Station & Well Logs |
| 8:06am (MDT) | 8:09am (MDT) | 0.05 | WTR > WTR - Service Call |
| 8:09am (MDT) | 8:22am (MDT) | 0.22 | WTR > WTR - Booster Station & Well Logs |
| 8:22am (MDT) | 8:56am (MDT) | 0.57 | PARK > PARK - Maintenance |
| NOTES: urinal | | | |
| 8:56am (MDT) | 10:15am (MDT) | 1.32 | IND > IND - Industrial Park Maintenance |
| NOTES: meeting with debrah | | | |
| 10:15am (MDT) | 1:36pm (MDT) | 3.35 | SWR > SWR - Service Call |
| NOTES: locating service to brick building on Kathrine | | | |
| 1:36pm (MDT) | 3:12pm (MDT) | 1.60 | PARK > PARK - Mowing / Trimming |
| NOTES: weedeat | | | |

| | | | |
|-------------------------------|--------------|------|---|
| 3:12pm (MDT) | 3:19pm (MDT) | 0.12 | WTR > WTR- Fire Hydrants |
| NOTES: weedeat hydrant | | | |
| 3:19pm (MDT) | 3:48pm (MDT) | 0.48 | IND > IND - Industrial Park Maintenance |

June 8, 2023 **7.23**

| | | | |
|-------------------------------------|---------------|------|--|
| 7:36am (MDT) | 7:42am (MDT) | 0.10 | WTR > WTR - Booster Pump Maintenance |
| NOTES: opening gate | | | |
| 7:42am (MDT) | 7:49am (MDT) | 0.12 | PARK > PARK - Restroom |
| 7:49am (MDT) | 7:53am (MDT) | 0.07 | SWR > SWR - Sewer Logs |
| 7:53am (MDT) | 8:33am (MDT) | 0.67 | SWR > SWR - Auger Room Maintenance |
| 8:33am (MDT) | 10:31am (MDT) | 1.97 | STRTS > STRTS - Sign Maintenance / Replacement |
| 10:31am (MDT) | 10:59am (MDT) | 0.47 | IND > IND - Industrial Park Maintenance |
| NOTES: work on dog pound | | | |
| 10:59am (MDT) | 12:39pm (MDT) | 1.67 | STRTS > STRTS - Sign Maintenance / Replacement |
| 12:39pm (MDT) | 1:15pm (MDT) | 0.60 | IND > IND - Industrial Park Maintenance |
| NOTES: dog pound | | | |
| 1:15pm (MDT) | 1:23pm (MDT) | 0.13 | STRTS > STRTS - Sign Maintenance / Replacement |
| 1:23pm (MDT) | 1:52pm (MDT) | 0.48 | SWR > SWR - Land Application Project |
| NOTES: well depth | | | |
| 1:52pm (MDT) | 2:50pm (MDT) | 0.97 | SWR > SWR - System Maintenance |
| NOTES: prep for seepage test | | | |

June 9, 2023 **6.93**

| | | | |
|--|---------------|------|---|
| 7:38am (MDT) | 7:44am (MDT) | 0.10 | WTR > WTR - Booster Pump Maintenance |
| NOTES: gate | | | |
| 7:44am (MDT) | 7:53am (MDT) | 0.15 | PARK > PARK - Restroom |
| 7:53am (MDT) | 8:09am (MDT) | 0.27 | WTR > WTR - Booster Station & Well Logs |
| 8:09am (MDT) | 10:08am (MDT) | 1.98 | PARK > PARK - Mowing / Trimming |
| 10:08am (MDT) | 10:33am (MDT) | 0.42 | WTR > WTR - Service Call |
| NOTES: making a plan to Lowe a meter | | | |
| 10:33am (MDT) | 12:55pm (MDT) | 2.37 | IND > IND - Industrial Park Maintenance |
| NOTES: figuring out keys | | | |
| 12:55pm (MDT) | 2:34pm (MDT) | 1.65 | WTR > WTR - Service Call |
| NOTES: attempting to make sure 217 Peterson memorial doesn't freeze | | | |

June 12, 2023 **9.38**

| | | | |
|---|---------------|------|---|
| 7:31am (MDT) | 7:43am (MDT) | 0.20 | PARK > PARK - Restroom |
| 7:43am (MDT) | 8:03am (MDT) | 0.33 | WTR > WTR - Booster Station & Well Logs |
| NOTES: opening Gates | | | |
| 8:03am (MDT) | 8:25am (MDT) | 0.37 | SWR > SWR - Auger Room Maintenance |
| 8:25am (MDT) | 9:30am (MDT) | 1.08 | MTG > MTG - Staff Meeting |
| 9:30am (MDT) | 11:21am (MDT) | 1.85 | SWR > SWR - Sewer Testing |
| 11:21am (MDT) | 11:26am (MDT) | 0.08 | WTR > WTR - Well #3 Maintenance |
| NOTES: getting power locked down | | | |

| | | | |
|--|---------------|------|---|
| 11:26am (MDT) | 11:35am (MDT) | 0.15 | WTR > WTR - Service Call |
| NOTES: Willey trailer park Data log | | | |
| 11:35am (MDT) | 2:29pm (MDT) | 2.90 | PARK > PARK - Maintenance |
| 2:29pm (MDT) | 2:34pm (MDT) | 0.08 | IND > IND - Industrial Park Maintenance |
| NOTES: weedeat | | | |
| 2:34pm (MDT) | 4:17pm (MDT) | 1.72 | PARK > PARK - Maintenance |
| NOTES: urinal | | | |
| 11:23pm (MDT) | 12:00am (MDT) | 0.62 | EMERGENCY > 1 Emergency - Water |

June 13, 2023

8.80

| | | | |
|--|---------------|------|---|
| 12:00am (MDT) | 12:09am (MDT) | 0.15 | EMERGENCY > 1 Emergency - Water |
| 7:37am (MDT) | 7:48am (MDT) | 0.18 | PARK > PARK - Restroom |
| 7:48am (MDT) | 7:54am (MDT) | 0.10 | SWR > SWR - Sewer Logs |
| 7:54am (MDT) | 9:23am (MDT) | 1.48 | WTR > WTR - Service Call |
| NOTES: prep for leak repair on commercial | | | |
| 9:23am (MDT) | 11:22am (MDT) | 1.98 | WTR > WTR - Service Call |
| NOTES: fixing the leak on commercial | | | |
| 11:22am (MDT) | 2:04pm (MDT) | 2.70 | WTR > WTR - Service Call |
| NOTES: clean up | | | |
| 2:04pm (MDT) | 4:16pm (MDT) | 2.20 | IND > IND - Industrial Park Maintenance |
| NOTES: taking care of weeds in various places | | | |

June 14, 2023

8.98

| | | | |
|---|---------------|------|---|
| 7:39am (MDT) | 7:50am (MDT) | 0.18 | PARK > PARK - Restroom |
| 7:50am (MDT) | 7:59am (MDT) | 0.15 | WTR > WTR - Booster Station & Well Logs |
| 7:59am (MDT) | 8:07am (MDT) | 0.13 | WTR > WTR - Booster Pump Maintenance |
| NOTES: gate | | | |
| 8:07am (MDT) | 9:15am (MDT) | 1.13 | PARK > PARK - Maintenance |
| NOTES: urinal | | | |
| 9:15am (MDT) | 9:34am (MDT) | 0.32 | PW > PW - City Shop > Shop |
| NOTES: weedeat around town | | | |
| 9:34am (MDT) | 10:16am (MDT) | 0.70 | SWR > SWR - Land Application Project |
| NOTES: monitoring well depth | | | |
| 10:16am (MDT) | 10:46am (MDT) | 0.50 | WTR > WTR - Water Testing |
| NOTES: helping John figure out stuff | | | |
| 10:46am (MDT) | 11:21am (MDT) | 0.58 | SWR > SWR - System Maintenance |
| NOTES: attempting to get a ball in a culvert | | | |
| 11:21am (MDT) | 12:03pm (MDT) | 0.70 | SWR > SWR - Land Application Project |
| NOTES: finish well depth | | | |
| 12:03pm (MDT) | 12:42pm (MDT) | 0.65 | IND > IND - Industrial Park Maintenance |
| NOTES: weedeat around town | | | |
| 12:42pm (MDT) | 1:54pm (MDT) | 1.20 | SWR > SWR - System Maintenance |
| NOTES: helping Kirk isolate lagoon 3 | | | |
| 1:54pm (MDT) | 2:57pm (MDT) | 1.05 | IND > IND - Industrial Park Maintenance |
| NOTES: weedeat | | | |

| | | | |
|--|---------------|------|--------------------------------------|
| 2:57pm (MDT) | 4:38pm (MDT) | 1.68 | PARK > PARK - Mowing / Trimming |
| June 15, 2023 | | | 8.68 |
| 7:46am (MDT) NOTES: gate | 7:56am (MDT) | 0.17 | WTR > WTR - Booster Pump Maintenance |
| 7:56am (MDT) | 8:06am (MDT) | 0.17 | PARK > PARK - Restroom |
| 8:06am (MDT) | 8:13am (MDT) | 0.12 | SWR > SWR - Sewer Logs |
| 8:13am (MDT) NOTES: depth measurement | 8:51am (MDT) | 0.63 | WTR > WTR - Well #4 Maintenance |
| 8:51am (MDT) NOTES: spraying Weeds | 9:46am (MDT) | 0.92 | SWR > SWR - Land Application Project |
| 9:46am (MDT) NOTES: spraying Weeds around town | 10:27am (MDT) | 0.68 | PW > PW - City Shop > Shop |
| 10:27am (MDT) | 10:39am (MDT) | 0.20 | EQP > EQP - MACK Dump Maintenance |
| 10:39am (MDT) NOTES: weedeat around town | 1:16pm (MDT) | 2.62 | PARK > PARK - Mowing / Trimming |
| 1:16pm (MDT) | 4:27pm (MDT) | 3.18 | STRTS > STRTS - Street Sweeping |