CERTIFICATE OF SURVEY COS-2122-6

ITEM NO. 4

STAFF REPORT

ITEM: Consideration of NORMAN RURAL CERTIFICATE OF SURVEY NO. COS-2122-6 FOR FOUR D ACRES.

LOCATION: Generally located one-half mile east of 48th Avenue N.E. on the north side of East Robinson Street.

INFORMATION:

- 1. Owners. Brent and Katie Davis.
- 2. Developer. Brent and Katie Davis.
- 3. Surveyor. Wallace Design Collective.

HISTORY:

- 1. October 18, 1961. City Council adopted Ordinance No. 1314 annexing this property into the Norman Corporate City limits without zoning.
- 2. October 30, 1961. Planning Commission recommended to City Council that this property be placed in A-2, Rural Agricultural District.
- 3. <u>December 12, 1961</u>. City Council adopted Ordinance No. 1322 placing this property in A-2, Rural Agricultural District.

IMPROVEMENT PROGRAM:

- 1. <u>Fire Protection</u>. Fire protection will be provided by the Norman Fire Department.
- 2. <u>Sanitary Sewer</u>. Individual sanitary sewer system will be installed in accordance with City and Oklahoma Department of Environmental Quality standards.
- 3. <u>Water</u>. Individual water well will be installed in accordance with City and Oklahoma Department of Environmental Quality standards.

- 4. Acreage. This property consists of 9.86 acres. The surveyor has requested a variance in the minimum 10 acre requirement based on the fact this property is located within a short section.
- **EASEMENTS:** With the Comprehensive Transportation Plan, Robinson Street is classified as a minor rural arterial street. A 17' roadway, drainage and utility easement will be required. In addition, a 20' trail easement will be required parallel to the roadway easement.
- **SUPPLEMENTAL MATERIAL**: Copies of a location map, Norman Rural Certificate of Survey No. COS-2122-6 for Four D Acres and a letter of request for a variance in the minimum acreage requirement for Tract 1 are included in the Agenda Book.
- **STAFF COMMENTS AND RECOMMENDATION**: The applicant is requesting a variance in the minimum acreage requirement for a 10 acre tract. Staff recommends approval of a variance in the minimum 10 acres requirement for Tract 1 and approval of Norman Rural Certificate of Survey No. COS-2122-6 for Four D Acres.
- **ACTION NEEDED**: Recommend approval or disapproval of a variance in the minimum 10 acre requirement for Tract 1 and recommend approval or disapproval of Norman Rural Certificate of Survey No. COS-2122-6 for Four D Acres to City Council.

ACTION TAKEN:	