



Fiberglass



**Pella® Fiberglass**



Aluminum



**4810 SERIES SINGLE HUNG**



Aluminum-Clad



**A-SERIES**











# WINDOWS OPT#1 - Fiberglass

- Brand: **Pella.**
- Series: **Impervia**
- Material: **Fiberglass.**
- Size: **Varies**
- Frame Color: **Black**
- Grille Patterns: **None**

## Pella® Impervia® Windows

Delivering unmatched strength and lasting durability with proven performance and sleek, timeless style.<sup>2</sup>

# Pella® Fiberglass

Heavy-duty powder coat finish resists chalking and fading.

Provides **outstanding resistance** to water, wind and outside noise.

Resists dents, bends and breaks and delivers lasting **strength and durability.\***



\* Pella's proprietary fiberglass material has displayed superior strength over wood, vinyl, aluminum, wood/plastic composites and other fiberglass materials used by leading national brands in tensile and 3-point bend tests performed in accordance with ASTM D638 and D790 testing standards.




# WINDOWS OPT#1 - Fiberglass





# WINDOWS OPT#1 - Fiberglass



Impervia | Double Hung | 35.5 X 59.5 | Black  
Room Location: None Assigned

Product Warranty



**Fiberglass**  
**\$39,436.00**  
With tax (without offer  
that expires on  
3/12/2025)

Line #	Item Summary	Production	Est. Cmp. Days	Was Price	Now Price	Qty	Total Savings	Pre-Tax Total
200-1	Impervia   Double Hung   35.5 X 59.5   Black	21 days		\$1,064.21	<del>\$904.58</del>	34	<del>(\$5,427.42)</del>	<del>\$30,755.72</del>

Valid thru: 03/12/2025

A1: Unit: 36 || Frame: 35 1/2-in || RO: 36-in  
Unit: 60 || Frame: 59 1/2-in || RO: 60-in  
Double Hung  
Equal. Frame Size: 35 1/2 X 59 1/2. Impervia  
Series. None  
Climate Zone 3

Standard  
Duracast®  
Nail Fin  
Foam Insulated  
3"  
1 5/16"  
1 11/16". Black. Black. Glass: Insulated Low-E  
SunDefense™ Low-E Insulating Glass Argon Non  
High Altitude. Cam-Action Lock  
Matte Black. No Screen. Combination U-  
Factor 0.28  
U-Factor 0.28  
Combination SHGC 0.21  
SHGC 0.21  
VLT 0.49  
CPD PEL-N-126-01037-00004  
Satisfied Energy Star Zones South  
Central,Southern  
Yes  
Performance Class LC  
PG 30  
Calculated Positive DP Rating 30  
Calculated Negative DP Rating 30  
STC 26  
OITC 22  
Clear Opening Width 31.375  
Clear Opening Height 26  
Clear Opening Area 5.66493  
Egress Meets minimum clear opening and 5.0  
sq.ft. requirements for grade floor (E1) (United  
States Only).

Remake: No  
In-Store Pick-up  
EA  
02/21/2025  
False  
True  
877-473-5527  
. 21 Days. 949933  
WTS Pella Impervia Window. 103850.  
Grille: No Grille  
Wrapping Information: No Attachment Method  
No Exterior Trim  
4 9/16"  
Prime  
Factory Applied  
Manufacturer Recommended Clearance  
Perimeter Length = 190".





# WINDOWS OPT#2 - Aluminum

## Proposed Windows:

- Brand: Ply Gem.
- Material: **Aluminum** with thermally broken frame.
- Type: **Single Hung** 4800 Series.
- Size: **Varies**
- Frame Color: **Black**
- Grille Patterns: None



# WINDOWS OPT#2 - Aluminum





# WINDOWS OPT#2 - Aluminum



## WINDOWS OPT#2 - Aluminum









# WINDOWS OPT#3 - Aluminum-Clad

- Brand: Andersen.
- Material: **Aluminum-Clad**.
- Type: **A Series**.
- Size: **Varies**
- Frame Color: **Black**
- Grille Patterns: None

**A-SERIES**  
**ANDERSEN**  
WINDOWS & DOORS



**Vertical Section**


**Size increase**

# WINDOWS OPT#3 - Aluminum-Clad



# WINDOWS OPT#3 - Aluminum-Clad

Aluminum-Clad  
**\$41,533.78**  
 With tax



RO Size = 36" x 60"

Unit Size = 35 1/4" x 59 1/4"

Catalog Version 274

Line Number	Item Summary	Room Location	Was Price	Now Price	Quantity	Total Savings	Total Price
100-1	<b>A Series</b> Double-Hung, Traditional (4 1/8" Bottom Rail), Standard Product Performance, Equal Sash, AA, 35.25 x 59.25, Black w/Black Sash / Frame:Pine Black - Painted Panel:Pine Black - Painted		\$1,049.23	\$1,049.23	34	\$0.00	\$35,673.82
100-2	Insect Screen 1: A Series Double-Hung, ADH3050 8 Degrees - Moderate Full Screen Aluminum Black Version:02/24/2025		\$71.59	\$71.59	34	\$0.00	\$2,434.06
<b>Unit 100 Total:</b>			<b>\$1,120.82</b>	<b>\$1,120.82</b>		<b>\$0.00</b>	<b>\$38,107.88</b>

A Series Double-Hung  
 Overall Rough Opening = 36" x 60"  
 Overall Unit = 35 1/4" x 59 1/4"  
 Installation Zip Code = 73071  
 U.S. ENERGY STAR® Climate Zone = South Central  
 Style = Traditional (4 1/8" Bottom Rail)  
 Product Performance = Standard  
 Search by Unit Code = No  
 Standard Width = ADH30XX - RO: 36" | UNIT: 35 1/4"  
 Standard Height = XX50 - RO: 60" | UNIT: 59 1/4"  
 Frame Width = 35 1/4"  
 Frame Height = 59 1/4"  
 Unit Code = ADH3050  
 Frame Option = Standard Flange  
 Unit Sill Angle = 8 Degrees - Moderate  
 Frame Depth = 4 9/16"  
 Venting / Handing = AA  
 Glass Stop Profile = Chamfer

Interior Frame Finish Color = Black - Painted  
 Interior Sash / Panel Wood Species = Pine  
 Interior Sash / Panel Finish Color = Black - Painted  
 Glass Construction Type = Dual Pane  
 Glass Option = Low-E4  
 High Altitude Breather Tubes = No  
 Glass Strength = Standard  
 Glass Tint = No Tint  
 Specialty Glass = None  
 Gas Fill = Argon  
 Glass / Grille Spacer Color = Black  
 None  
 Sash Lift Type = None  
 Lock Hardware Style = Traditional  
 Number of Sash Locks = 1  
 Lock Hardware Color/Finish = Black  
 Window Opening Control Device = No  
 Insect Screen Type = Full Screen  
 Insect Screen Material = Aluminum

Exterior Trim Style = None  
 Extension Jamb Type = None  
 Stool Option = None  
 Installation Material Options = No  
 Re-Order Item = No  
 Room Location =  
 Unit U-Factor = 0.29  
 Unit Solar Heat Gain Coefficient (SHGC) = 0.3  
 Unit CPD Number = AND-N-91-01946-00001  
 U.S. ENERGY STAR® Certified = No  
 Limited Travel = No  
 Clear Opening Width = 31.1875  
 Clear Opening Height = 25  
 Clear Opening Area = 5.41  
 SKU = 290211  
 Vendor Name = S/O ANDERSEN LOGISTICS  
 Vendor Number = 60509030  
 Customer Service = (888) 888-7020  
 Catalog Version Date = 02/24/2025