

Resolution

R-2526-100

A RESOLUTION OF THE COUNCIL OF THE CITY OF NORMAN, OKLAHOMA, APPROPRIATING \$151,255 FROM THE FINDLAY AVENUE DRAINAGE PROJECT DESIGN ACCOUNT TO THE SUMMIT HOLLOW DRAINAGE PROJECT ACCOUNT.

- § 1. WHEREAS, in 2022 the open concrete drainage channel located east of 617, 621, and 625 Summit Hollow Drive experienced structural failure when its sidewalls collapsed, causing damage to adjacent residential fences and private yards; and
- § 2. WHEREAS, the City abandoned the failed open channel and installed a 52-inch plastic-coated arched pipe within the existing drainage easement, but subsequent development in the Sienna Springs subdivision introduced additional runoff conditions that contributed to recurring pipe buoyancy failures during significant rainfall events in 2025; and
- § 3. WHEREAS, engineering review and hydraulic analysis determined that the original drainage design did not fully account for increased flows from newly developed areas, requiring further improvements to stabilize the drainage system and protect nearby residents and property; and
- § 4. WHEREAS, an alternative design solution was identified by Halff and Associates to address the Summit Hollow drainage concerns at a reduced cost, with final plans completed and construction funding secured through reallocation of available Public Works storm sewer repair project funds to advance this critical infrastructure improvement.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF NORMAN, OKLAHOMA:

- § 5. THAT \$151,255 be appropriated from the Findlay Avenue Drainage Project design account (DR0027 50599968-46201) to the Summit Hollow Drainage Project account (DR0037 50599968-46101).

<u>Losing Account</u>	<u>Gaining Account</u>	<u>Amount</u>
Findlay Avenue Drainage Project design account DR0027 50599968-46201	Summit Hollow Drainage Project account DR0037 50599968-46101	\$151,255

PASSED AND APPROVED this 24th day of February 2026.

Mayor, Stephen T. Holman

ATTEST:

City Clerk

