



Timberline HDZ[®]

High Definition[®] Lifetime[†] Shingles



As featured on *This Old House*, the Timberline HDZ[®] Shingles installed here are Oyster Gray.


Millions of families have found shelter and peace of mind under a Timberline[®] roof.

And now, a good thing just got even better again.



We protect what matters most[™]

The GAF Lifetime[†] Roofing System



Ridge Cap Shingles

The finishing touch that helps defend against leaks at the hips and ridges



Cobra[®] Attic Ventilation

Helps reduce attic moisture and heat



Lifetime[†] Shingles

Beautify and protect for years to come



Starter Strip Shingles

Helps guard against shingle blow-offs



Roof Deck Protection

Helps shield the roof deck from moisture infiltration



Leak Barrier

Helps prevent leaks caused by wind-driven rain and ice dams

Install any GAF Lifetime[†] Shingle and at least 3 qualifying GAF Accessories and get a Lifetime[†] limited warranty on your qualifying GAF products plus

non-prorated coverage for the first 10 years. For even stronger coverage, ask your GAF factory-certified contractor¹ about enhanced GAF warranties.



[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime Shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime Shingle and at least 3 qualifying GAF Accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.com/LRS for qualifying GAF products.

¹ Contractors enrolled in GAF certification programs are not employees or agents of GAF, and GAF does not control or otherwise supervise these independent businesses. Contractors may receive benefits, such as loyalty rewards points and discounts on marketing tools from GAF for participating in the program and offering GAF enhanced warranties, which require the use of a minimum amount of GAF products.




Hickory

An inviting brown shade with a red undertone, Hickory is an excellent companion to brick and stone homes and works well with browns, beiges, yellows, and golds.

Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.


Timberline HDZ® Availability

Color Availability Chart	1	2	3	4	5	6	7
Most Popular Colors:							
Barkwood	•	•	•	•	•	•	•
Charcoal	•	•	•	•	•	•	•
Hickory	•	•	•	•	•	•	•
Hunter Green	•	•	•	•	•	•	•
Mission Brown	•	•	•	•	•	•	•
Pewter Gray	•	•	•	•	•	•	•
Shakewood	•	•	•	•	•	•	•
Slate	•	•	•	•	•	•	•
Weathered Wood	•	•	•	•	•	•	•
Harvest Blend Colors:							
Nantucket Morning	•	•	•	•	•	•	•
Appalachian Sky	•	•	•	•	•	•	•
Golden Harvest	•	•	•	•	•	•	•
Cedar Falls	•	•	•	•	•	•	•
Regional Colors:							
Birchwood	•	•	•	•	•	•	•
Biscayne Blue	•	•	•	•	•	•	•
Copper Canyon ¹	•	•	•	•	•	•	•
Driftwood	•	•	•	•	•	•	•
Fox Hollow Gray	•	•	•	•	•	•	•
Golden Amber ¹	•	•	•	•	•	•	•
Oyster Gray	•	•	•	•	•	•	•
Patriot Red	•	•	•	•	•	•	•
Sunset Brick	•	•	•	•	•	•	•
White ¹	•	•	•	•	•	•	•
Williamsburg Slate	•	•	•	•	•	•	•




¹ Rated by the Cool Roof Rating Council (CRRC); can be used to comply with 2019 Title 24 Part 6 Cool Roof Requirements of the California Code of Regulations.

The protective layers of a Timberline HDZ® Shingle



Product/System Specifics

- Fiberglass asphalt construction
- Dimensions (approx.): 13 1/4" x 39 3/8" (337 mm x 1,000 mm)
- Exposure: 5 5/8" (143 mm)
- Bundles/Square: 3
- Pieces/Square: 64
- StainGuard Plus™ Algae Protection Limited Warranty¹
- Hip/Ridge: TimberTex^{®3}; TimberCrest[®]; Seal-A-Ridge^{®3}; Z[®]Ridge; Ridglass[®]
- Starter: Pro-Start[®]; QuickStart[®]; WeatherBlocker™



Applicable Standards & Protocols:

- UL Listed to ANSI/UL 790 Class A
- State of Florida approved
- Classified by UL in accordance with ICC-ES AC438
- Meets ASTM D7158, Class H
- Meets ASTM D3161, Class F
- Meets ASTM D3018, Type 1
- Meets ASTM D3462²
- Miami-Dade County Product Control approved
- ICC-ES Evaluation Reports ESR-1475 and ESR-3267
- Meets Texas Department of Insurance Requirements
- Rated by the CRRC; Can be used to comply with 2019 Title 24 Part 6 Cool Roof Requirements of the California Code of Regulations.

¹ 25-year StainGuard Plus™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions and qualifying products.

² Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.

³ Harvest Blend colors are only available on TimberTex[®] and Seal-A-Ridge[®].

TimberTex® and TimberCrest® Premium Ridge Cap Shingles



Hip & Ridge Cap Shingles accentuate the natural beauty of your architectural shingle roof. They're the perfect finishing touch that helps defend against leaks at the hips and ridges. gaf.com/ridgecaps



TimberTex® Premium Ridge Cap Shingles





TimberCrest® Premium SBS-Modified Ridge Cap Shingles

TimberTex® and TimberCrest® Premium Ridge Cap Shingles are designed to complement the color of your Timberline® Shingles. To ensure the closest color consistency for your roof, ask your contractor to use genuine TimberTex® or TimberCrest® Premium Ridge Cap Shingles.¹

- Accentuate the beauty of your newly installed shingle roof
- Protect against leaks and blow-offs at the hip and ridge areas of your roof
- Complement the color of your GAF Shingles with hip and ridge cap shingles manufactured by GAF
- 25-year StainGuard Plus™ Algae Protection Limited Warranty² against blue-green algae discoloration uses GAF Time-Release Algae-Fighting Technology to help protect your ridge cap shingles from unsightly stains.

Also available¹



¹ These products are not available in all areas. See gaf.com/ridgecapavailability for details.

² 25-year StainGuard Plus™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions and qualifying products.

America's #1-selling shingle just got better — *again.*

GAF Timberline HDZ®
High Definition® Lifetime Shingles



It seems like yesterday. In 2020, GAF introduced Timberline HDZ® Shingles with LayerLock™ Technology, which are eligible for the WindProven Limited Wind Warranty with no maximum wind speed limitation when installed with the required combination of GAF accessories.¹

Now we're making our most popular shingle even better, with the addition of a 25-year StainGuard Plus™ Algae Protection Limited Warranty² against blue-green algae discoloration. Add GAF Hip and Ridge Cap Shingles and starter strips with the StainGuard Plus™ Algae Protection Limited Warranty² for protection from eave to ridge.

Offer your customers Timberline HDZ® — the shingle that just keeps getting better. Only from GAF.

Find out more at gaf.com/StainGuardPlus

A **stañdard** INDUSTRIES COMPANY

¹ 15-year WindProven™ limited wind warranty on Timberline HDZ Shingles requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit gaf.com/LRS for qualifying GAF products. For installations not eligible for the WindProven limited wind warranty, see *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

² 25-year StainGuard Plus™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage restrictions and qualifying products.

We protect what matters most™

GAF



First Order 30% Discount! Call to Order. →



🚚 Nationwide Delivery Available! We ship anywhere in the U.S. – low cost freight by request - call/text 936-205-2615.



English ▾



Get 30% off ×



Live chat

1



TEXASVJOINT.COM

Pine #117 Double Tear Drop Siding 1x6x10'

~~\$11.47~~ \$8.03

Quantity

1



Add to cart

Buy with **shop**

[More payment options](#)

✓ Pickup available at 502 Rusk Ave

Usually ready in 2-4 days

[View store information](#)

 **Shipping Not Shown?** We deliver nationwide via our trusted hotshot partners.

Call us to request your custom shipping quote — fast response. 936-205-2615

This classic 1x6x10' #117 Double Tear Drop Pine Siding/Exterior Cladding Profile is commonly found on older style homes (especially antique homes built in the early 1900s) and can sometimes be a difficult profile to source nowadays. It is sometimes known as "German siding" or "double ogee siding."

This profile is commonly used for repairs to historic homes, and for additions that want to keep the same vintage aesthetic as the rest of the building. Our boards are kiln dried #2 grade Southern Yellow Pine. Most of the knots are tight, although there may be a loose knot here and there. If you are thinking about using our #117 Double Tear Drop Siding to match existing siding purchased elsewhere, please make sure the material widths match to avoid troubles later on.

Board Pricing:

\$2.75/square foot

\$11.47/board

Specifications:



- 4.17 square feet of coverage per board
- 5" actual reveal across the width of the board once installed
- Kiln dried knotty #2 grade

More Information:

This profile is most commonly installed horizontally to help rain and moisture to slide off. It is recommended to apply an exterior sealer or primer on all surfaces before installation. Then caulk and paint after installation.

16 or 18 gauge nails work fine for interior installations, and 15 gauge works for exterior installs. Many people fill in the face nail holes by mixing some sawdust from cutting the boards with wood glue. This makes a paste that matches the color of the wood.

[↑](#) Share



Shop All

Home / Flat Trim & S4S (/flat-trim-moulding.html) / S4S Hardwood (/s4s-hardwood.html)

Americraft S4S Flat Trim Moulding, Solid Hardwood, 3 1/2"H x 3/4"P x 96"L, Stain Grade Sapele Mahogany

★★★★★ 4 customer reviews


Item No.: MLDW01X04S4SSA



⊕ Hover to zoom

...raldepot.co :turaldepot.c :turaldepot.c :turaldepot.c :turaldepot.c

01.jf 02.jf 03.jf 04.jf



Home Account (/mm5/merchant.mvc?Screen=ORDH) Cart (/mm5/merchant.mvc?Screen=BASK&ShowShip=1) Chat Add to Cart Shop (/sitemap.html) **Ships Monday**

List Price: ~~\$72.96~~
Save \$10.94
\$62.02

- 1 +

Add to Cart

Earn **\$3.10** in **DepotDollars**

Save with **Quantity Discounts**

Height	Length	Projection
3 1/2"	96"	3/4"

Buy a Sample **\$6.24**

Size (Height) ⓘ

1 1/2 inches	2 1/2 inches
3 1/2 inches	4 1/2 inches
5 1/2 inches	7 1/4 inches
9 1/4 Inches	11 1/4 inches

Material ⓘ

Sapele Mahogany

Ships Monday
Order before 12:00 PM CT for same-day shipping ⓘ

Similar Products

(/MLDW01X09S4S.html)

Americraft S4S Flat Trim Moulding, 9 1/4"H x 3/4"P x 96"L (/MLDW01X09S4S.html) Starting at **\$6.80**

[View Options\(/MLDW01X09S4S.html\)](#)

Need Help? Contact us below

Home (/) Request a Quote Account (/mm5/merchant.mvc?Screen=ORDH) Email (mailto:sales@architecturaldepot.com) Sales Cart (/mm5/merchant.mvc?Screen=BASK&ShowShip=1) Chat with Us Chat Shop (/sitemap.html)

1-888-573-3768 (tel:1-888-573-3768)

Quick Overview

The Amercraft Hardwood Moulding line is the most complete collection of Hardwood Moulding available on the market. Each piece is crafted from FAS and Select-Grade wood, the highest grades available, ensuring on the highest quality moulding for your walls, floors, ceiling, cabinets, & more. Available in 9 stain-grade wood species, as well as paint-grade fingerjoint pine, we are sure to have the perfect finish to match your living room, kitchen, dining room, or wherever else you are looking to imbue your home with the timeless elegance of real hardwood.

- FAS Grade Wood, The Highest Grade Available
- S4S E1E Stop 887 Moulding for doors and windows.
- Easily cut and installed using standard woodworking tools
- Based on the most popular moulding profiles on the market.
- Complements both modern and traditional interior styles, enhancing any decor.
- Combine with our other profiles for a complete style in your living space. Hardwood Crown Moulding, Base Moulding, Door & Window Trim, Chair Rail, and more are all available in the Amercraft Line



Helpful Resources

 Request a Quote

 Line Drawings
(https://cdn.architecturaldepot.com/pdf/line-drawings/LINEDRAW_MLDW01X04S4S.pdf)

 Material: Sapele

 Warranty Information
(<https://cdn.architecturaldepot.com/pdf/warranty/WARRANTY-Amercraft.pdf>)

 Installation Instructions
(<https://cdn.architecturaldepot.com/pdf/installation/MLDW.pdf>)

 Architectural Specifications
(<https://cdn.architecturaldepot.com/pdf/architectural-specifications/ekena-hardwood-specsheet.pdf>)

 Download CAD Files

CLASSIC™ STEEL

BEST, BETTER, GOOD and BASIC CONSTRUCTION



BEST Construction – Short Elegant Panel; Shown in Standard White

INFORMATION Booklet

Contents:

Things to Consider When Choosing a Garage Door.....	S1	Product Information	
Choose Your Garage Door Construction.....	S2	BASIC Construction – Models HDB, HDBL.....	S12
Options and Features	S3	BASIC Construction – Model HDB4.....	S13
Product Comparison Chart.....	S4	Clopay Configurator.....	S14
Panel and Window Specifications.....	S5–S6	Window Options.....	S15–S16
Product Information		Specialty Glass Options.....	S17
BEST Construction – Models HDP20, HDPL20.....	S7	Residential Track Options	S18
BETTER Construction – Models HDP13, HDPL13.....	S8	Residential Spring Options.....	S19
GOOD Construction – Models HDG, HDGL	S9	Care and Maintenance	S20
GOOD Construction – Models 2050, 2053.....	S10	Warranties	S21–S22
BASIC Construction – Models HDS, HDSL.....	S11		

Models HDG, HDGL

(9.0 R-Value)



Shown: Model HDG with Plain Short windows

Product Specifications

- 27 gauge steel* skins and insulation are pressure bonded for durable, secure, quiet operation.
- 2" thick polystyrene insulation with silicone filled thermal break provides superior energy efficiency. **9.0 R-value**.**
- Hot-dipped galvanized steel skin with a baked-on primer and top coat helps ensure durability and long-lasting beauty.
- Nylon rollers for durable, smooth, long-lasting performance.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Tongue-and-groove section joints and replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- 12" radius track for normal installations. 15" radius track available.
- Extension springs standard on all single doors (up to and including 10' wide). EZ-SET® torsion springs standard on double doors (greater than 10' wide).
- Inside slide lock is standard, outside keyed lock available (at additional charge).
- Operator reinforcement bracket is standard.

* Models with Ultra-Grain® finish, Iron Ore and Black paint options are 25 gauge steel.
 ** Calculated door section R-value is in accordance with DASMA TDS-163.

Style and Finish

- Woodgrain texture raised panel design may be painted with a high quality exterior latex paint to complement any home's exterior.
- Prepainted Standard White end stiles and interior steel backing create a clean, finished appearance.
- Iron Ore, Black paint and Ultra-Grain® finishes available at additional cost.

Sizes

- Model HDG available in 2" increments from 6'2" to 20' wide.
- Model HDGL available in 2" increments from 8' to 20' wide.
- Available in heights from 6' to 12' in 3" increments (excluding 7'3").
- For high lift track applications, please call Clopay customer service.

Special Note

For doors sold through Home Depot's Expert Installation Program, the springing systems and locking systems may vary by market.

GOOD

3-LAYER CONSTRUCTION


Steel + Polystyrene Insulation + Steel

9.0
R-Value

2" Polystyrene



Panel Options



HDG (Short Elegant)




HDGL (Long Elegant)

Colors



Standard White



Almond



Desert Tan



Sandtone



Bronze



Chocolate



Mocha Brown



Hunter Green



Charcoal



Iron Ore



Black



Ultra-Grain® Classic Medium Finish



Ultra-Grain® Classic Cherry Finish



Ultra-Grain® Classic Walnut Finish

Printed colors may vary from actual panel colors.
 Exterior steel on standard color doors has a natural woodgrain texture.
 Exterior steel surface on an Ultra-Grain® finish door has a stucco texture.

Windows

Plain Series




Plain Short

Snap-In Series



Prairie 610

Architectural Series



Short with Square Grilles

- Short windows available on Model HDG.
- Long windows available on Models HDG and HDGL.
- Plain Series and Snap-In Series (Colonial) windows are standard in 2nd section from top; all other windows standard in top section unless specified otherwise.

See pages S15-S16 for all available window designs and options

Warranties




Standard Headroom Requirements

Extension Springs		Torsion Springs	
Track Radius	Headroom Needed†	Track Radius	Headroom Needed†
12"	10"	12"	12"
15"	12"	15"	14"


†Add 3" for automatic garage door opener.

Section Configurations

Standard Heights




6' to 7' high doors




7'6" to 8' high doors

Extended Heights



8'3" to 8'9" high doors



9' to 10'6" high doors




10'9" to 12' high doors


Height Examples

Steel door heights are determined by using a combination of 18" and/or 21" section heights. The illustrations below show the required section height combinations to arrive at a specific door height.


Standard Heights



Extended Heights




Panel Styles (All Panel Styles Available in the Above Heights)



The illustrations below show the number of panels or window lites across for specific door widths. For example, a 10' wide, elegant panel door has 5 panels or window lites across.


Elegant or Traditional Panel Styles

No. Panels or Window Lites Across




Door Widths

No. Panels or Window Lites Across



Door Widths


No. Panels or Window Lites Across



Door Widths


Long Elegant or Long Traditional Panel Styles

No. Panels or Window Lites Across



Door Widths

No. Panels or Window Lites Across



Door Widths

Strut Schedule

Standard Heights Up to 8' High Strut Requirement

Door Width	HDP20 / HDPL20 HDG / HDGL	HDP13 / HDPL13 2050 / 2053	HDS / HDSL	HDB / HDBL / HDB4
Up to 14'10"	No Reinforcement	No Reinforcement	No Reinforcement	No Reinforcement
15'	No Reinforcement	One 2-1/4" Strut per Door	One 2-1/4" Strut per Door	One 2-1/4" Strut per Door
15'2" to 16'	One 2-1/4" Strut per Door	One 2-1/4" Strut per Door	One 2-1/4" Strut per Door	One 2-1/4" Strut per Door
16'2" to 18'	One 2-1/4" Strut per Door	One 2-1/4" Strut per Section	One 2-1/4" Strut per Door	One 2-1/4" Strut per Door
18'2" to 20'	One 3" Strut per Door	N/A	N/A	One 3" Strut per Section


Extended Heights from 8'3" to 12' High Strut Requirement

Door Width	HDP20 / HDPL20 HDG / HDGL	HDP13 / HDPL13 2050 / 2053	HDS / HDSL	HDB / HDBL / HDB4
Up to 14'10"	No Reinforcement	No Reinforcement	No Reinforcement	No Reinforcement
15'	No Reinforcement	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section
15'2" to 16'	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section
16'2" to 18'	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section	One 2-1/4" Strut per Section
18'2" to 20'	One 3" Strut per Section	N/A	N/A	One 3" Strut per Section


Residential Track Options

Determine the right track option for your new residential garage door from the options below.


STANDARD RADIUS




LOW HEADROOM FRONT MOUNT



HIGH LIFT



LOW HEADROOM REAR MOUNT



Headroom = Top of door to nearest obstruction (truss, ceiling or light fixture).
 Up to 3" of additional headroom may be required for a trolley door opener.

YOUR PROFESSIONAL-CLASS PRODUCT

Legacy 20-Gauge Smooth Steel Entry Door



800.669.4711
2150 State Route 39
Sugarcreek, OH 44681

QUOTE INFORMATION

Job:

Tag: Garage

Order #14237044-1

Qty: 1



OUTSIDE VIEW



INSIDE VIEW

DETAILS

Legacy Single Entry Door in PermaTech Composite Frame

32" x 80" Nominal Size

Unit Size: 33 9/16" x 81 11/16"

Frame Depth: 4 9/16"

2" PermaTech Brickmold

Left Hand Inswing - Inside Looking Out

006 Style 20-Gauge Smooth Steel Door

Snow Mist White Inside and Outside

Hardware

All Hardware in Antique Brass Finish

Georgian Lockset (2 3/8" Backset)

Key Order Alike

Thumbturn Deadbolt (2 3/8" Backset)

Key Order Alike

Frame

TUFTEX Smooth Snow Mist White Aluminum Frame

Cladding

Snow Mist White Inside Frame

1 Tube of Snow Mist White Caulk


Mill Finish ZAC Auto-Adjusting Threshold (5 5/8" Depth)

Antique Brass Ball Bearing Hinges


Installation Kit for Composite Frames

Security Plate

SIZING



HANDING



ENERGY

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P) Solar Heat Gain Coefficient

0.16 **0.01**

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.00 -

Air Infiltration (cfm/ft2)

<= 0.04



**ENERGY STAR® Certified
In All 50 States.**

CPD: PRD-N-88-32529-00001

STC: 25; OITC: 26; Acoustic Test Report: G0177.01

Scale Technical Drawing


QUOTE INFORMATION

Job:

Tag: Garage

Order #14237044-1

Qty: 1



Illustrates trim overlap, not viewable glass

... / Lighting / Outdoor Lighting / Outdoor Wall Lights / Home Decorators Collection Outdoor Wall Lights

Internet # 205196663 Model # 23212 Store SKU # 111832



 Live Chat
 Feedback

Hover Image to Zoom





Home Decorators Collection



Port Oxford 10.6 in. 1-Light Oil Rubbed Chestnut Hardwired Outdoor Wall Light Lantern Sconce with No Bulb Included

 (803) Questions & Answers (131)

\$69⁹⁷

 Pay **\$44.97** after **\$25 OFF** your total qualifying purchase upon opening a new card. 
[Apply for a Home Depot Consumer Card](#)

- 10.625 in. Outdoor Wall-Mount Lantern that complements exterior
- Oil Rubbed Finish with Pearl Mission Glass and Weather Resistant
- Compatible with (1)A19 100-watt Light Bulb (not included)
- [View More Details](#)



Product Height x Width (in.): **10.625in. x 7.25in.**

13.12in. x 9in.

8.12in. x 5.75in.

10.625in. x 7.25in.

Pickup at

[S Oklahoma City](#)

Delivering to [73149](#)

Limited Stock

Visit S Oklahoma City for availability

Delivery

Today
28 available
FREE

[Check Nearby Stores](#)

[Delivery Details](#)

Get it delivered as soon as today. Schedule your delivery in checkout.

Feedback



Need a Pro? We Can Help!

Get Referred to a Local Pro

Add Pro Referral

[What to Expect](#)



Protect This Item

Select a Home Depot Protection Plan by Allstate for:

2 Year / **\$13.00**

No thanks

[What to Expect](#)

Quantity selector: - 1 +

Add to Cart




Pay in 4 interest-free payments of \$17.50 with [PayPal](#). [Learn more](#)



Free & Easy Returns In Store or Online

Return this item within **90 days** of purchase.

[Read Return Policy.](#)



Shop the Integrated LED Outdoor Integrated LV Landscape Bundle

Total Price for 4 items

\$ **249**⁸⁰

[View Bundle](#)



Ask about this product

Get an answer now with AI

Type a question

[Get an Answer](#)

AI-generated from the text of manufacturer documentation. To verify or get additional information, please contact The Home Depot customer service.

Feedback

Product Details



About This Product

Add a touch of mission styling to your decor with the Home Decorators Collection Port Oxford Outdoor Oil Rubbed Chestnut Wall Lantern. This beautiful fixture is presented in versatile hand applied multi-step oil rubbed chestnut finish and pearl mission glass panes. Add a new look to your outdoor space with this classic fixture.

Highlights

- Rugged die-cast aluminum housing is ideal for outdoor installation
- Pearl mission glass panes provide a glowing effect when illuminated
- Unique arm and window pane detail combine to create a look reminiscent of mission styling
- Wall-mount design can be installed to illuminate porches or other outdoor walled spaces
- ETL listed for wet locations
- Direct wire fixture, instructions included for ease of installation
- Accepts medium base bulb, sold separately (100-Watt maximum)
- [Click here to learn more about exclusive Home Decorators Collection products](#)
- [Click here for more information on Electronic Recycling Programs](#)
- [Return Policy](#)
- California residents [see Prop 65 WARNINGS](#)

Product Information

Internet # 205196663

Model # 23212

Store SKU # 111832

Additional Resources

[Shop All Home Decorators Collection](#)

From the Manufacturer

- [Warranty](#)
- [Use and Care Manual](#)
- [Return Policy](#)

Ask Magic Apron

What are the delivery options for this item?

What do I need to know before using it?

How soon can I get this delivered to my zip code?

[Ask a Question >](#)

Specifications

Dimensions

Mounting Plate Width (in.)	4.5 in
Product Height (in.)	10.625 in
Product Length (in.)	7.25 in
Product Width (in.)	7.25 in

Feedback

Details

Design Style	Lantern
Exterior Fixture Type	Sconce
Features	No additional features
Fixture Color/Finish	Oil Rubbed Chestnut
Fixture Material	Aluminum
Glass Shade Type	Clear Glass
Included	Shade(s) Included
Light Bulb Base Code	E26
Light Bulb Type Included	No Bulb(s) Included
Max. Bulb Wattage (W)	100 W
Number of Lights	1
Pack Size	1
Power Source	Hardwired
Product Height x Width (in.)	10.625in. x 7.25in.
Product Size	Small
Rated	Wet Rated (Uncovered Outdoor)
Returnable	90-Day
Shade Material	Glass
Style	Rustic

Warranty / Certifications

Manufacturer Warranty	Two year limited warranty
-----------------------	---------------------------

[How can we improve our product information? Provide feedback.](#)

Questions & Answers