


EXHIBIT C
APPROVED CONSTRUCTION PLANS



CARDINAL
ENGINEERING
AN INVENTEC COMPANY
1015 N. Broadway Ave., Suite 300
Duluth, GA 30132
Phone 405.842.1066
Fax 405.842.4487

3700 W. Robinson Ave., Ste. 200
Norman, OK 73072
Phone 405.579.0655
Fax 405.701.5208
<http://www.cardinal-engineers.com>


The diagram illustrates the cross-sections of different drainage materials. From top to bottom, the layers are labeled: CUMBER AND GUTTER, SURFACE DRAINAGE FLOWLINE, ASPHALT, CONCRETE, STAMPED CONCRETE, and WATER. Each label is positioned to the right of its corresponding cross-sectional profile.



SITE PLAN KEYNOTES	
ID	DESCRIPTION
01	EXISTING LUMP OF DUNE VEGETATION
02	1' BUFFER
03	PROPOSED LINE OF DUNE VEGETATION
04	1' BUFFER
05	PROPOSED FRESH POOL WATER SURFACE
06	CONCRETE ON SLOPE TO BE REFINISHED WITH 1" THICK POLISHED CONCRETE
07	WALL, 18" HIGH, INTERIOR POOL ELEVATION 50.10
08	1' BUFFER
09	LINE OF EXISTING PATH
10	4" CONCRETE WALKWAY
11	4" SIDEWALK
12	REFINISH ON EXISTING FINISH: POLISHED CONCRETE
13	CONCRETE ON SLOPE
14	REFINISH EXISTING FINISH: POLISHED CONCRETE

SURVEY CONTROL				DESC	
STA	NORTHING	EASTING	ELEV		
LLS 101	648323.985	21275783.163	1204.358	#4 BAR W/ "LEAME CONTROL" CAP	
LLS 102	6486233.985	21276929.138	1201.529	#4 BAR W/ "LEAME CONTROL" CAP	
LLS 103	6486502.895	21267290.890	1198.112	#4 BAR W/ "LEAME CONTROL" CAP	
LLS 104	6485977.870	21246998.722	1202.721	#4 BAR W/ "LEAME CONTROL" CAP	
315	6482323.151	2123995.172	1172.40	BASS CAP "NORMAN CONTROL"	
375	6482029.892	21245006.984	1185.93	BASS CAP "NORMAN CONTROL"	

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840.



UTILITY WARNING

THE UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM RECORD DOCUMENTS OR FIELD LOCATIONS BY THE OPERATOR. THE SUPPLIER MAKES NO WARRANTIES THAT THE UNDERGROUND UTILITIES SHOWN CORRESPOND TO SUCH INFORMATION. THE OPERATOR'S RESPONSIBILITY IS TO VERIFY THE LOCATION OF ANY UTILITIES PRIOR TO CONSTRUCTION. THE UNDERGROUND UTILITIES SHOWN ARE IN THE FIELD LOCATION INDICATED. INFORMATION DOES NOT IMPLY THAT THE DATA THAT THEY ARE CONSIDERED AS ACCURATE, AS IT IS POSSIBLE FROM THE INFORMATION AVAILABLE, THE SUPPLIER WAS NOT PHYSICALLY LOCATED THE UNDERGROUND UTILITIES.

UTILITY ELEVATIONS AND SIZES MAY HAVE BEEN MEASURED UNDER UNUSUAL FIELD CONDITIONS. PLOW EXPOSING THE UTILITY, ELEVATIONS AND THE SIZES SHOULD BE RECHECKED AT THE CONTRACTOR PLOT FOR CONSTRUCTION. THE UTILITY ELEVATIONS AND THE SIZES SHOULD BE RECHECKED AT THE CONTRACTOR PLOT FOR CONSTRUCTION. ENGINEER, NOT RESPONSIBLE FOR THE UTILITY ELEVATIONS USING THE INFORMATION PROVIDED IN THE SURVEYOR OR RECORDS.

SP-01



**CARDINAL
ENGINEERING**
An **ENVIRONMENTAL** Company
315 N. Broadway Ave., Suite 300
Oklahoma City, OK 73102

700 W. Robinson Ave., Ste. 100
Orlando, FL 32872
Phone 403.379.0455
Fax 403.371.5228
<http://www.carandengines.com>
A 9 7 10, expiration date 04.30.2020

4-15-2019
QUEST
MISTY LAKE DAM
IMPROVEMENTS

WHITE PLAN

| | | | | | |
|--------|-----|-----|---------|----------|-----------|
| 181150 | AMM | ECR | 3010019 | AS SHOWN | SUBMITTAL |
|--------|-----|-----|---------|----------|-----------|

| ISS ID# | Iss. | Description | Date |
|---------|------|-------------|------|
|---------|------|-------------|------|

[Signature]




MISTY LAKE DAM IMPROVEMENTS

LOCATION
SUMMIT LAKES ADDITION
NORMAN, OK
Submitted to
Summit Lakes Property Owners
Association/City of Norman
Submitted by
Cardinal Engineering, Inc.
1011 R. Woodbury Ave., Suite 200
Norman, OK 73069
Phone 405.842.1044
Fax 405.842.1028
E-mail: info@cardinal-engineering.com
C:\A\1111\11_11_10\11_11_10.dwg

| | |
|-------------|----------|
| Sheet No. | 111110 |
| Project No. | 111110 |
| Drawn by | DL |
| Date | 11/11/10 |
| Scale | AS SHOWN |
| Revised by | DL |
| Checked by | DL |


DL-01

CARDINAL
ENGINEERING, INC.
An Equal Opportunity Employer
1011 R. Woodbury Ave., Suite 200
Norman, OK 73069
Phone 405.842.1044
Fax 405.842.1028
E-mail: info@cardinal-engineering.com
C:\A\1111\11_11_10\11_11_10.dwg



- NOTE:
1. CONTRACTOR SHALL REFER TO CITY OF NORMAN STANDARDS, ALL CURB & GUTTER, SIDEWALKS, DRAINAGE INLETS AND LANDSCAPE ITEMS DAMAGED DURING CONSTRUCTION SHALL BE REPAIRED TO ORIGINAL STANDARDS FOR ACCESS SHALL BE REPLACED WITH LIKE PLANTS.
2. CONTRACTOR SHALL PRESERVE EXISTING STONE COLUMNS. ANY COLUMNS DAMAGED DURING CONSTRUCTION SHALL BE REPLACED WITH LIKE COLUMNS AND IN IDENTICAL SIZE AND DESIGN OF ORIGINALS.
3. WOOD FENCE PANELS DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPAIRED TO ORIGINAL STANDARDS. SIZES AND DESIGNS IF DAMAGED.
4. CONTRACTOR SHALL INSTALL SOLID BERMUDA SLAB 200 CM ON ALL DISTURBED AREAS.

TOPOGRAPHIC LEGEND



SURVEY CONTROL

| STA | NORTHING | EASTING | ELEV | DISC |
|---------|------------|-------------|---------|--------------------------------|
| 115.101 | 68623.995 | 214758.163 | 1204.33 | #4 BAR W/ "TEMPER CONTROL" CAP |
| 115.102 | 68629.189 | 214760.119 | 1203.58 | #4 BAR W/ "TEMPER CONTROL" CAP |
| 115.103 | 68610.895 | 2146790.890 | 1198.12 | #4 BAR W/ "TEMPER CONTROL" CAP |
| 115.104 | 68697.2870 | 2146988.722 | 1202.71 | #4 BAR W/ "TEMPER CONTROL" CAP |
| 315 | 68721.151 | 2143995.172 | 1172.40 | BRASS CAP "NORMAN CONTROL" |
| 375 | 68825.932 | 2146006.794 | 1199.92 | BRASS CAP "NORMAN CONTROL" |

Survey Control Points
11/11/10
DL

PRODUCT

LOCATION
SUMMIT LAKES ADDITION
NORMAN, OK
PREPARED FOR
Summit Lakes Property Owners
Association/City of Norman

DEMOLITION PLAN
2711 CALVERT ST.

| | | | | | | |
|-------------|--------|-----|-----|-----------|----------|-----------|
| Project No. | 181119 | AWM | ECR | 30/1/2019 | AS SHOWN | SUBMITTAL |
| Drawn by | | | | | | |
| Checked by | | | | | | |
| Date | | | | | | |
| Scale | | | | | | |
| Issued for | | | | | | |
| Drawn by | | | | | | |

DP-01




CARDINAL

ENGINEERING
An **ENVIRONMENTAL CLEAN COMPANY**
1015 N. Broadway Ave., Suite 300

Oklahoma City, OK 73102
Phone 405.842.1066
Fax 405.843.4587













3700 W. Robinson Ave., Ste. 200
Norman, OK 73072
Dino Co. and S. Co. Inc.

Phone 405.273.5553
Fax 405.701.5208
<http://www.coordengineering.com>



| ID | DESCRIPTION |
|-----|----------------------------------|
| 101 | REMOVE EXISTING ROOFING |
| 102 | REMOVE EXISTING ROOF TRUSS |
| 103 | REMOVE EXISTING ROOF JOIST |
| 104 | REMOVE EXISTING ROOF RIGID JOIST |
| 105 | REMOVE EXISTING ROOF RIGID JOIST |
| 106 | REMOVE EXISTING ROOF RIGID JOIST |
| 107 | REMOVE EXISTING ROOF RIGID JOIST |
| 108 | REMOVE EXISTING ROOF RIGID JOIST |
| 109 | REMOVE EXISTING ROOF RIGID JOIST |
| 110 | REMOVE EXISTING ROOF RIGID JOIST |
| 111 | REMOVE EXISTING ROOF RIGID JOIST |
| 112 | REMOVE EXISTING ROOF RIGID JOIST |
| 113 | REMOVE EXISTING ROOF RIGID JOIST |
| 114 | REMOVE EXISTING ROOF RIGID JOIST |
| 115 | REMOVE EXISTING ROOF RIGID JOIST |
| 116 | REMOVE EXISTING ROOF RIGID JOIST |
| 117 | REMOVE EXISTING ROOF RIGID JOIST |
| 118 | REMOVE EXISTING ROOF RIGID JOIST |
| 119 | REMOVE EXISTING ROOF RIGID JOIST |
| 120 | REMOVE EXISTING ROOF RIGID JOIST |
| 121 | REMOVE EXISTING ROOF RIGID JOIST |
| 122 | REMOVE EXISTING ROOF RIGID JOIST |
| 123 | REMOVE EXISTING ROOF RIGID JOIST |
| 124 | REMOVE EXISTING ROOF RIGID JOIST |
| 125 | REMOVE EXISTING ROOF RIGID JOIST |
| 126 | REMOVE EXISTING ROOF RIGID JOIST |
| 127 | REMOVE EXISTING ROOF RIGID JOIST |
| 128 | REMOVE EXISTING ROOF RIGID JOIST |
| 129 | REMOVE EXISTING ROOF RIGID JOIST |
| 130 | REMOVE EXISTING ROOF RIGID JOIST |
| 131 | REMOVE EXISTING ROOF RIGID JOIST |
| 132 | REMOVE EXISTING ROOF RIGID JOIST |
| 133 | REMOVE EXISTING ROOF RIGID JOIST |
| 134 | REMOVE EXISTING ROOF RIGID JOIST |
| 135 | REMOVE EXISTING ROOF RIGID JOIST |
| 136 | REMOVE EXISTING ROOF RIGID JOIST |
| 137 | REMOVE EXISTING ROOF RIGID JOIST |
| 138 | REMOVE EXISTING ROOF RIGID JOIST |
| 139 | REMOVE EXISTING ROOF RIGID JOIST |
| 140 | REMOVE EXISTING ROOF RIGID JOIST |
| 141 | REMOVE EXISTING ROOF RIGID JOIST |
| 142 | REMOVE EXISTING ROOF RIGID JOIST |
| 143 | REMOVE EXISTING ROOF RIGID JOIST |
| 144 | REMOVE EXISTING ROOF RIGID JOIST |
| 145 | REMOVE EXISTING ROOF RIGID JOIST |
| 146 | REMOVE EXISTING ROOF RIGID JOIST |
| 147 | REMOVE EXISTING ROOF RIGID JOIST |
| 148 | REMOVE EXISTING ROOF RIGID JOIST |
| 149 | REMOVE EXISTING ROOF RIGID JOIST |
| 150 | REMOVE EXISTING ROOF RIGID JOIST |

[illegible]

REINFORCED CONCRETE HEADWALL DETAIL
N.I.S.

1. ALL REINFORCING STEEL SHALL BE GR60 DEFORMED BARS.
2. NO WELDS SHALL BE ALLOWED.
3. P.C. CONCRETE SHALL HAVE A MINIMUM 3,500 PSI COMPRESSIVE STRENGTH AT 28 DAYS.
4. APPLY 3" CHAMFER TO ALL EXPOSED CORNERS.
5. APPLY CARBONAROUS FINISH TO ALL EXPOSED SURFACES.
6. PLACE 4" NOM. GROUP AS SHOWN WITH TWO COURSE #5 REINFORCING.

DETAIL.

NOTES

| | |
|----|-----|
| 1. | INC |
| | MT |
| | AF |
| 2. | PI |


UTILITY WARNING

THE UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM RECORD DOCUMENTS OR TELECOMMUNICATIONS. THE LOCATION OF THESE UTILITIES HAS NOT BEEN VERIFIED BY THE ENGINEERING FIRM. THE ENGINEERING FIRM SHALL BE RESPONSIBLE FOR THE LOCATION OF THESE UTILITIES. THE ENGINEERING FIRM SHALL BE RESPONSIBLE FOR THE LOCATION OF THESE UTILITIES. THE ENGINEERING FIRM SHALL BE RESPONSIBLE FOR THE LOCATION OF THESE UTILITIES.


UTILITY WARNING

THE UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM RECORD DOCUMENTS OR TELECOMMUNICATIONS. THE LOCATION OF THESE UTILITIES HAS NOT BEEN VERIFIED BY THE ENGINEERING FIRM. THE ENGINEERING FIRM SHALL BE RESPONSIBLE FOR THE LOCATION OF THESE UTILITIES. THE ENGINEERING FIRM SHALL BE RESPONSIBLE FOR THE LOCATION OF THESE UTILITIES. THE ENGINEERING FIRM SHALL BE RESPONSIBLE FOR THE LOCATION OF THESE UTILITIES.







SCALE: NTTS



ROCK CHECK DAM





LOC: W104H
SUMMIT LAKES ADDITION
NORMAN, OK

PREPARED FOR:
Summit Lakes Property Owners
Association/City of Norman

DRAIN LINE PROFILES

| | |
|-----------------------|----------|
| Approved: | 181110 |
| Expires By: | NA |
| Classified By: | EDR |
| Declassify On: | 04/17/19 |
| Authority: | NTS |
| Reason for Extension: | APPROVAL |
| Downing Info: | DT-03 |

 **CARDINAL**
ENGINEERING
An ENVIRONMENTAL Company
1015 N. Broadway Ave., Suite 300
Oklahoma City, OK 73102
Phone 405.842.1046
Fax 405.843.4887

3700 W. Robinson, Suite 200
Harrison, OK 73072
Phone 405.579.0655
Fax 405.366.8540

<http://www.cardinalengineering.com>
Call 711, explore online 06.30.2020