


Custard Factory

RE: Request for Approval
Property/Location: 301 E Main
Account #23886 Parcel ID #: NC29AAAOT 22 1001

The posts are 9 feet in height. The lowest individual light is 8 feet 3 inches off the ground. These lights are strung using 3/32 inch cable with double cable locks, s-hooks and turnbuckles for tension. The cables are mounted to the facing of the building using 3in eye bolts screwed in at a 45 degree angle. All this will minimize sagging and allow for weather resistance. The highest point of the install is 11 feet at the building face.



The City of Norman
201 West Grey Street
Norman, Oklahoma 73069

5/16/2022

RE: Request for Approval
Property/Location: 301 E Main
Account #23886 Parcel ID #: NC29AAAOT 22 1001

This is an official request for the written permission for the continued placement of 3 manufactured steel post on the property listed above for the purpose of Place Making and safety in Downtown Norman. These posts are used to add patio lights to the address listed above. These post are manufactured and installed by Weibee Steel Company, Inc. (Attachment A). These exact posts have been used for other patio projects within the City of Norman. The commercial patio lights are purchased by JASCO (Attachment B).

The posts are 9 feet in height. The lowest individual light is 8 feet 3 inches off the ground. These lights are strung using 3/32 inch cable with s-hooks and turnbuckles to minimize sagging and allow for weather resistance. The highest point of the install is 11 feet at the building face.

ALL three posts are placed within the current patio dining permitted area held by Rusty's Custard Factory and approved by the City of Norman. NONE of the three posts are placed in the public right-of-way. These posts have been in place for the Norman Music Fest, Norman Pride Weekend and Norman Second Friday Art Walk. They are not an obstruction or impediment to the flow of traffic, which would constitute a public nuisance. Because these posts are not a structure, obstruction or impediment, I do not believe it is possible they could be a public nuisance. Rather, I suspect most people would say the additional lighting is a positive, attractive feature.

I request a temporary relief of the 10 day demand letter while a formal request is processed by the City of Norman Public Works Department. Thank you for supporting the continued growth of Norman's local small businesses and the Downtown Business District.


Sincerely,



Rusty Rasmussen
Owner – Rusty's Custard Factory



Attachment A



DATE:
29 JUNE
DRAWING NUMBER:

1/1

DRAWN BY:
RYAN
REVISED:



JOB NAME:



WEIBEE STEEL INC.
NORMAN OKLAHOMA
405-360-7055

GENERAL CONTRACTOR:

Vintage LED Cafe Lights, 24ft., 12 Bulbs



Specifications

Length of fixture: 24' Nominal wattage: 12

Voltage: 120 Hertz: 60 Color Temperature: 2200K

Max linkable: 750ft Lifetime: 50,000 hours

Warranty: Limited-lifetime warranty




Design Features

- Lifetime LED – JascoPro™ Series café lights are designed with premium long-life, cool to the touch and energy-efficient LEDs, which means no bulbs to replace
- 12 commercial grade, impact resistant acrylic Edison-style bulbs won't break if dropped, stepped on or blown around in the wind
- Weatherproof – Heavy duty 18/3 SJTW cord withstands up to 221°F outdoor temperature for year-around usage. Designed for permanent installation and to withstand year-round exposure to the elements
- Flexible mounting options – Mount on a flat surface or hang from above (mounting hardware not included)
- Linkable up to 750 feet – End-to-end connections; link multiple sets to achieve the perfect length for any installation
- UL listed, FCC certified

Additional Installation Information

- When installing Café Lights outside, a Ground Fault Circuit Interrupter (GFCI) receptacle should be used. Before installing, plug the Café Lights into the GFCI receptacle to ensure all lights work properly.
- Only mount Café Lights to a solid support structure such as joists, beams, studs or other solid mounting surfaces.
- Guide wires in compliance with local electrical and building codes may also be used to support Café Lights.
- When finished mounting, place the female receptacle cover firmly over the unused outlet and plug the male plug into the GFCI receptacle.

Vintage LED Cafe Lights, 48ft., 24 Bulbs



Specifications

Length of fixture: 48' Nominal wattage: 24
Voltage: 120 Hertz: 60 Color Temperature: 2200K
Max linkable: 750ft Lifetime: 50,000 hours
Warranty: Limited-lifetime warranty

Design Features

- Lifetime LED – JascoPro™ Series café lights are designed with premium long-life, cool to the touch and energy-efficient LEDs, which means no bulbs to replace
- 24 commercial grade, impact resistant acrylic Edison-style bulbs won't break if dropped, stepped on or blown around in the wind
- Weatherproof – Heavy duty 18/3 SJTW cord withstands up to 221°F outdoor temperature for year-around usage. Designed for permanent installation and to withstand year-round exposure to the elements
- Flexible mounting options – Mount on a flat surface or hang from above (mounting hardware not included)
- Linkable up to 750 feet – End-to-end connections; link multiple sets to achieve the perfect length for any installation
- UL listed, FCC certified

Additional Installation Information

- When installing Café Lights outside, a Ground Fault Circuit Interrupter (GFCI) receptacle should be used. Before installing, plug the Café Lights into the GFCI receptacle to ensure all lights work properly.
- Only mount Café Lights to a solid support structure such as joists, beams, studs or other solid mounting surfaces.
- Guide wires in compliance with local electrical and building codes may also be used to support Café Lights.
- When finished mounting, place the female receptacle cover firmly over the unused outlet and plug the male plug into the GFCI receptacle.