




Misc








Mulls/Expanders




Brickmold




SDL



"Traditional" BRICKMOLD(radius)



1 1/8" SILL NOSING
*Can be used with "Traditional" & "Georgian" Brickmold and 3 1/2" Flat Casing



*Can be used with Traditional Brickmold and 3 1/2" Flat Casing



SUN WINDOWS
OWENSBORO, KY.

DESCRIPTION: Aluminum Accessory Profiles for SunClad USA product lines

COLOR:

MAT'L: aluminum

DRAWN BY: Scott M.

REVISIONS

REV

			S.M.
	Added 1" & 2 1/4" raised SDL	3/19/18	S.M.
	updated traditional brickmold drawings	4/27/17	S.M.
REV	DESCRIPTION	BY	



DATE: 8/10/10

PART NO.:

COST:


SCALE:

X-FULL:




5/8" Sill Nosing Shown
1 1/8" Sill Nosing Optional


1 1/8"




USA ARCHITECTURAL DOUBLE HUNG
0" Mull Shown
w/ OPTIONAL 1", 1 1/2", 2", 3", OR 4"




USA ARCHITECTURAL DOUBLE HUNG
0" Mull Shown
w/ OPTIONAL 1", 1 1/2", 2", 3" OR 4"




USA ARCHITECTURAL DOUBLE HUNG
0" Mull Shown
w/ OPTIONAL 1", 1 1/2", 2", 3" OR 4"




USA ARCHITECTURAL DOUBLE HUNG
0" Mull Shown
w/ OPTIONAL 1", 1 1/2", 2", 3" OR 4"




USA ARCHITECTURAL DOUBLE HUNG
0" Mull Shown
w/ OPTIONAL 1", 1 1/2", 2", 3", OR 4"




USA EASY TILT/COMFORT TILT DOUBLE HUNG
DRIP CAP APPLICATION




DOUBLE HUNG FAMILY FRAME EXPANDERS
SHOWN USING 1/2" EXPANDER w/
OPTIONAL 2" AND 3" EXPANDERS





DOUBLE HUNG FAMILY SPREAD MULLS
SHOWN USING 2" FRAME EXPANDER
2" RANGE= 2" TO 4 1/2"




DOUBLE HUNG FAMILY 1" MULL SHOWN
OPTIONAL MULLS SHOWN BELOW



DOUBLE HUNG FAMILY 1" MULL SHOWN
OPTIONAL MULLS SHOWN BELOW




GBG
3/4" GBG




Grille Details with Shadow Bar


5/8" SDL




1" SDL




1 1/4" SDL




2 1/4" SDL




5/8" SDL (raised)




1" SDL (raised)




1 1/4" SDL (raised)




2 1/4" SDL (raised)




5/8" SDL




1" SDL




1 1/4" SDL




2 1/4" SDL




5/8" SDL (raised)




1" SDL (raised)



1 1/4" SDL (raised)




2 1/4" SDL (raised)




Simulated Checkrail

2 1/4" SDL




Simulated Mull (Single)

2 1/4" SDL




Simulated Mull (Double)


2 1/4" SDL




2 1/4" SDL (raised)



2 1/4" SDL (raised)



2 1/4" SDL (raised)



Clad Architectural Double Hung



The Clad Architectural Double Hung is our premier double hung window. It is designed with historically accurate details, making it ideal for restoration and new construction projects alike.

A Double Hung is the traditional sash-over-sash, raise and lower window. The two sashes overlap to form a check rail where they lock together. One or two cam-action locks, depending on the size of the window, secure the sashes. A pair of finger-release tilt latches provide for tilting in the sash for cleaning or other access. Locking-when-tilted balance shoes help hold the sash in place when tilted.

Traditional Block and Tackle balances assist in raising, lowering, and holding the sashes in place when operating. A Hybrid balance system is available on oversized units. Vinyl Jamb Tracks that house the balance system are concealed within each side jamb.

Configurations include standard 50/50 sash split as well 40/60 Cottage and 60/40 Oriel proportions. Double Hung windows can be mullied together for multi-wide units or with compatible sized Fixed Lites.

The standard jamb depth is 4-9/16". A jamb depth of 6-9/16" is achieved with 2" extensions.

Several grille systems are available to add lite division to the glass area. See the Grille Options section later in this guide for more information.

Exterior mounted screens are available to help keep out insects when the sash is open.

Other options include exterior colors, exterior trim, interior finishes, and additional jamb options. More information is detailed later in this guide.

Hardware Finishes

- Standard Finishes: White, Tan, Brown, Dark Bronze, Black
 - Upgrade Finishes: Brushed Chrome, Brushed Nickel, Antique Brass, Polished Brass
- Upgrade finishes available at additional cost.

Sizes

- Widths: 20", 24", 28", 32", 36", 40", 44", 48"
- Heights: 35-1/2", 39-1/2", 47-1/2", 51-1/2", 55-1/2", 61-1/2", 63-1/2", 71-1/2", 75-1/2", 77-1/2"
- Monumental sizing is available.



See website for additional details and information.



Brushed Nickel, Brushed Chrome, Antique Brass, Polished Brass



Scope of Work Photos
**401 S Blackwelder Ave • Oklahoma City,
Oklahoma 73108**

*Jan 11, 2023, 3:43 PM
by Morgan Reinart*



Scope of Work Photos
**401 S Blackwelder Ave • Oklahoma City,
Oklahoma 73108**

*Jan 11, 2023, 3:49 PM
by Morgan Reinart*