



**Kylee Myler**  
 6750 Millbrook Road  
 Remus, MI 49340  
 US  
 9895612270 (Phone)

## QUOTATION

| Quote #                                                                                                                                                                                                           | Quote Created                                             | Last Updated                                                                                                                                                                                                      | Salesperson                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>160695</b>                                                                                                                                                                                                     | September 26, 2023 07:34 AM<br>by Bandit Industries, Inc. | September 26, 2023 07:45 AM<br>by Kylee Myler                                                                                                                                                                     | Larry Holmes                                                                                                                                                                                                      |
| CUSTOMER:                                                                                                                                                                                                         |                                                           | BILL TO:                                                                                                                                                                                                          | SHIP TO:                                                                                                                                                                                                          |
| City of Novi Parks and Recreation<br>26300 Lee Begole Dr<br>Novi, MI 48375<br>USA<br>248-567-0395 (Phone)<br>Michael Rhatigan (Contact)<br><a href="mailto:mrhatigan@cityofnovi.org">mrhatigan@cityofnovi.org</a> |                                                           | City of Novi Parks and Recreation<br>26300 Lee Begole Dr<br>Novi, MI 48375<br>USA<br>248-567-0395 (Phone)<br>Michael Rhatigan (Contact)<br><a href="mailto:mrhatigan@cityofnovi.org">mrhatigan@cityofnovi.org</a> | City of Novi Parks and Recreation<br>26300 Lee Begole Dr<br>Novi, MI 48375<br>USA<br>248-567-0395 (Phone)<br>Michael Rhatigan (Contact)<br><a href="mailto:mrhatigan@cityofnovi.org">mrhatigan@cityofnovi.org</a> |

## INTIMIDATOR 15XP (15" DRUM STYLE)

| Qty | Part #     | Description                         | Base Price         |
|-----|------------|-------------------------------------|--------------------|
| 1   | MODEL-15XP | Intimidator 15XP - (15" Drum Style) | <b>\$ 40505.00</b> |

## STANDARD EQUIPMENT

| Qty | Part #   | Description                                                                                                                                                               | Price          |
|-----|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 1   | STANDARD | 37" diameter x 18 3/4" wide drum with (4) 5/8" X 5 1/2" X 9" dual edge knives                                                                                             | <b>\$ 0.00</b> |
| 1   | STANDARD | "Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope    | <b>\$ 0.00</b> |
| 1   | STANDARD | "Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.       | <b>\$ 0.00</b> |
| 0   | STANDARD | 25 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge                                                                         | <b>\$ 0.00</b> |
| 1   | STANDARD | 12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge                                                                    | <b>\$ 0.00</b> |
| 1   | STANDARD | Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors. | <b>\$ 0.00</b> |
| 1   | STANDARD | Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel                                                          | <b>\$ 0.00</b> |
| 1   | STANDARD | Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)                                     | <b>\$ 0.00</b> |
| 1   | STANDARD | 360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector                                                                             | <b>\$ 0.00</b> |
| 1   | STANDARD | Clean out and inspection door on discharge bottom                                                                                                                         | <b>\$ 0.00</b> |
| 0   | STANDARD | 29" high x 54" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists                                     | <b>\$ 0.00</b> |
| 1   | STANDARD | Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)                                                               | <b>\$ 0.00</b> |
| 1   | STANDARD | (2) Last chance safety pull cables                                                                                                                                        | <b>\$ 0.00</b> |
| 1   | STANDARD | Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)                                                     | <b>\$ 0.00</b> |
| 1   | STANDARD | Wooden pusher tool with mount on infeed hopper                                                                                                                            | <b>\$ 0.00</b> |
| 1   | STANDARD | 3/16" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue                                                                                                   | <b>\$ 0.00</b> |
| 1   | STANDARD | Frame / Fender supports                                                                                                                                                   | <b>\$ 0.00</b> |
| 1   | STANDARD | Lockable aluminum toolbox                                                                                                                                                 | <b>\$ 0.00</b> |

|   |          |                                                                                                                                                                                     |  |         |
|---|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------|
| 1 | STANDARD | 5/16" (G70) safety chains with spring loaded latch hooks                                                                                                                            |  | \$ 0.00 |
| 1 | STANDARD | 8,000 pound capacity tongue jack with 15" of travel and foot pad                                                                                                                    |  | \$ 0.00 |
| 1 | STANDARD | 12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors. |  | \$ 0.00 |
| 1 | STANDARD | Banded chipper drive belts (adjustable via a sliding engine system)                                                                                                                 |  | \$ 0.00 |
| 1 | STANDARD | Pressure check kit - Gauge is NOT included                                                                                                                                          |  | \$ 0.00 |
| 1 | STANDARD | Weather resistant manual container                                                                                                                                                  |  | \$ 0.00 |
| 1 | STANDARD | Engine disable plug for hood locking pin-preventing engine from operating without pin in place                                                                                      |  | \$ 0.00 |
| 1 | STANDARD | (1) weatherproof machine manual (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable                                         |  | \$ 0.00 |
| 1 | STANDARD | Spanish & English combination safety decals                                                                                                                                         |  | \$ 0.00 |

#### PAINT

| Qty | Part #    | Description                                      | Unit Price | Total   |
|-----|-----------|--------------------------------------------------|------------|---------|
| 1   | 333-32273 | Standard Imron Industrial Urethane Bandit Yellow | \$ 0.00    | \$ 0.00 |

#### ENGINE

| Qty | Part #         | Description                                                                                                                                                                                  | Unit Price  | Total       |
|-----|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|
| 1   | 990-RC1172-753 | Ford RSG-862, 6.2L, 165 horsepower GAS engine without clutch (Includes spark arrestor muffler) - If ordered on Model 280 / 280HD must select tongue weight option under add on frame options | \$ 22040.00 | \$ 22040.00 |

#### CONTROL SYSTEM AND ENGINE INSTALLATION

| Qty | Part #      | Description                                                                                                                                                                                          | Unit Price | Total      |
|-----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------|
| 1   | 915-6000-39 | Murphy PV485 panel with reversing auto feed for Ford 165 horsepower gas engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted on engine shroud with lockable steel cover | \$ 3055.00 | \$ 3055.00 |

#### CLUTCH

| Qty | Part #      | Description               | Unit Price | Total      |
|-----|-------------|---------------------------|------------|------------|
| 1   | 700-1000-12 | NACD Spring Loaded Clutch | \$ 1725.00 | \$ 1725.00 |

#### DRIVE SYSTEM

| Qty | Part #             | Description                                                                                                   | Unit Price | Total     |
|-----|--------------------|---------------------------------------------------------------------------------------------------------------|------------|-----------|
| 1   | OPTION-915-5000-16 | Drive system for engines above 145 horsepower (Includes two 3 groove belts in lieu of a single 4 groove belt) | \$ 450.00  | \$ 450.00 |

#### INFEED

| Qty | Part #             | Description                                                                          | Unit Price | Total     |
|-----|--------------------|--------------------------------------------------------------------------------------|------------|-----------|
| 1   | OPTION-915-5001-12 | 29" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors | \$ 775.00  | \$ 775.00 |

#### AXLE

| Qty | Part #      | Description                                                                                                                                      | Unit Price | Total   |
|-----|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------|
| 1   | 990-1016-02 | Single 10,000 pound Torflex axle with electric brakes (0 degree down trail) (Will be 4 1/2" shorter than 45 degree down trail) (Now 900-5910-70) | \$ 0.00    | \$ 0.00 |

#### TIRES/RIMS

| Qty | Part #     | Description                                                                              | Unit Price | Total   |
|-----|------------|------------------------------------------------------------------------------------------|------------|---------|
| 1   | 990-100406 | (2) 215/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up) | \$ 0.00    | \$ 0.00 |

#### FENDER

| Qty | Part #     | Description                                         | Unit Price | Total   |
|-----|------------|-----------------------------------------------------|------------|---------|
| 1   | 990-100415 | Aluminum bolt on fenders (Approximately 1/4" thick) | \$ 0.00    | \$ 0.00 |

| HITCH                        |                    |                                                                                                   |                                 |                       |
|------------------------------|--------------------|---------------------------------------------------------------------------------------------------|---------------------------------|-----------------------|
| Qty                          | Part #             | Description                                                                                       | Unit Price                      | Total                 |
| 1                            | 990-100274         | 2-1/2" Wallace Forge Pintle Hitch                                                                 | \$ 0.00                         | \$ 0.00               |
| ADD-ON OPTIONS               |                    |                                                                                                   |                                 |                       |
| Chipper Discharge Transition |                    |                                                                                                   |                                 |                       |
| Qty                          | Part #             | Description                                                                                       | Unit Price                      | Total                 |
| 1                            | OPTION-915-5000-   | Clean out and inspection door on transition.                                                      | \$ 175.00                       | \$ 175.00             |
| Chocks & Chock Holders       |                    |                                                                                                   |                                 |                       |
| Qty                          | Part #             | Description                                                                                       | Unit Price                      | Total                 |
| 1                            | OPTION-980-1000    | Aluminum Bolt On Chock Holders (Does not include chocks)                                          | \$ 130.00                       | \$ 130.00             |
| 1                            | OPTION-980-5001-   | Rubber Wheel Chocks (2)                                                                           | \$ 90.00                        | \$ 90.00              |
| Cone Holder                  |                    |                                                                                                   |                                 |                       |
| Qty                          | Part #             | Description                                                                                       | Unit Price                      | Total                 |
| 1                            | OPTION-905-5000-   | Hoop style cone holder (weld on)                                                                  | \$ 175.00                       | \$ 175.00             |
| Fuel And Hydraulic Tanks     |                    |                                                                                                   |                                 |                       |
| Qty                          | Part #             | Description                                                                                       | Unit Price                      | Total                 |
| 1                            | OPTION-915-5000-03 | 40 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge | \$ 285.00                       | \$ 285.00             |
| Wiring                       |                    |                                                                                                   |                                 |                       |
| Qty                          | Part #             | Description                                                                                       | Unit Price                      | Total                 |
| 1                            | OPTION-905-5000-   | Option 7 Prong (Flat/RV Style) to 6 Prong Coiled Cord                                             | \$ 45.00                        | \$ 45.00              |
| CUSTOMER TOTALS              |                    |                                                                                                   |                                 |                       |
|                              |                    |                                                                                                   | Total Unit Price:               | \$ 69450.00           |
|                              |                    |                                                                                                   | Customer Total:                 | \$ 69450.00           |
| DIRECT SALE TOTALS           |                    |                                                                                                   |                                 |                       |
|                              |                    |                                                                                                   | Total Unit Price:               | \$ 69450.00           |
|                              |                    |                                                                                                   | Direct Sale Discount:           | 20.00 % - \$ 13890.00 |
|                              |                    |                                                                                                   | Net After Direct Sale Discount: | \$ 55560.00           |
|                              |                    |                                                                                                   | Freight/Shipping Charges:       | \$ 250.00             |
|                              |                    |                                                                                                   | Total Direct Sale Price:        | \$ 55810.00           |
| SIGNATURE                    |                    |                                                                                                   |                                 |                       |

The Buyer, whose name and address appears above, agrees to purchase from the Seller, whose name and address appears above, the above equipment at the prices stated and upon the terms and conditions of this agreement.

X  
 \_\_\_\_\_  
 Signature

\_\_\_\_\_  
 Date

# TRUCK & TRAILER *Specialties, Inc.*

900 Grand Oaks Drive | Howell, MI 48843 | [www.ttspec.com](http://www.ttspec.com) | ph: (517) 552-3855 | fx: (517) 552-3666

**February 16, 2024**

City of Novi  
26300 Lee BeGole Drive, Novi, MI 48375  
Attn: Mike Rhatigan, ph: (248) 962-8624  
HQ0003880

## Equipment Quotation

The following pricing is based on City of Rochester Hills RFP-RH-20-023 contract awarded September 2020

**Chassis information:** Existing International Tandem with SwapLoader SL-412 Hoist

**Install Skid-mounted 14' Poynette Chipper Body including the following:**

Attachment mounted to skid assembly for SwapLoader SL-412 (54" loop height)  
168" long, 96" wide OD, 67" height ID  
30" tall, single swing-back door, door will pit tight to side of box  
Solid roof with 4 vents  
Cut-out 4 light holes (up high in rear top two corners) on rear  
Cut-out 3 small clearance light holes in center of top of container on back and 1 in each rear upper corner

**Paint:**

Primed and painted Red, paint code required

**Skid:**

Body attachment on 14' SwapLoader subframe with 54" hook height  
Rear heavy-duty steel drum wheels

**Lighting:**

Marker clearance ID lights with reflective lenses  
Two (2) 4" round LED STT lights in upper rear corners  
Two (2) 4" round SoundOff LED flashers in upper rear corners, one (1) amber & one (1) green  
LED clearance light kit and all lights, wired to the plug  
Install electric plug and extend wiring harmer to rear corner of body, equip with a 7-way plug

**Above equipment installed pricing: \$17,205.00 ea.**

**Option Interior curbside ladder box (16" wide) with pole pruner shelf & slam-latch rear door, stainless hinge**

**Option add: \$500.00 ea.**

**Payment Terms:** Net 30. Pricing effective for 30 days.

**FOB:** City of Novi

**Delivery:** 13-15 weeks ARO

**Thank you for the opportunity to quote.**

Respectfully submitted by,  
Jon Luea/Brian Bouwman

