

















**BRITISH  
HIGH POWER**

**RE-OUTDOOR**  
room with out  
EXTRA THICK  
STRONG  
ANGLED  
REINFORCED

Use & Care  
The package is to be used as a container for  
the product. It is not to be used as a  
storage container for the product.  
Do not use the product in areas where  
it may be exposed to fire or other  
sources of heat.













Shop up the fruit game





















ASSEMBLED IN  
MEXICO







100-100-20  
EAGLE PIPING  
D1785

D1785  
EAGLE PIPING





NSF-pw

ASTM D 1785

PPFA

1 1/2" CPVC



















<b>QO LOAD CENTER</b> <small>38100</small> <b>QO-6-12L100S</b> G4 <small>TYPE 1 ENCLOSURE</small> SINGLE PHASE 240 V. MAX. 50/60 HZ MAINS 100 AMP.		<b>CENTRO DE CARGA QO</b> <small>38100</small> <b>QO6-12L100S</b> G4 <small>GABINETE TIPO NEMA 1</small> LINEA DE FASE 240 V. MÁX. 50/60 HZ LINEA PRINCIPAL DE 100 A COMO MÁXIMO	
<small>SEE MANUAL OR SERVICE DISCONNECT MANUAL FOR INSTALLATION. SEE QO-6-12L100S FOR ADDITIONAL PHASE INFORMATION. USE ONLY SQUARE D COMPONENTS AND ACCESSORIES.</small>			
1	3	5	7
DO NOT USE THIS SPACE NO UTILICE ESTE ESPACIO	-----R -----L	-----R -----L	-----R -----L
2	4	6	8
-----R -----L	-----R -----L	-----R -----L	DO NOT USE THIS SPACE NO UTILICE ESTE ESPACIO
<small>1. LEFT. 2. RIGHT. HOLES IN FRONT ARE OPEN. 3. USE UNLOCKED CIRCUIT BREAKER OPENING WITH FILLER PLATE / OMBRA EN POSICIÓN CERRADA.</small>		<small>1. IZQUIERDA. 2. DERECHA. HOLOS EN FRENTE SON ABIERTOS. 3. USAR CON PLACA DE RESELLADO LA ABERTURA SIN (38100). INTERRUPTOR AUTOMÁTICO. BUSQUE EL NO. DE CATALOGO QO6P.</small>	
<small>4. USE UNLOCKED CIRCUIT BREAKER OPENING WITH FILLER PLATE / OMBRA EN POSICIÓN CERRADA. AT THIS POSITION OR RED VISO TRIP INDICATOR AND/OR BREAKER IS TRIPPED. TO RESET MOVE HANDLE TO OFF POSITION. WHEN ON TO OPERATE. ALL LOAD CONDUCTORS FROM THE SUPPLY CONDUCTORS (MAIN OFF CIRCUIT BREAKER HANDLE) MARKED MAIN OR SERVICE DISCONNECT.</small>		<small>4. USAR CON PLACA DE RESELLADO LA ABERTURA SIN (38100). INTERRUPTOR AUTOMÁTICO. BUSQUE EL NO. DE CATALOGO QO6P. EN POSICIÓN DE RESETEO O EL INDICADOR ROJO VIS TRIP INDICA QUE SE HA DESAFIANADO EL INTERRUPTOR AUTOMÁTICO. PARA REESTABLECERLO. MÓVASE EL MANEJO A UNA POSICIÓN DE APERTURA CERRADA. VELE A UNA POSICIÓN DE APERTURA CERRADA. PARA OPERAR. TODOS LOS CONDUCTORES DE CARGA DE LOS CONDUCTORES DE ALIMENTACIÓN (38100) TALLAS PALANQUILLAS INTERRUPTOR AUTOMÁTICO EN POSICIÓN DE CERRACIÓN PRINCIPAL DE SERVICIO EN LA POSICIÓN DE APERTURA.</small>	
<small>4026028403</small> <b>SQUARE D COMPANY</b>		<small>4026028403</small> <b>SQUARE D COMPANY</b>	



L2027

<p><b>⚠ DANGER</b> HAZARD OF ELECTRICAL SHOCK, BURN OR EXPLOSION. Turn off power before working on or inside. Handle all wires before the alarm. Peligro de choque eléctrico, quemaduras o explosión. Apague el suministro de energía antes de trabajar en o dentro del equipo. Maneje todos los cables antes de la alarma.</p>	<p><b>⚠ WARNING</b> This equipment is designed and tested to comply with performance levels which exceed industry standards. Use of other than Square D circuit breakers may adversely affect your safety, proper reliability, and will void the warranty.</p>
<p><b>⚠ PELIGRO</b> PELIGRO DE LESIONES ELÉCTRICAS, QUEMADURAS O EXPLOSIÓN. Desconecte la fuente de alimentación de este equipo antes de realizar cualquier trabajo en su interior. Conecte todos los cables antes de recibir la alarma.</p>	<p><b>⚠ ADVERTENCIA</b> Este equipo ha sido diseñado y probado para cumplir con los niveles de rendimiento que superan los estándares de la industria. El uso de otros que no sean los de Square D puede afectar su seguridad, la confiabilidad adecuada y anular la garantía.</p>





# DANGER

## DO NOT ENTER

### Unsafe to Occupy

Under Chapter 1 Section 108 of the International Property Maintenance Code. Adopted by the City of Oelwein.  
**IT IS UNLAWFUL FOR ANY PERSON TO CONTINUE TO OCCUPY OR USE THESE PREMISES UNDER PENALTY OF THE LAW AS PROVIDED FOR IN SAID ABOVE SECTION.**

Any person guilty of violation of the above shall be subject to a fine of \$100.00 or imprisonment for 30 days or both.

DATE: October 27, 2021

BUILDING DEPARTMENT  
CITY OF OELWEIN, IOWA

Jay Shalton Inspector

[Signature] Building Official

Any unauthorized person who removes or defaces this notice will be prosecuted as provided by law.

# WARNING

## DO NOT ENTER

### UNFIT FOR HUMAN OCCUPANCY

This property has been deemed unsanitary and/or infested and/or contaminated pursuant to City Code 25-8.  
**It is unlawful for any person to continue to occupy or use these premises under penalty of the law as provided for in City Code.**

Any person guilty of violation of the above shall be subject to a fine of \$100.00 or imprisonment for 30 days or both. ANY UNAUTHORIZED PERSON WHO REMOVES OR DEFACES THIS NOTICE WILL BE PROSECUTED AS PROVIDED BY LAW.



DATE: October 27, 21 COMMUNITY DEVELOPMENT DEPARTMENT

INSPECTOR: Jay Shalton

BUILDING OFFICIAL: [Signature]



310

**DANGER**  
**DO NOT ENTER**  
Unsafe to Occupy

After a disaster, it is important to ensure that the structure is safe to occupy. This sign is used to indicate that the structure is unsafe to occupy and that the occupants should evacuate. The sign is used to indicate that the structure is unsafe to occupy and that the occupants should evacuate. The sign is used to indicate that the structure is unsafe to occupy and that the occupants should evacuate.

**WARNING**  
**DO NOT ENTER**  
UNFIT FOR HUMAN OCCUPANCY

**ORLEN**  
ORLEN





















