



Serving Alaska since 1945  
www.yukoneq.com

**Anchorage**  
2020 East 3<sup>rd</sup> Ave.  
Anchorage, AK  
99501

**Fairbanks**  
3511 International St.  
Fairbanks, AK  
99701

**Wasilla**  
450 E. Railroad Ave.  
Wasilla, AK 99654  
(907) 376-1541

Quote Date: 08/11/22  
Prepared By: Ronnie Malerich  
Direct Line: 907-677-5727  
Cell: 907-312-6582  
Email: Ronniem@yukoneq.com

**QUOTE FOR:** Petersburg Borough  
**CONTACT:** Chris Cotta  
**PHONE:** 907-772-4430  
**EMAIL:** ccotta@petersburgak.gov

# QUOTATION

QUOTE VALID THROUGH  
09/11/2022

## Presents a Proposal Summary

of the



### 2100i

Combination Single Engine Sewer Cleaner with Positive Displacement Vacuum System Mounted on a Heavy Duty Truck Chassis

Ronnie Malerich  
Tel:



**List Summary**

| Order Qty | Part Number | Description  |
|-----------|-------------|--|
| 1         | 2110i-16    | 2100i PD, 16" Vacuum, 10 yrd Debris, Combo                             |
| 1         | 2014iSTD    | 1000 Gallons STD   |
| 1         | 5002iA      | 80 GPM/2500 PSI Jet Rodder pump  |
| 1         | 011iSTD     | Aluminum Fenders   |
| 1         | 012iSTD     | Mud Flaps  |
| 1         | 014iSTD     | Electric/Hydraulic Four Way Boom                                       |
| 1         | 016iSTD     | Color Coded Sealed Electrical System                                   |
| 1         | 018i        | Remote Pendant Control With 35' Cord                                   |
| 1         | 019iASTD    | Intuitouch Electronic Package  |
| 1         | 020iSTD     | Double Acting Hoist Cylinder   |
| 1         | 025iASTD    | Handgun Assembly   |
| 1         | 026iSTD     | Ex-Ten Steel Cylindrical Debris Tank                                   |
| 1         | 030iSTD     | Flexible Hose Guide  |
| 1         | 032iSTD     | (3) Nozzles with Carbide Inserts w/Rack                                |
| 1         | 045iSTD     | Suction Tube Storage   |
| 1         | 046iSTD     | 1" Nozzle Pipe   |
| 1         | 046iSTD     | 1-1/4" Nozzle Pipe   |
| 1         | 048iSTD     | 10' Leader Hose  |
| 1         | 1001iSTD    | Flat Rear Door w/Hydraulic Locks                                       |
| 1         | 1005iSTD    | Dual Stainless Steel Float Shut Off System                             |
| 1         | 1016iSTD    | Microstrainer Prior to Blower  |
| 1         | 1024iSTD    | Debris Body Vacuum Relief System                                       |
| 1         | 1031iSTD    | Debris Deflector Plate   |
| 1         | 1032iSTD    | 48" Dump Height  |
| 1         | 1041iSTD    | Debris Body-Up Message and Alarm                                       |
| 1         | 2001iSTD    | Low Water Indicator On Screen w/Alarm and Water Pump Flow Indicator    |
| 1         | 2011iSTD    | 3" Y-Strainer at Passenger Side Fill with 25' Fill Hose                |
| 1         | 2022iSTD    | Additional Water Tank Sight Gauge                                      |
| 1         | 2023iSTD    | Liquid Float Level Indicator   |
| 1         | 3019iSTD    | Digital Water Pressure Gauge   |
| 1         | 4000iSTD    | 180 deg. Non-Extending Boom  |
| 1         | 4006iSTD    | Front Joystick Boom Control  |
| 1         | 4010iSTD    | Boom Hose Storage  |
| 1         | 4017iSTD    | Boom Out of Position Message and Alarm                                 |
| 1         | 5010iSTD    | Rodder System Accumulator - Jack Hammer on/off Control w/ manual valve |
| 1         | 5011iSTD    | 3" Y-Strainer @ Water Pump   |
| 1         | 5015iSTD    | Midship Handgun Coupling   |
| 1         | 5022iSTD    | Side Mounted Water Pump  |
| 1         | 6004iSTD    | Hose Wind Guide (Dual Roller), Manual                                  |
| 1         | 6005iDSTD   | Digital Hose Footage Counter   |
| 1         | 6007iSTD    | Hose Reel Manual Hyd Extend/Retract                                    |
| 1         | 6009iSTD    | Hose Reel Chain Cover  |
| 1         | 6020iBSTD   | Hydraulic Extending 15", Rotating Hose Reel, 1" x 800' Capacity        |
| 1         | 6017iSTD    | Hydraulic Tank Shutoff Valves  |



|   |          |  |
|---|----------|--|
| 1 | 7001iSTD | Tachometer/Chassis Engine w/Hourmeter  |
| 1 | 7003iSTD | Water Pump Hour Meter  |
| 1 | 7004iSTD | PTO Hour Meter   |
| 1 | 7005iSTD | Hydraulic Oil Temp Alarm   |
| 1 | 7007iSTD | Tachometer & Hourmeter/Blower  |
| 1 | 8000iSTD | Circuit Breakers   |
| 1 | 8025iSTD | LED Lights, Clearance, Back-up, Stop, Tail & Turn  |
| 1 | 9002iSTD | Tow Hooks, Front   |
| 1 | 9002iSTD | Tow Hooks, Rear  |
| 1 | 9003iSTD | Electronic Back-Up Alarm   |
| 1 | 9021iSTD | Camera System, Rear Only   |
| 1 | S390ASTD | 8" Vacuum Pipe Package   |
| 1 | S560STD  | Emergency Flare Kit  |
| 1 | S590STD  | Fire Extinguisher 5 Lbs.   |
| 1 | 010i     | Operator Station Curbside Toolbox with Lighting  |
| 1 | 1003i    | Debris Body Washout  |
| 1 | 1008i    | 6" Rear Door Knife Valve w/Camloc, 3:00 position   |
| 1 | 1010iA   | Pump Off Ports Only  |
| 1 | 1014i    | Centrifugal Separators (Cyclones)  |
| 1 | 1015iJ   | Folding Pipe Rack, Curbside, 6" Pipe   |
| 1 | 1015iAC  | Folding Pipe Rack, Streetside, 6" Pipe   |
| 1 | 1015iBL  | Folding Pipe Rack, Rear Door, 6" Pipe  |
| 1 | 1022i    | Rear Door Splash Shield  |
| 1 | 1023i    | Lube Manifold, with Lube Chart   |
| 1 | 2006i    | Air Purge  |
| 1 | 3015i    | Front Blower Controls  |
| 1 | 3020i    | Digital Water Level Indicator  |
| 1 | 3021i    | Digital Debris Body Level Indicator Tied to Vacuum Relief                                |
| 1 | 4014i    | 180 deg. 5 x 5 Extendable/Telescoping Boom   |
| 1 | 4008i    | Grate Lifting Hook, Installed on Boom  |
| 1 | 4013i    | Rotatable Boom Inlet Hose  |
| 1 | 4020i    | Anti Splash Valve, Body Inlet  |
| 1 | 5015i    | Handgun Couplers, Front and Rear   |
| 1 | 5021iC   | Hydro Excavation Kit - Includes Lances w/ Shield, Nozzles, Storage Tray, and Vacuum Tube |
| 1 | 5029i    | Cyclone Washout System   |
| 1 | 6002iB   | 600' x 1" Piranha Sewer Hose 2500 PSI in lieu of STD                                     |
| 1 | 6004iD   | Rodder Hose Pinch Roller   |
| 1 | 6008i    | Hose Reel Manual Rewind Tool   |
| 1 | 6019i    | Rodder Pump Drain Valves   |
| 1 | 6019iA   | Final Filter and Silencer Ball Valve Drains  |
| 1 | 7005iSTD | Hydraulic Oil Temp Alarm   |
| 1 | 8002i    | Corded, Hand Light w/Bumper Plug   |
| 1 | 8004iD   | Rear Mounted, LED Beacon Light   |
| 1 | 8004iE   | Front Mounted, LED Beacon Light  |
| 1 | 8012i    | Additional Corded Handlight Connector, Rear  |
| 1 | 8027i    | LED Mid-Ship Turn Signals  |
| 1 | 8028i    | Worklights (2), LED, Boom  |
| 1 | 8029i    | Worklights (2), LED, Rear Door   |
| 1 | 8029iA   | Worklight, LED, Operators Station  |

|    |              |  |
|----|--------------|--|
| 1  | 8029iB       | Worklight, LED, Hose Reel Manhole  |
| 1  | 8029iC       | Worklight, LED, Curb Side  |
| 1  | 8029iD       | Worklight, LED, Street Side  |
| 1  | 9023iA       | Safety Cone Storage Rack - Post Style  |
| 1  | 9027iA       | Chassis Engine DPF Soot Load Information   |
| 1  | 9070iB       | Long Handle Tool Storage   |
| 1  | 9071iFL      | Toolbox, Behind Cab - 14w x 36h x 96d - with Lighting  |
| 1  | 9074iAL      | Toolbox, Driver Side Subframe, 18w x 24h x 24d - with Lighting                                     |
| 1  | i112STD      | Module Paint, DuPont Imron Elite - Sanded Primer Base  |
| 1  | i124STD      | Vactor 2100i Body Decal, Standard  |
| 1  | LOGO-APPL.   | Vactor/Guzzler Logos - Applied   |
| 1  | 500655B-30   | Vactor Standard Manual and USB Version - 1 + Dealer  |
| 1  | 500655-30    | 1 Printed Full Vactor Manual   |
| 1  | Chassis- Mod | Chassis Modifications Charges  |
| 2  | 25637-30     | (2) 8" x 5' Aluminum Vacuum Tube   |
| 2  | 25637F-30    | (2) 8" x 7'-6" Aluminum Vacuum Tube  |
| 10 | 32087D-30    | (10) 6" Quick Clamp Assembly   |
| 2  | 41280-30     | (2) 3" Y-Strainer Screen   |
| 1  | 29898H-30    | 6" Lay-Flat Drain Hose - 50ft  |
| 1  | 34878-30     | (1) Grate Lift Hook  |
| 1  | 52846-30     | (1) Flexible Hose Guide  |
| 1  | PSIS370A-CH  | Vactor Supplied Chassis, Single Axle, 2023 International HV607 SBA, 370 HP, Auto, 46,000 GVWR, GHG |

Chassis Source - Vactor Supplied  
Module Paint Match Cab - Yes  
Module Paint Color - White  
Cab Color - White  
Cab Color Code - 9219 WINTER WHITE  
Cab Stripe Color - None  
Certified Unit Weights Required? - No

**Vactor Body Factory List Price: \$350,313.83**  
**Sourcewell Discount: - \$10,509.41**  
**After Discount: \$339,804.42**  
**Vactor Supplied International HV607 SBA, 370HP Chassis : \$114,699.98**  
**Total FOB Streator IL: \$454,504.40**  
**Freight to AML in Seattle: \$8,325.00**  
**Water Freight to Petersburg Dock: \$8,400.00**  
**Total FOB AML in Seattle: \$471,229.40**

PROPOSAL DATE: 8/11/2022

QUOTE NUMBER: 2022-48047

Price List Date: 1/1/2022

PO NUMBER:

QTY: \_\_\_\_\_ Customer Initials: \_\_\_\_\_

PAYMENT TERMS:

PROPOSAL NOTES:

1. Multiple unit orders will be identical to signed proposal. Changes or deviations to any unit of a multiple unit order will requires a new signed proposal.
2. Chassis specifications and data codes for customer supplied chassis must be submitted to and approved by Vactor Manufacturing prior to submittal of customer purchase order
3. All prices quoted are in US Dollars unless otherwise noted.
4. This proposal incorporates, and is subject to, Vactor Manufacturing's standard terms and conditions attached hereto and made a part hereof.

SIGNED BY:

\_\_\_\_\_ Date: \_\_\_\_\_



## LIMITED WARRANTY

Limited Warranty. Each machine manufactured by VACTOR MANUFACTURING (or, "the Company") is warranted against defects in material and workmanship for a period of 12 months, provided the machine is used in a normal and reasonable manner and in accordance with all operating, maintenance and safety instructions. In addition, certain machines and components of certain machines have extended warranties as set forth below. If sold to an end user, the applicable warranty period commences from the date of delivery to the end user. If used for rental purposes, the applicable warranty period commences from the date the machine is firstmade available for rental by the Company or its representative. This limited warranty may be enforced by any subsequent transferee during the warranty period. This limited warranty is the sole and exclusive warranty given by the Company.

### STANDARD EXTENDED WARRANTIES (Total Warranty Duration)

2100 Series, HXX Series and Jetters

10 years against water tank leakage due to corrosion. nonMetallic water tanks are covered for 5 yrs against any factory defect in material or workmanship.

2100 Series, HXX Series and Guzzler only

5 years against leakage of debris tank, centrifugal compressor or housing due to rust-through.

2100 Series and Jetters

2 years - Vactor Rodder Pump

Exclusive Remedy. Should any warranted product fail during the warranty period, the Company will cause to be repaired or replaced, as the Company may elect, any part or parts of such machine that the Company's examination discloses to be defective in material or factory workmanship. Repairs or replacements are to be made at the selling Company's authorized dealer's or distributor's location or at other locations approved by the Company. In lieu of repair or replacement, the Company may elect, at its sole discretion, to refund the purchase price of any product deemed defective. The foregoing remedies shall be the sole and exclusive remedies of any party making a valid warranty claim.

This Limited Warranty shall not apply to (and the Company shall not be responsible for):

1. Major components or trade accessories that have a separate warranty from their original manufacturer, such as, but not limited to, trucks and truck chassis, engines, hydraulic pumps and motors, tires and batteries.
2. Normal adjustments and maintenance services.
3. Normal wear parts such as, but not limited to, oils, fluids, vacuum hose, light bulbs, fuses and gaskets.
4. Failures resulting from the machine being operated in a manner or for a purpose not recommended or not in accordance with operating, maintenance or safety instructions by the Company.
5. Repairs, modifications or alterations without the express written consent of the Company, which in the Company's sole judgment, have adversely affected the machine's stability, operation or reliability as originally designed and manufactured.
6. Items subject to misuse, negligence, accident or improper maintenance.

\*NOTE\* The use in the product of any part other than parts approved by the Company may invalidate this warranty. The Company reserves the right to determine, in its sole discretion, if the use of non-approved parts operates to invalidate the warranty. Nothing contained in this warranty shall make the Company liable for loss, injury, or damage of any kind to any person or entity resulting from any defect or failure in the machine.

THIS WARRANTY SHALL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND TO THE EXTENT PERMITTED, CONFERRED BY STATUTE, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY AGAINST FAILURE OF ITS ESSENTIAL PURPOSE, ALL OF WHICH ARE DISCLAIMED.

This warranty is in lieu of all other obligations or liabilities, contractual and otherwise, on the part of the Company. For the avoidance of doubt, the Company shall not be liable for any indirect, special, incidental or consequential damages, including, but not limited to, loss of use or lost profits. The Company makes no representation that the machine has the capacity to perform any functions other than as contained in the Company's written literature, catalogs or specifications accompanying delivery of the machine. No person or affiliated company representative is authorized to alter the terms of this warranty, to give any other warranties or to assume any other liability on behalf of the Company in connection with the sale, servicing or repair of any machine manufactured by the Company. Any legal action based hereon must be commenced within eighteen (18) months of the event or facts giving rise to such action.

The Company reserves the right to make design changes or improvements in its products without imposing any obligation upon itself to change or improve previously manufactured products.



VACTOR MANUFACTURING  
1621 S. Illinois Street  
Streator, IL 61364





## TERMS AND CONDITIONS

**ORDERS:** All orders are subject to acceptance by Vactor Manufacturing, Inc. or Guzzler Manufacturing, Inc. (hereafter referred to as Vactor). Orders for products not normally carried in stock or requiring special engineering or manufacturing is in every case subject to approval by Vactor's Management.

**PRICES:** All orders are subject to current prices in effect at the time of order acknowledgment

**F.O.B. POINT:** Unless otherwise stated, all prices listed are F.O.B. factory.

**PAYMENT TERMS:** The company's payment terms are due upon receipt, unless otherwise stated. However, until such time as Vactor receives full payment, Vactor shall maintain a purchase money security interest in the product.

**CANCELLATION:** Orders cannot be cancelled except upon terms that will compensate Vactor for any loss or damage sustained. Such loss will be a minimum of 10% of the purchase price.

**SHIPMENT:** All proposals are based on continuous and uninterrupted delivery of the order upon completion, unless specifications distinctly state otherwise. In the event that agreement is reached for Vactor to store completed items, they will be immediately invoiced to the customer and become due and payable. Storage shall be at the risk of the customer and Vactor shall be liable only for ordinary care of the property.

**STORAGE CHARGES:** Vactor shall charge the customer at current rates for handling and storing customer's property (e.g. truck chassis) held for more than thirty (30) days after notification of availability for shipment. All customer's property, or third party's property, that is stored by Vactor is at the customer's or other party's risk. Vactor is not liable for any loss or damage thereto caused by fire, water, corrosion, theft, negligence, or any cause beyond its reasonable control.

**PERFORMANCE:** Vactor shall not be liable for failure to complete the contract in accordance with its terms if failure is due to wars, strikes, fires, floods, accidents, delays in transportation or other causes beyond its reasonable control.

**EXPERIMENTAL WORK:** Work performed at customer's request such as sketches, drawings, design, testing, fabrication and materials shall be charged at current rates.

**SKETCHES, ENGINEERING DRAWINGS, MODELS** and all preparatory work created or furnished by Vactor, shall remain its exclusive property; and no use of same shall be made nor may ideas obtained therefrom be used except with the consent of and on terms acceptable to Vactor.

**TAXES:** Buyer's final cost shall include all applicable sales and use taxes, including all sales and use taxes attributable to any changes made to Buyer's initial order placed hereunder or to

any changes to applicable sales and use tax laws. However, Vactor Manufacturing, Inc. shall be responsible for Federal Excise Tax (F.E.T.) unless it is separately stated on the invoice and added to the selling price. If F.E.T. is not separately stated on the invoice it has not been included in the price and Vactor will pay any F.E.T. due itself and bear the cost of the tax. Any refunds or adjustments to F.E.T. in such cases belong to Vactor.

**PRODUCT IMPROVEMENT:** Vactor reserves the right to change manufacturing specifications and procedure in accordance with its product improvement policy.

**MOUNTING PRICES:** Mounting prices assume normal factory installation on a truck chassis suitable for the unit purchased. Relocation of batteries, fuel tanks, mufflers, air tanks, etc. will be an additional charge, billed at the standard factory labor rate.

**WARRANTY:** Vactor warrants its products to be free from defects in material and workmanship for a period of 12 months, subject to the limitations and conditions set forth in its current published warranty. Other than those expressly stated herein. THERE ARE NOT OTHER WARRANTIES OF ANY KIND EXPRESS OR IMPLIED, AND SPECIFICALLY EXCLUDED BUT NOT BY WAY OF LIMITATION, ARE THE IMPLIED WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE AND MERCHANTABILITY.

**IT IS UNDERSTOOD AND AGREE THE VACTOR'S LIABILITY WHETHER IN CONTRACT, IN TORT, UNDER ANY WARRANTY IN NEGLIGENCE OR OTHERWISE SHALL NOT EXCEED THE RETURN OF THE AMOUNT OF THE PURCHASE PRICE PAID BY THE PURCHASER AND UNDER NO CIRCUMSTANCES SHALL VACTOR BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES. THE PRICES STATED FOR THE EQUIPMENT IS A CONSIDERATION IN LIMITING VACTOR'S LIABILITY. NO ACTION REGARDLESS OF FORM, ARISING OUT OF THE TRANSACTION OF THE AGREEMENT MAY BE BROUGHT BY PURCHASER MORE THAN ONE YEAR AFTER THE CAUSE OF ACTION HAS OCCURRED.**

**VACTOR'S MAXIMUM LIABILITY SHALL NOT EXCEED AND BUYER'S REMEDY IS LIMITED TO EITHER (I) REPAIR OR REPLACEMENT OF THE DEFECTIVE PART OF PRODUCT, OR AT VACTOR'S OPTION (II) RETURN OF THE PRODUCT AND REFUND OF THE PURCHASE PRICE AND SUCH REMEDY SHALL BE BUYER'S ENTIRE AND EXCLUSIVE REMEDY.**

**CHOICE OF LAW:** These terms and conditions shall be construed according to the laws of the State of Illinois. Failure at anytime by Vactor to exercise any of its rights under this



## TERMS AND CONDITIONS

agreement shall not constitute a waiver thereof nor prejudice Vactor's right to enforce it thereafter.

**COMPLETE AGREEMENT:** These terms and conditions, contain the complete and final agreement between the parties hereto and no other agreement in any way modifying any of these terms and conditions will be binding on Vactor unless in writing and agreed to by an authorized representative of Vactor. All proposed terms included in Buyer's purchase order or other standard contracting documents are expressly rejected.

I agree with the above terms and conditions:

\_\_\_\_\_

Date: \_\_\_\_\_