PETERSBURG BOROUGH ORDINANCE #2023-15

AN ORDINANCE OF THE PETERSBURG BOROUGH ADJUSTING THE FY 2024 BUDGET FOR KNOWN CHANGES

<u>Section 1.</u> <u>Classification</u>: This ordinance is not of a permanent nature and shall not be codified in the Petersburg Municipal Code.

Section 2. Purpose: The purpose of this ordinance is to adjust the FY 2024 budget for known changes.

Section 3. Substantive Provisions: In accordance with Section 11.09(a) of the Charter of the Petersburg Borough, the budget for the fiscal period beginning July 1, 2023 and ending June 30, 2024 is adjusted as follows:

Explanation: Necessary revisions in the FY 2024 budget identified after adoption of the Budget. This is the second supplemental budget of the year.

Account Number	Account	<u>Original</u> <u>Budget</u>	<u>Increase</u> (Decrease)	<u>Amended</u> <u>Budget</u>
FISCAL	<u>YEAR 2024 REVENUE / EXPENSE B</u>	BUDGET A	DJUSTME	NTS
Homeland Security	Grant Fund – Fund 711			
711.000.402277	Homeland Security Grant Revenue	0	\$50,199.	\$50,199.
711.000.501460	School District Radios & Base Station Expense	0	(\$50,199.)	(\$50,199.)
meeting. This grant	bly approved acceptance of this grant in the cor provides funding for the purchase and installation radios and the fees for FCC licensing of the Sc	on of an anten	ina with repea	ter, 2 base
	and Frank 070			
E911 Surcharge Fu			1.	
270.000.506520	Police Facility Access Control System	\$0	(\$86,876)	(\$86,876)
	over the cost of Arctic Fire & Security's proposal	I to provide ins	stallation servi	ces and
access control syste	em upgrade to facility.			
Parks & Recreation	n – Leisure Pool Filtration & South Harbor Vie	ewing Platfor	m	
110.574.501330	Maintenance Supplies - Pump & Shipping	(\$24,000.)	(\$9,161.)	(\$33,161.)
110.574.501410	Professional Services – Labor to install pump	(\$32,000.)	(\$1237.)	(\$33,237.)
110.574.501480	Repairs & Maintenance – Benches & Shipping	(\$10,000.)	(\$3,619)	(\$13,619.)

	pump was needed to replace the leaking leisure as damaged in a driving incident and replaceme			
Blind Slough Hyd	ro Project – Fund 747			
410.000.501960	Electric Reserves Transfer to Capital Project	\$0	(\$880,000)	(\$880,000)
747.000.402240	Blind Slough Hydro Transfer In	\$0	\$880,000	\$880,000
Transfer funds from	n Electric Enterprise reserves to capital project for	und to finish or	ut the project.	
PMPL Electric De	partment Misc. Accounts			
410.405.501352	Diesel Plant Maintenance - Supplies	(\$9,500)	(\$5,850)	(\$15,350)
To cover late invoic Generator.	es sent by Marine Services that were budgeted	for in FY23 fo	r work on the E	EMD 16
410.405.501353	Diesel Plant Maintenance – Services	(\$8,300)	(\$20,981)	(\$29,281)
	ated work by NC Machinery on the Caterpillar 39	8 generator re	ebuild and invo	icing receive
To cover unanticipa after the fiscal year		0		
		(\$63,440)	(\$20,056)	(\$83.496)
after the fiscal year 410.000.501449 To cover unanticipa	had ended.	(\$63,440) ger had an iss	ue with the boo	, , , , , , , , , , , , , , , , , , ,
after the fiscal year 410.000.501449 To cover unanticipa	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The dig	(\$63,440) ger had an iss	ue with the boo	, , , , , , , , , , , , , , , , , , ,
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The dig icks need replacement platforms (buckets) to ref	(\$63,440) ger had an iss main safe to o (\$28,400)	ue with the boo perate.	om controls
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430 To cover online trai	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The dig icks need replacement platforms (buckets) to re- Travel and Training	(\$63,440) ger had an iss main safe to o (\$28,400)	ue with the boo perate.	om controls
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430 To cover online trai	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The dig icks need replacement platforms (buckets) to ref Travel and Training ning of PMPL staff on the Eaton Yukon AMI pro	(\$63,440) ger had an iss main safe to o (\$28,400)	ue with the boo perate.	om controls
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430 To cover online trai Wastewater Pump	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The digutes need replacement platforms (buckets) to replace and Training ring of PMPL staff on the Eaton Yukon AMI pro Station 4 Project – Fund 739	(\$63,440) ger had an iss main safe to o (\$28,400) gram,	ue with the boo perate. (\$13,000)	om controls (\$41,400)
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430 To cover online trai Wastewater Pump 430.000.501960 739.000.402240 Transfer needed in	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The digates need replacement platforms (buckets) to release need replacement platforms (buck	(\$63,440) ger had an iss main safe to o (\$28,400) gram, \$0 \$0 \$0	ue with the boo perate. (\$13,000) (\$144,000) \$144,000	controls (\$41,400) (\$144,000) \$144,000
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430 To cover online trai Wastewater Pump 430.000.501960 739.000.402240 Transfer needed in control programmin	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The digates need replacement platforms (buckets) to replace and Training Travel and Training ining of PMPL staff on the Eaton Yukon AMI pro Station 4 Project – Fund 739 Wastewater Transfer to Capital Project Pump Station #4 Project Transfer In order to award a professional services contract	(\$63,440) ger had an iss main safe to o (\$28,400) gram, \$0 \$0 \$0	ue with the boo perate. (\$13,000) (\$144,000) \$144,000	controls (\$41,400) (\$144,000) \$144,000
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430 To cover online trai Wastewater Pump 430.000.501960 739.000.402240 Transfer needed in control programmin	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The digates need replacement platforms (buckets) to replace and Training Travel and Training ning of PMPL staff on the Eaton Yukon AMI pro Station 4 Project – Fund 739 Wastewater Transfer to Capital Project Pump Station #4 Project Transfer In order to award a professional services contracting while waiting for a loan increase from ADEC.	(\$63,440) ger had an iss main safe to o (\$28,400) gram, \$0 \$0 \$0	ue with the boo perate. (\$13,000) (\$144,000) \$144,000	com controls (\$41,400) (\$144,000 \$144,000 els and
after the fiscal year 410.000.501449 To cover unanticipa and both bucket tru 410.000.501430 To cover online trai Wastewater Pump 430.000.501960 739.000.402240 Transfer needed in control programmin Electric Departme 410.XXX.500110	had ended. Motor Pool Charges – O&M ated repairs by Altec for our line trucks. The digeners need replacement platforms (buckets) to replace and Training Travel and Training ning of PMPL staff on the Eaton Yukon AMI pro Station 4 Project – Fund 739 Wastewater Transfer to Capital Project Pump Station #4 Project Transfer In order to award a professional services contracting while waiting for a loan increase from ADEC.	(\$63,440) ger had an iss main safe to o (\$28,400) gram, \$0 \$0 for pump stati	ue with the boo perate. (\$13,000) (\$144,000) \$144,000 on control pan	controls (\$41,400) (\$144,000) \$144,000

Section 4. Severability: If any provision of this ordinance or any application to any person or circumstance is held invalid, the remainder of this ordinance and application to any person and circumstance shall not be affected.

Section 5. Effective Date: This ordinance shall become effective immediately after the date of its passage.

Passed and approved by the Petersburg Borough Assembly, Petersburg, Alaska this 18th day of December, 2023.

ATTEST:

Mark Jensen, Mayor

Debra K. Thompson, Borough Clerk

Adopted: Published: Effective: