PETERSBURG BOROUGH ORDINANCE #2023-04

AN ORDINANCE OF THE PETERSBURG BOROUGH ADJUSTING THE FY 2023 BUDGET FOR KNOWN CHANGES

Section 1. Classification: This ordinance is not of a permanent nature and shall not be codified in the Petersburg Municipal Code.

Section 2. Purpose: The purpose of this ordinance is to adjust the FY 2023 budget for known changes.

<u>Section 3.</u> <u>Substantive Provisions:</u> In accordance with Section 11.09(a) of the Charter of the Petersburg Borough, the budget for the fiscal period beginning July 1, 2022 and ending June 30, 2023 is adjusted as follows:

Explanation: Necessary revisions in the FY 2023 budget identified after adoption of the Budget.

| Account Number | Account | <u>Original</u> Budget | Increase (Decrease) | Amended Budget | | | |
|---|---|---------------------------|------------------------|-------------------|--|--|--|
| | AR 2023 REVENUE / EXPENSE BUDGET ADJUSTN | | (Decrease) | <u> </u> | | | |
| I ISOAL I LA | AN 2023 NEVENOL / EXPENSE BODGET AD303TH | ILIVI 3 | | | | | |
| Property Develop | ment Fund | | | | | | |
| | | | | | | | |
| 260.000.402240 | Property Dev. Fund – Transfer In Surplus | \$0 | \$77,277. | \$77,277. | | | |
| 110.000.501961 | General Fund – Transfer Out Surplus | \$0 | \$77,277. | \$77,277. | | | |
| Transferring 50% of General Fund Surplus reported in the audited FY22 financials to the Property | | | | | | | |
| Development Fund to build reserves. | | | | | | | |
| | | | | | | | |
| Property Development Fund | | | | | | | |
| 260.000.506528 | Community Center Sewer Line | \$0 | \$65,432. | \$65,432. | | | |
| On 12/5/22 the Box | On 12/5/22 the Borough Assembly approved Resolution 2022-21 that approved to spend \$65,432 of Property | | | | | | |
| | ls on an engineer designing biddable documents | | | | | | |
| Sewer Line. | | • | | • | | | |
| | | | | | | | |
| Hydro Substation | Close Out | | | | | | |
| 732.000.501960 | Hydro Substation Transfer Out | \$0 | \$21,165.46 | \$21,165.46 | | | |
| 747.000.402240 | Blind Slough Hydro Transfer In | \$0 | \$21,165.46 | \$21,165.46 | | | |
| Transferring remaining fund balance to the Blind Slough Hydro Fund which has absorbed this project. | | | | | | | |
| Wastewater Fund – Ira II Street Project Close Out | | | | | | | |

| 430.000.501960 | Wastewater Transfer Out to Ira II Project to close out | \$0 | \$12,916. | \$12,916. |
|--|---|---|---|---|
| 756.000.402240 | Ira II Street Project Transfer In to Close Out | \$0 | \$12,916. | \$12,916. |
| | uns that were not expected when putting together water will close out the fund to a zero balance. | er the budget for | r FY23. Trans | sferring the |
| Electric Fund | | | | |
| 410.404.501352 | Diesel Plant Fuel | \$249,480. | \$170,000. | \$419,480. |
| PMPL is needing t | ost increases (estimating \$81,000) and from the co supplement the Diesel Plant Fuel line item to aintenance shutdown and diesel run from May 3 | ensure that fund | ds are adequa | |
| General Fund – A | attorney Fees | | | |
| 110.515.501410 | Borough Attorney Fees | \$90,000. | \$90,000. | \$180,000. |
| Lawsuits/complain | ts costing \$66,619.65 as of March 6, 2023 in F | Y23. | 1 | -1 |
| | | | | |
| Harbor - Dredgin | 9 | _ | _ | |
| 450.000.506541 | Harbor Dredging – Corp. of Engineers | \$1,100,000. | \$635,000. | \$1,735,000 |
| Contract modificat | ion due to a change in the site conditions result | ing from the end | ounter of har | d material |
| during dredging op | <u> </u> | | | |
| | | | | |
| Wastewater Fund | | | T | |
| 430.000.501410 | Professional Services | \$21,030. | \$35,000. | \$56,000. |
| la ana a c a alc. 1 | | ADEC forms in | preparation f | for retention of |
| the department's N | taining HDR Engineering to assist in completing NPDES 301h secondary treatment waiver, include nent of treatment alternatives to meet stricter St | ding discharge p | olume modelir | ng and |
| the department's N | NPDES 301h secondary treatment waiver, include nent of treatment alternatives to meet stricter St | ding discharge p | olume modelir | ng and |
| the department's N research/developn Harbor Departme | NPDES 301h secondary treatment waiver, include nent of treatment alternatives to meet stricter St | ding discharge p | olume modelir | ng and |
| the department's Nesearch/developments Harbor Departments 450.000.506553 Landslide in Hamr | NPDES 301h secondary treatment waiver, includent of treatment alternatives to meet stricter Stent Int Middle Harbor Dredging mers Slough has resulted in run off debris to the | ding discharge parties and Federal | blume modelir discharge pa \$189,000. | ng and arameters. \$189,000. |
| the department's Nesearch/developments Harbor Departments 450.000.506553 Landslide in Hamr | NPDES 301h secondary treatment waiver, includenent of treatment alternatives to meet stricter Stent Internative Middle Harbor Dredging | ding discharge parties and Federal | blume modelir discharge pa \$189,000. | ng and arameters. \$189,000. |
| the department's Nesearch/developments Harbor Departments 450.000.506553 Landslide in Hamments Temoved so more | NPDES 301h secondary treatment waiver, includent of treatment alternatives to meet stricter Stent Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. | ding discharge parties and Federal | blume modelir discharge pa \$189,000. | arameters. \$189,000 |
| the department's Notes of the department's Notes of the department | NPDES 301h secondary treatment waiver, includenent of treatment alternatives to meet stricter Stent Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine | ding discharge parties and Federal \$0 middle harbor be | \$189,000. | \$189,000 |
| the department's Notes are children developments of the control of | NPDES 301h secondary treatment waiver, includement of treatment alternatives to meet stricter Stent Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine | solution discharge protection of the second | \$189,000. pasin that nee | \$189,000 eds to be \$20,000. |
| the department's Notes are higher than the department of the partment of the department of the departm | PDES 301h secondary treatment waiver, includent of treatment alternatives to meet stricter Stant Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine are for various equipment needed for the new fire | \$0 solution \$0 set truck: radio, ta | \$189,000. pasin that nee | \$189,000 eds to be \$20,000. er, hand lights, |
| the department's Notes arch/development of the properties of the p | PDES 301h secondary treatment waiver, include nent of treatment alternatives to meet stricter Stent Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine are for various equipment needed for the new firedware, labor for installing equipment, snow tirest. | \$0 solve truck: radio, tass/rims (shipped | \$189,000. pasin that nee \$20,000. ablet compute | \$189,000 eds to be \$20,000.er, hand lights, w truck). |
| the department's Notes arch/development of the properties of the p | PDES 301h secondary treatment waiver, includent of treatment alternatives to meet stricter Stant Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine are for various equipment needed for the new fire | \$0 solve truck: radio, tass/rims (shipped | \$189,000. pasin that nee \$20,000. ablet compute | \$189,000 eds to be \$20,000. er, hand lights, w truck). |
| the department's Notes are children development. Harbor Department department department. 450.000.506553 Landslide in Hamman department. Motor Pool – FD5 510.000.507058 The above funds a department department. | PDES 301h secondary treatment waiver, include nent of treatment alternatives to meet stricter Stent Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine are for various equipment needed for the new firedware, labor for installing equipment, snow tirest. | \$0 set ruck: radio, tasking discharge properties and Federal \$0 set fruck: radio, tasking (shipped like) | \$189,000. \$20,000. \$20,000. \$blet compute loose with new | \$189,000 eds to be \$20,000. er, hand lights, w truck). |
| Harbor Departme 450.000.506553 Landslide in Hamr removed so more Motor Pool – FD5 510.000.507058 The above funds a misc mounting har Budget for the nev supplemental budget | NPDES 301h secondary treatment waiver, includement of treatment alternatives to meet stricter Stantant Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine From For various equipment needed for the new firedware, labor for installing equipment, snow tires truck was \$650,000 and actual cost of the truck. | \$0 set ruck: radio, tasking discharge properties and Federal \$0 set fruck: radio, tasking (shipped like) | \$189,000. \$20,000. \$20,000. \$blet compute loose with new | \$189,000. eds to be \$20,000. er, hand lights, w truck). |
| the department's Notes are children development of the content of | NPDES 301h secondary treatment waiver, include nent of treatment alternatives to meet stricter Stant Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine are for various equipment needed for the new firedware, labor for installing equipment, snow tires truck was \$650,000 and actual cost of the truck get items represent things that are needed for the run the original budget. | \$0 set ruck: radio, tasking discharge properties and Federal \$0 set fruck: radio, tasking (shipped like) | \$189,000. \$20,000. \$20,000. \$blet compute loose with new | \$189,000 eds to be \$20,000. er, hand lights, w truck). |
| the department's Notes are children development of the content of | PDES 301h secondary treatment waiver, includent of treatment alternatives to meet stricter Stant Int Middle Harbor Dredging mers Slough has resulted in run off debris to the damage isn't done to the middle harbor. Fire Engine FD Fire Engine are for various equipment needed for the new firedware, labor for installing equipment, snow tires the truck was \$650,000 and actual cost of the truck get items represent things that are needed for the stricter of the | \$0 set ruck: radio, tasking discharge properties and Federal \$0 set fruck: radio, tasking (shipped like) | \$189,000. \$20,000. \$20,000. \$blet compute loose with new | \$189,000 eds to be \$20,000. er, hand lights, w truck). |

Due to increased costs of parts as well as a number of unanticipated repairs that were necessary to keep vital equipment functioning, the Streets Dept Motor Pool O&M budget is already depleted, with almost 4 months left to go until the FY24 budget begins. We are requesting \$80,000 to cover the anticipated budget shortfall.

Motor Pool – Police Patrol Units

510.000.507001 Police Department #54 – Patrol Unit \$60,000. \$10,000. \$70,000. 510.000.507006 Police Department #96 – Patrol Unit \$57,000. \$10,000. \$67,000.

<u>Section 4.</u> <u>Severability:</u> If any provision of this ordinance or any application to any person or circumstance is held invalid, the remainder of this ordinance and application to any person and circumstance shall not be affected.

<u>Section 5.</u> <u>Effective Date:</u> This ordinance shall become effective immediately after the date of its passage.

Cost of chassis and vehicle upfits for both units have increased since the budgets were put in place.

Passed and approved by the Petersburg Borough Assembly, Petersburg, Alaska this

| | Mark Jensen, Mayor | | |
|----------------------------------|--------------------|--|--|
| ATTEST: | | | |
| Debra K. Thompson, Borough Clerk | | | |
| | Adopted: | | |
| | Published: | | |