

From: [Jotform](#)
To: tania@somethingmoremedia.com; [Joe Villalon](#); [Lorena Perez-Diaz](#); [Wayne Shaffer](#)
Subject: Re: Playground Safety Checklist - Joe Villalon
Date: Friday, May 22, 2026 12:28:24 PM
Attachments: [6552800504786808406_signature_13.png](#)



Playground Safety Checklist

Inspection ID: 0162
 Name of Park: Claret Crossing Park
 Inspection Date: 05-22-2026 10:35 AM

	In Good Condition	Needs Improvement	Notes
General Inspection	Playground are is free of litter and debris	<input type="checkbox"/>	
	Playground area is free of anthills/hazardous insects or toxic plants.	<input type="checkbox"/>	
	Playground area is free of holes and other tripping hazards.	<input type="checkbox"/>	
	Proper signage with rules, hours, and age-appropriate use is posted.	<input type="checkbox"/>	
	Playground area is properly fenced		N/A
	Self latching gate works as designed		N/A

	In Good Condition	Needs Improvement	Notes

Surfacing

Approved surfacing material is used (i.e. solid rubber, artificial grass or turf, play sand, pea gravel, wood chips, rubber mulch)	<input type="checkbox"/>	Floor cracking
Surfacing material under and around equipment is adequate depth (6-12 inches)	<input type="checkbox"/>	
Surfacing material is free of glass, debris, or other foreign objects.	<input type="checkbox"/>	
Surfacing material is not compacting or deteriorating.	<input type="checkbox"/>	Floor cracking
Rubber wear mats are used under high-traffic-use areas and covered by sufficient depth of surfacing material.	<input type="checkbox"/>	
Proper drainage prevents water from forming puddles.	<input type="checkbox"/>	

In Good Condition

Needs Improvement

Notes

Equipment Hazards

Equipment is not damaged or vandalized.	<input type="checkbox"/>
Equipment is free from sharp points, corners, or edges.	<input type="checkbox"/>
Protective caps or plugs are not missing or damaged.	<input type="checkbox"/>
Equipment is free of potential clothing entanglement hazards.	<input type="checkbox"/>
Equipment is free of pinch and crush points or exposed moving parts.	<input type="checkbox"/>
Equipment is free of rust, rot, cracks, and splinters.	<input type="checkbox"/>
Equipment is free of entrapments.	<input type="checkbox"/>
Equipment is safely anchored.	<input type="checkbox"/>

	In Good Condition	Needs Improvement	Notes
Hardware and chains are in good condition.	<input type="checkbox"/>		
Swings are a safe distance from other playground	<input type="checkbox"/>		

Swings

equipment.

Swings are 24 inches apart.

Edges of seats are smooth and free from obstructions.

Adequate depths of surfacing material extend out a minimum distance of twice the height of the swing.

Slides

Slides are free of obstructions and protrusions.

Equipped with platforms to facilitate access to the sitting position.

Platforms are equipped with guardrails or equivalent protective equipment.

Exit regions are level.

In Good Condition

Needs Improvement

Notes

In Good Condition

Needs Improvement

Notes

Hand grips

Climbing Equipment

are secured and do not rotate.

Rope or chain ladders are anchored at both ends.

Foot holds/ rungs are in good condition and adequately spaced.

Seesaws

Seesaws are free of cracks, corrosion, and other obvious structural defects.

Equipment is provided with spring centering devices or cushioning material to prevent abrupt contact with the ground.

Fulcrums/ pivot points are free of pinch or crush hazards.

Handholds

	In Good Condition	Needs Improvement	Notes
Seesaws are free of cracks, corrosion, and other obvious structural defects.	<input type="checkbox"/>		
Equipment is provided with spring centering devices or cushioning material to prevent abrupt contact with the ground.	<input type="checkbox"/>		
Fulcrums/ pivot points are free of pinch or crush hazards.	<input type="checkbox"/>		
Handholds			

are
provided
at each
sitting
position.



Upload Images &
Documents

[17794653940330.jpg](#)
[17794653940331.jpg](#)
[17794653940332.jpg](#)
[17794653940333.jpg](#)
[17794653940334.jpg](#)

Comments

Lots of cracking happening on this rubber floor and it looks like the problem is the concrete breaking causing the rubber floor to crack

Inspector Name

Joe Villalon

Signature



You can [edit this submission](#) and [view all your submissions](#) easily.