KEYED NOTES

GENERAL SITE

1. VAN ACCESSIBLE PARKING SPACE IN ACCORDANCE WITH THE STANDARD DETAIL. 1/C6.
2. ACCESSIBLE PARKING SIGN IN ACCORDANCE WITH THE STANDARD DETAIL. 2/C6.
3. WHEEL STOP IN ACCORDANCE WITH THE STANDARD DETAIL. 3/C6.
4. 4" WIDE WHITE PAINTED STRIPE.
5. 4" WIDE WHITE PAINTED STRIPE. HATCH @ 2' SPACING, 45°.
6. 6' - 3" DOMED TIMBER POST @ 6' - 0" O.C. POSTS SHALL BE IN ACCORDANCE WITH DMS 7200 "TIMBER POSTS AND BLOCKS FOR BEAM GUARD FENCE." PAINTED TIMBER POSTS NOT PERMITTED. FINISHED GRADE ELEVATION TO BOTTOM OF TIMBER POST SHALL BE 40".

STM SWR

1. PRECAST CONCRETE GRATE INLET. GRATE SIZE, TOP OF GRATE & FLOW LINE(S) INDICATED ON PLAN.
2. GROUTED STORM SEWER CONNECTION IN ACCORDANCE WITH THE STANDARD DETAIL. VERIFY LOCATION & DEPTH OF STORM SEWER FOR RECONNECTION. NOTIFY ENGINEER IMMEDIATELY OF ANY DISCREPANCIES 9/C5
3. OPEN-CUT & PATCH EXISTING ASPHALT/BASE PAVEMENT. TRENCH EXCAVATION & RESTORATION SHALL BE IN ACCORDANCE WITH STANDARD DETAILS. THE CONTRACTOR SHALL PROVIDE & MAINTAIN ALL NECESSARY WARNING & SAFETY DEVICES (FLASHING LIGHTS, FLAG MEN, BARRICADES, SIGNS, ETC) TO PROTECT PUBLIC SAFETY UNTIL THE WORK HAS BEEN COMPLETED. ALL BARRICADING SHALL BE PERFORMED IN ACCORDANCE WITH THE CURRENT TEXAS MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.

THIS DOCUMENT IS PRELIMINARY AND WAS RELEASED FOR THE PURPOSE OF REVIEW UNDER THE AUTHORITY OF MATT A. GLAZE, P.E., TEXAS NO. 99253 ON 08/02/22. IT IS NOT TO BE RELIED UPON AS A COMPLETE ENGINEERING DOCUMENT.

ISSUE

- [X] PRELIMINARY
- [X] REVIEW
- [ ] PERMITTING
- [ ] BIDDING
- [ ] CONSTRUCTION

REVISIONS

URBAN engineering
2004 N. Commerce, Victoria, Texas 77901 · 361.578.9836
urbanvictoria.com · TREF# F-160

PROJECT

CoPL SKATE PARK PARKING LOT IMPROVEMENTS

WILSON PARK
PORT LAVACA, TEXAS

TITLE

CIVIL SITE PLAN

DATE	08/02/22
JOB NUMBER	E24785.00
SHEET	C3