

**From:** [Jotform](#)  
**To:** [tania@somethingmoremedia.com](mailto:tania@somethingmoremedia.com); [Joe Villalon](#); [Lorena Perez-Diaz](#); [Wayne Shaffer](#)  
**Subject:** Re: Playground Safety Checklist - Joe Villalon  
**Date:** Wednesday, June 17, 2026 4:44:18 PM  
**Attachments:** [6575417874781043826\\_signature\\_13.png](#)



## Playground Safety Checklist

Inspection ID 0171

Name of Park Bayfront Park Splashpad

Inspection Date 06-17-2026 01:25 PM

| General Inspection |                                                                        | In Good Condition        | Needs Improvement | Notes |
|--------------------|------------------------------------------------------------------------|--------------------------|-------------------|-------|
|                    | Playground are is free of litter and debris                            | <input type="checkbox"/> |                   |       |
|                    | Playground area is free of anthills/hazardous insects or toxic plants. | <input type="checkbox"/> |                   |       |
|                    | Playground area is free of holes and other tripping hazards.           | <input type="checkbox"/> |                   |       |
|                    | Proper signage with rules, hours, and age-appropriate use is posted.   | <input type="checkbox"/> |                   |       |
|                    | Playground area is properly fenced                                     |                          |                   | N/A   |
|                    | Self latching gate works as designed                                   |                          |                   | N/A   |

|  | In Good Condition | Needs Improvement | Notes |
|--|-------------------|-------------------|-------|
|  |                   |                   |       |

## Surfacing

|                                                                                                                                    |                          |
|------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Approved surfacing material is used (i.e. solid rubber, artificial grass or turf, play sand, pea gravel, wood chips, rubber mulch) | <input type="checkbox"/> |
| Surfacing material under and around equipment is adequate depth (6-12 inches)                                                      | <input type="checkbox"/> |
| Surfacing material is free of glass, debris, or other foreign objects.                                                             | <input type="checkbox"/> |
| Surfacing material is not compacting or deteriorating.                                                                             | <input type="checkbox"/> |
| Rubber wear mats are used under high-traffic-use areas and covered by sufficient depth of surfacing material.                      | <input type="checkbox"/> |
| Proper drainage prevents water from forming puddles.                                                                               | <input type="checkbox"/> |

In Good  
Condition

Needs  
Improvement

Notes

|                   |                                                                      |                          |  |
|-------------------|----------------------------------------------------------------------|--------------------------|--|
| Equipment Hazards | Equipment is not damaged or vandalized.                              | <input type="checkbox"/> |  |
|                   | Equipment is free from sharp points, corners, or edges.              | <input type="checkbox"/> |  |
|                   | Protective caps or plugs are not missing or damaged.                 | <input type="checkbox"/> |  |
|                   | Equipment is free of potential clothing entanglement hazards.        | <input type="checkbox"/> |  |
|                   | Equipment is free of pinch and crush points or exposed moving parts. | <input type="checkbox"/> |  |
|                   | Equipment is free of rust, rot, cracks, and splinters.               | <input type="checkbox"/> |  |
|                   | Equipment is free of entrapments.                                    | <input type="checkbox"/> |  |
|                   | Equipment is safely anchored.                                        | <input type="checkbox"/> |  |

|                                                  | In Good Condition | Needs Improvement | Notes |
|--------------------------------------------------|-------------------|-------------------|-------|
| Hardware and chains are in good condition.       |                   |                   | N/A   |
| Swings are a safe distance from other playground |                   |                   | N/A   |

|        |                                                                                                       |                   |                   |       |
|--------|-------------------------------------------------------------------------------------------------------|-------------------|-------------------|-------|
| Swings | equipment.                                                                                            |                   |                   |       |
|        | Swings are 24 inches apart.                                                                           |                   |                   | N/A   |
|        | Edges of seats are smooth and free from obstructions.                                                 |                   |                   | N/A   |
|        | Adequate depths of surfacing material extend out a minimum distance of twice the height of the swing. |                   |                   | N/A   |
| Slides |                                                                                                       | In Good Condition | Needs Improvement | Notes |
|        | Slides are free of obstructions and protrusions.                                                      |                   |                   | N/A   |
|        | Equipped with platforms to facilitate access to the sitting position.                                 |                   |                   | N/A   |
|        | Platforms are equipped with guardrails or equivalent protective equipment.                            |                   |                   | N/A   |
|        | Exit regions are level.                                                                               |                   |                   | N/A   |
|        |                                                                                                       | In Good Condition | Needs Improvement | Notes |
|        | Hand grips                                                                                            |                   |                   |       |

|                    |                                                                                                                       |                   |                   |       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|-------|
| Climbing Equipment | are secured and do not rotate.                                                                                        |                   |                   | N/A   |
|                    | Rope or chain ladders are anchored at both ends.                                                                      |                   |                   | N/A   |
|                    | Foot holds/ rungs are in good condition and adequately spaced.                                                        |                   |                   | N/A   |
| Seesaws            |                                                                                                                       | In Good Condition | Needs Improvement | Notes |
|                    | Seesaws are free of cracks, corrosion, and other obvious structural defects.                                          |                   |                   | N/A   |
|                    | Equipment is provided with spring centering devices or cushioning material to prevent abrupt contact with the ground. |                   |                   | N/A   |
|                    | Fulcrums/ pivot points are free of pinch or crush hazards.                                                            |                   |                   | N/A   |
|                    | Handholds                                                                                                             |                   |                   |       |

are  
provided  
at each  
sitting  
position.

N/A

Inspector Name

Joe Villalon

Signature

A handwritten signature in black ink, appearing to read "Joe Villalon". The signature is fluid and cursive, with the first name "Joe" being more legible than the last name "Villalon".

---

You can [edit this submission](#) and [view all your submissions](#) easily.