FUQUAY, INC.



PROJECT SPECIFIC

4861 Old Hwy 81, New Braunfels, TX 78132

Phone (830) 606-1882 Fax (830) 606-1885

PROPOSAL

DATE: April 1, 2025

PROJECT: PROSPER TEXAS MANHOLE REHABILITATION

Cured In Place Pipe CIPP for Pipeline Rehabilitation #731-24

					<u>L</u>	LIST PRICING MEMBER PRICING			PROJECT SPECIFIC DISCOUNTED PRICING		
		Structure (Manhole) Rehabilitation and Corrosion Protection and Related Items for 15 manholes									
Section I Item 3	22135	Travel and Mobilization- Manhole Rehabilitation Crew	MILE	295		\$25.50 \$7,522.50	-\$1.79	\$23.72 \$6,99	5.93	\$10.25	\$3,023.75
			_			, , , , , , , , , , , , , , , , , , , ,					, , , , , , , , , , , , , , , , , , , ,
Section I		5' X 21 VF FLAT TOP MANHOLE 1 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL	+	1 1							
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	369		\$54.00 \$19,926.00	-\$3.78	\$50.22 \$18,53		\$42.00	\$15,498.00
Item 3 Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1		244.00 \$244.00	-\$17.08	\$226.92 \$22		\$175.00	\$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$	321.00 \$321.00	-\$22.47	\$298.53 \$29	3.53	\$245.00	\$245.00
		5' X 19 VF FLAT TOP MANHOLE 2 - 1.5" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL									
Section I Item 3	22103	Condition Standards and Repair Methods Condition 3	SQFT	338		\$54.00 \$18,252.00	-\$3.78	\$50.22 \$16,97	4.36	\$42.00	\$14,196.00
Section I Item 3	22116	Manhole Rehabilitation - Additional 1/2" Cementitious thickness	SQFT	338		\$22.00 \$7,436.00	-\$1.54	\$20.46 \$6,91		\$15.00	\$5,070.00
Section I Item 3	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1		244.00 \$244.00	-\$17.08	\$226.92 \$22		\$175.00	\$175.00
Section II Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$	321.00 \$321.00	-\$22.47	\$298.53 \$29	3.53	\$245.00	\$245.00
			_			_					
Section I		5' X 18 VF MANHOLE 3 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL		 _							
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	302		\$54.00 \$16,308.00	-\$3.78	\$50.22 \$15,16	5.44	\$42.00	\$12,684.00
Item 3 Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$.	244.00 \$244.00	-\$17.08	\$226.92 \$22	5.92	\$175.00	\$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$	321.00 \$321.00	-\$22.47	\$298.53 \$29	3.53	\$245.00	\$245.00
		CLY 40 VE ELAT TOD MANUOLE 4. 4" CEMENTITIOUS BUILD BACK AND 250 MH. CRDAVWALL	¬								
Section I		6' X 18 VF FLAT TOP MANHOLE 4 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL	+				40.50	22000		<u></u>	****
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	396		\$54.00 \$21,384.00	-\$3.78	\$50.22 \$19,88			\$16,632.00
Item 3 Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1		244.00 \$244.00	-\$17.08	\$226.92 \$22		\$175.00	\$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$	321.00 \$321.00	-\$22.47	\$298.53 \$29	3.53	\$245.00	\$245.00
		6' X 15 VF FLAT TOP MANHOLE 5 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL									
Section I Item 3	22103	Condition Standards and Repair Methods Condition 3	SQFT	339		\$54.00 \$18,306.00	-\$3.78	\$50.22 \$17,02	4.58	\$42.00	\$14,238.00
Section I Item 3	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$.	244.00 \$244.00	-\$17.08	\$226.92 \$22	5.92	\$175.00	\$175.00
Section II Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$	321.00 \$321.00	-\$22.47	\$298.53 \$29	3.53	\$245.00	\$245.00
			<u></u>			·					
Section I		6' X 21 VF FLAT TOP MANHOLE 6 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL	1								
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	452	:	\$54.00 \$24,408.00	-\$3.78	\$50.22 \$22,69	9.44	\$42.00	\$18,984.00
Item 3 Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$	244.00 \$244.00	-\$17.08	\$226.92 \$22	5.92	\$175.00	\$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$	321.00 \$321.00	-\$22.47	\$298.53 \$29	3.53	\$245.00	\$245.00
		CLY 4C VE MANUOLE 7. 4" CEMENTITIONS BUILD BASY AND SES MILL ORDANIA	\neg								
Section I	22402	6' X 16 VF MANHOLE 7 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL Condition Standards and Repair Methods - Condition 2	COET	220		\$54.00 \$47.000.00	\$0.70	ØED 22	2.60	642.00	¢12.960.00
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	330		\$54.00 \$17,820.00	-\$3.78			\$42.00	\$13,860.00
Item 3	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$.	244.00 \$244.00	-\$17.08	\$226.92 \$22	0.92]	\$175.00	\$175.00

Section II Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
			7				
Section I		6' X 13 VF MANHOLE 8 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL					
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	273	\$54.00 \$14,742.00	-\$3.78 \$50.22 \$13,710.06	\$42.00 \$11,466.00
Item 3 Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$244.00 \$244.00	-\$17.08 \$226.92 \$226.92	\$175.00 \$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
		6' X 12 VF MANHOLE 9 - 1.5" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL	٦				
Section I Item 3	22103	Condition Standards and Repair Methods Condition 3	SQFT	254	\$54.00 \$13,716.00	-\$3.78 \$50.22 \$12,755.88	\$42.00 \$10,668.00
Section I Item 3	22116	Manhole Rehabilitation - Additional 1/2" Cementitious thickness	SQFT	254	\$22.00 \$5,588.00	-\$1.54 \$20.46 \$5,196.84	\$15.00 \$3,810.00
Section I Item 3	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$244.00 \$244.00	-\$17.08 \$226.92 \$226.92	\$175.00 \$175.00
Section II Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
			_				
Section I		6' X 13 VF MANHOLE 10 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL		<u> </u>			
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	273	\$54.00 \$14,742.00	-\$3.78 \$50.22 \$13,710.06	\$42.00 \$11,466.00
Item 3 Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$244.00 \$244.00	-\$17.08 \$226.92 \$226.92	\$175.00 \$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
		6' X 12 VF MANHOLE 11 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL	٦				
Section I Item 3	22103	Condition Standards and Repair Methods Condition 3	SQFT	254	\$54.00 \$13,716.00	-\$3.78 \$50.22 \$12,755.88	\$42.00 \$10,668.00
Section I	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1			\$175.00 \$175.00
Section II Item 29	47104	Inflow & Inflitration Repair Injection of Chemical Grout Material Inflow & Inflitration Repair Injection of Chemical Grout Material	GAL	1	\$244.00 \$244.00 \$321.00 \$321.00	-\$17.08 \$226.92 \$226.92 -\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
item 29	47104	Innow & Innitiation Repair Injection of Orientical Grout Material	OAL	'	ψ321.00	-\piz.41 \piz30.00 \piz30.00	ψ243.00 ψ243.00
0		6' X 5 VF FLAT TOP MANHOLE 12 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL					
Section I Item 3	22103	Condition Standards and Repair Methods Condition 3	SQFT	151	\$54.00 \$8,154.00	-\$3.78 \$50.22 \$7,583.22	\$42.00 \$6,342.00
Section I Item 3	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$244.00 \$244.00	-\$17.08 \$226.92 \$226.92	\$175.00 \$175.00
Section II Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
		CLY OVE ELAT TOD MANUOLE 42. 4" CEMENTITIQUE DUIL D DACK AND 250 MH. CDDAVMALL	7				
Section I	00400	6' X 8 VF FLAT TOP MANHOLE 13 - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL	0057	007	254.00 244.470.00	20 70 250 20 240 205 54	* * * * * * * * * *
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	207	\$54.00 \$11,178.00	-\$3.78 \$50.22 \$10,395.54	\$42.00 \$8,694.00
Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$244.00 \$244.00	-\$17.08 \$226.92 \$226.92	\$175.00 \$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
		6' X 16 VF MANHOLE 31A - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL					
Section I Item 3	22103	Condition Standards and Repair Methods Condition 3	SQFT	330	\$54.00 \$17,820.00	-\$3.78 \$50.22 \$16,572.60	\$42.00 \$13,860.00
Section I Item 3	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$244.00 \$244.00	-\$17.08 \$226.92 \$226.92	\$175.00 \$175.00
Section II Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
							
Section I		6' X 22 VF MANHOLE 31B - 1" CEMENTITIOUS BUILD BACK AND 250 MIL SPRAYWALL		1			
Item 3 Section I	22103	Condition Standards and Repair Methods Condition 3	SQFT	443	\$54.00 \$23,922.00	-\$3.78 \$50.22 \$22,247.46	\$42.00 \$18,606.00
Item 3 Section I	22121	Remove and/or Abrade Existing Coatings within Manhole or Structure	SQFT	443	\$15.50 \$6,866.50	-\$1.09 \$14.42 \$6,385.85	\$14.00 \$6,202.00
Item 3 Section II	22105	Inflow & Infiltration Repair Injection of Chemical Grout Material-Labor & Equipment	HR	1	\$244.00 \$244.00	-\$17.08 \$226.92 \$226.92	\$175.00 \$175.00
Item 29	47104	Inflow & Infiltration Repair Injection of Chemical Grout Material	GAL	1	\$321.00 \$321.00	-\$22.47 \$298.53 \$298.53	\$245.00 \$245.00
						TOTAL \$269,962.26	TOTAL \$222,267.75
							· - · · · · · · · · · · · · · · · · · ·

ALL MATERIAL IS GUARANTEED TO BE AS SPECIFIED, AND THE WORK TO BE PERFORMED IN ACCORDANCE WITH THE DRAWING AND SPECIFICATIONS SUBMITTED FOR THE ABOVE WORK AND COMPLETED IN A SUBSTANTIAL WORKMANLIKE MANNER. ANY ALTERATION OR DEVIATION FROM SPECIFICATIONS AND DRAWINGS INVOLVING EXTRA COSTS WILL BE EXECUTED ONLY UPON WRITTEN ORDERS AND WILL BECOME AN EXTRA CHARGE OVER AND ABOVE THE QUOTATION. WORKER'S COMPENSATION AND PUBLIC LIABILITY INSURANCE ON ABOVE WORK TO BE FURNISHED BY FUQUAY, INC. THERE MAY BE AN ADDITIONAL CHARGE FOR PROVIDING A WAIVER OF SUBROGATION AND/OR BEING LISTED AS AN ADDITIONAL INSURED ON FUQUAY'S INSURANCE. THE CHARGE SHALL BE EQUAL TO THE AMOUNT CHARGED TO FUQUAY FOR SAID SERVICE.

BOND, SALES TAX, AND OCP PERMITS, BURDENS, FEES WASTE HAUL-OFF SURVEYING **EXCLUSIONS:**

BARRICADES, SIGNS, TRAFFIC HANDLING PROVIDING AND/OR PERFORMING ANY TESTING DEWATERING ALL BYPASS PUMPING AND PIPE PLUGGING SITE CLEARING

PAYMENT FOR SERVICES SHALL BE DUE AND PAYABLE WITHIN THIRTY DAYS OF THE DATE/MONTH THE WORK IS	ACCEPTED BY:	
PERFORMED. THIS PROPOSAL MAY BE WITHDRAWN BY US IF NOT ACCEPTED WITHIN THIRTY DAYS.		
	COMPANY:	
RESPECTFULLY SUBMITTED,		
	NAME:	
FUQUAY, INC.	TITLE:	

TERMS: