



Quote 250018-01

Nov 04, 2022

CITY OF RIO COMMUNITIES-RGEF
PO BOX 565
RIO COMMUNITIES, New Mexico 87002

Attention: Martin Abeita

Dear Sir,

We would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration. Quoted off of Sourcewell Contract #032119-CAT.

Caterpillar Model: 289D3 Compact / Multi Terrain Loader

STOCK NUMBER: 503435 **SERIAL NUMBER:** **YEAR:** **HOURS:**

We appreciate the opportunity to extend this quote. Pricing is subject to change based on manufacturer changes to cost and availability. If there are any questions, please do not hesitate to contact me.

Regards,
Jacob Earnest
Sales Representative
Wagner Equipment Co.

Caterpillar Model: 289D3 Compact / Multi Terrain Loader**STANDARD EQUIPMENT**

POWERTRAIN -Cat C3.3B diesel engine --Gross horsepower per SAE J1349 -74.3 hp (55.4 kW) @ 2400 RPM --Electric fuel priming pump --Glow plugs starting aid --Liquid cooled, direct injection -Air cleaner, dual element, radial seal -S-O-S sampling valve, hydraulic oil -Filter, cartridge type, hydraulic -Filters, canister type, fuel -and water separator -Radiator / hydraulic oil -cooler (side-by-side) -Spring applied, hydraulically released, -parking brakes -Hydrostatic transmission

UNDERCARRIAGE -Dual flange front idler, single flange -Rear idler -Suspension - independent torsion axle(4) -Two speed motor

HYDRAULICS -ISO or H pattern controls: -Electro/hydraulic implement control -Electro/hydraulic hydrostatic -transmission control -Speed sensor guarding -

ELECTRICAL -12 volt electrical system -80 ampere alternator -Ignition key start / stop / aux switch -Lights: --Gauge backlighting --Two rear tail lights --Dome light -Backup alarm -Electrical outlet, beacon -

OPERATOR ENVIRONMENT -Operator warning system indicators: --Air filter restriction --Alternator output --Armrest raised / operator out of seat --Engine coolant temperature --Engine oil pressure --Glow plug activation --Hydraulic filter restriction --Hydraulic oil temperature --Park brake engages --Engine emission system -Gauges: fuel level and hour meter -Storage compartment with netting -Ergonomic contoured armrest -Control interlock system, when operator -leaves seat or armrest raised: --Hydraulic system disables --Hydrostatic transmission disables --Parking brake engages -ROPS cab, open, tilt up -Anti-theft security system w/6-button -keypad -FOPS, Level I -Top and rear windows -Floomat -Interior rear view mirror -12V electric socket -Horn -Hand (dial) throttle, electronic -

FRAMES -Lift linkage, vertical path -Chassis, one piece welded -Machine tie down points (6) -Belly pan cleanout -Support, lift arm -Rear bumper, welded

OTHER STANDARD EQUIPMENT -Engine enclosure - lockable -Extended life antifreeze (-37C, -34F) -Work tool coupler -Hydraulic oil level sight gauge -Radiator coolant level sight gauge -Radiator expansion bottle -Cat ToughGuard TM hose -Heavy duty flat faced quick disconnects -with integrated pressure release -Split D-ring to route work tool hoses -Along side of left lift arm -Hydraulic demand cooling fan -Per SAE J818-2007 and EN 474-3:2006 and -ISO 14397-1:2007

MACHINE SPECIFICATIONS

289D3 COMPACT TRACK LOADER

CAB PACKAGE, ULTRA

INCLUDES:

HYDRAULICS, PERFORMANCE, (H3)

INCLUDES: HIGH FLOW, DUAL

SELF LEVEL, RETURN TO DIG

CONTROL, ISO, PROP, WT

LIGHTS, LED

RUBBER BELT, 2 SPD, TF IDLERS

ROPS, ENCLOSED WITH A/C (C3)

DISPLAY, ADVANCED, LCD, CAMERA

FAN, COOLING, DEMAND

QUICK COUPLER, HYDRAULIC

SEAT,AIR SUSPENSION,CLOTH,HEAT

STANDARD RADIO(12V),BLUETOOTH

FILM,TWO SPEED W/HIGH FLOW XPS

FILM, SELF LEVEL, ANSI

DOOR, CAB, POLYCARBONATE

RIDE CONTROL

TRACK,RUBBER,450MM(17.7 IN)BAR

BATTERY,EXTRA HEAVY DUTY, DISC

REAR LIGHTS

SEAT BELT, 2"

PRODUCT LINK, CELLULAR PL641

CERTIFICATION ARR, P65

INSTRUCTIONS, ANSI, USA

SERIALIZED TECHNICAL MEDIA KIT

HEATER, ENGINE COOLANT, 120V

PACK, DOMESTIC TRUCK

FILM, RIDE CONTROL, ANSI

LANE 2 ORDER

BUCKET-GP, 80", BOCE

BRUSHCUTTER, BR320, HF XPS

ERSKINE INDUSTRIAL HD SKELETON GRAPPLE BUCKET 84"

SELL PRICE	\$105,560.00
SUBTOTAL	\$105,560.00
TOTAL	\$105,560.00

WARRANTY & COVERAGE

Standard Warranty: 2 year / 2,000 Hour Parts & Labor Warranty (Travel Time Included For The First 6 Months)

Extended Coverage:

F.O.B/TERMS:

Albuquerque

PAYMENT TERMS

Cash Invoice Terms

CASH WITH ORDER
\$0.00



Quote 250019-01

Nov 04, 2022

CITY OF RIO COMMUNITIES-RGEF
PO BOX 565
RIO COMMUNITIES, New Mexico 87002

Attention: Martin Abeita

Dear Sir,

We would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration. Quoted off of Sourcewell Contract #032119-CAT.

Caterpillar Model: 299D3 Compact / Multi Terrain Loader

STOCK NUMBER: **SERIAL NUMBER:** **YEAR:** **HOURS:**

We appreciate the opportunity to extend this quote. Pricing is subject to change based on manufacturer changes to cost and availability. If there are any questions, please do not hesitate to contact me.

Regards,
Jacob Earnest
Sales Representative
Wagner Equipment Co.

Caterpillar Model: 299D3 Compact / Multi Terrain Loader

STANDARD EQUIPMENT

POWERTRAIN -Cat C3.8 turbo aftercooled diesel engine --Gross horsepower per SAE J1349 -98 hp (73 kW) @ 2400 RPM
--Electric fuel priming pump --Air inlet heater starting aid --Liquid cooled, direct injection -Air cleaner, dual element, radial seal
-S-O-S sampling valve, hydraulic oil -Filter, cartridge type, hydraulic -Filters, canister type, fuel -and water separator
-Radiator/hydraulic oil -cooler (side-by-side) -Spring applied, hydraulically released, -wet multi disc parking brakes -Hydrostatic transmission

UNDERCARRIAGE -Dual flange front idler -Single flange rear idler

OTHER STANDARD EQUIPMENT -Cat ToughGuard TM hose -Heavy duty flat faced quick disconnects -with integrated pressure release -Split d-ring to route work tool hoses -along side of left lift arm -Variable speed hydraulic cooling fan -Per SAE J818-2007 and EN 474-3:2006 and -ISO 14397-1:2007 -Radiator expansion bottle -Radiator coolant level sight gauge -Hydraulic oil level sight gauge -Work tool coupler -Extended life antifreeze (-37C, -34F) -Engine enclosure - lockable

FRAMES -sealing -Ventilated rear door with integrated -Cast rear bumper -Support, lift arm -Belly pan cleanout -Machine tie down points (6) -Chassis, one piece welded -Lift linkage, vertical path

OPERATOR ENVIRONMENT -Hand (dial) & throttle electronic -Horn -12V electric socket -Interior rear view mirror -Floormat -Top and rear windows -FOPS, Level I -ROPS Cab, open, tilt up --Parking brake engages --Hydrostatic transmission disables --Hydraulic system disables -leaves seat or armrest raised : -Control interlock system, when operator -Ergonomic contoured armrest -Storage compartment with netting -hour meter and tachometer -Gauges: DEF level, fuel level, --Engine emission system --Park brake engages --Hydraulic oil temperature --Hydraulic filter restriction --Air inlet heater activation --Engine oil pressure --Engine coolant temperature --Armrest raised / operator out of seat --Alternator output --Air filter restriction -Operator warning system indicators:

ELECTRICAL -Electrical outlet, beacon -Backup alarm --Dome light --Two rear tail lights --Gauge backlighting -Lights: -Ignition key start / stop / aux switch -100 ampere alternator -12 volt electrical system -

HYDRAULICS -Speed sensor guarding -transmission control -Electro/hydraulic hydrostatic -Electro/hydraulic implement control -ISO or H pattern controls: -

UNDERCARRIAGE -Two speed motor -Suspension - independent torsion axle(4)

MACHINE SPECIFICATIONS

299D3 CAB,UL,2SP,HQC,TF,BAR,HF

LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2

LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2

INCLUDES:

512-4299 299D3 COMPACT TRACK LOADER

588-9140 CAB PACKAGE, ULTRA

512-4414 HYDRAULICS, PERFORMANCE, (H3)

512-4115 CONTROL, ISO, PROP, WT

495-1671 LIGHTS, LED

357-0240 RUBBER BELT, 2 SPD, TF IDLERS

512-3368 ROPS, ENCLOSED WITH A/C (C3)

465-3705 DISPLAY, ADVANCED, LCD, CAMERA

579-8782 FAN,COOLING, DEMAND, REVERSING

536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT

568-4704 FILM,TWO SPEED W/HIGH FLOW XPS

345-6180 STANDARD RADIO(12V),BLUETOOTH

512-4089 DEBRIS MGMT PKG, NONE (DM0)

568-5612 BATTERY,EXTRA HEAVY DUTY, DISC

356-6082 REAR LIGHTS

586-1308 DOOR, CAB, POLYCARBONATE

542-6994 SEAT BELT, 2"

573-8121 PRODUCT LINK, CELLULAR PL641

512-3401 QUICK COUPLER, HYDRAULIC

563-1163 CERTIFICATION ARR, P65

345-3556 HEATER, ENGINE COOLANT, 120V

NOTE: Please refer to the Lane 1 section to complete your order.

For Lane 2/3 orders refer to mandatory section to select track.

RIDE CONTROL

LANE 3 ORDER

FILM, SELF LEVEL, ANSI

SERIALIZED TECHNICAL MEDIA KIT

TRACK,RUBBER,450MM(17.7 IN)BAR

INSTRUCTIONS, ANSI, USA

PACK, DOMESTIC TRUCK

SHIPPING/STORAGE PROTECTION

FILM, RIDE CONTROL, ANSI

BUCKET-GP, 80", BOCE

BRUSHCUTTER, BR320, HF XPS

ERSKINE INDUSTRIAL HD SKELETON GRAPPLE BUCKET 84"

SELL PRICE	\$113,550.00
SUBTOTAL	\$113,550.00
TOTAL	\$113,550.00

WARRANTY & COVERAGE

Standard Warranty: 2 year / 2,000 Hour Parts & Labor Warranty (Travel Time Included For The First 6 Months)

Extended Coverage:

F.O.B/TERMS:

Albuquerque

PAYMENT TERMS

Cash Invoice Terms

CASH WITH ORDER
\$0.00