
THE CITY OF ROCHELLE
Ogle County, Illinois

ORDINANCE
NO. _____

**AN ORDINANCE WAIVING COMPETITIVE BIDDING REQUIREMENTS AND
AUTHORIZING THE PURCHASE OF ELSTER METERS FROM WESCO
DISTRIBUTION**

JOHN BEARROWS, Mayor
ROSE HUERAMO, City Clerk

TOM MCDERMOTT
BIL HAYES
KATE SHAW-DICKEY
DAN McDERMOTT
ROSAELIA ARTEAGA
BEN VALDIVIESO

City Council

Published in pamphlet form by authority of the Mayor and City Council of the City of Rochelle
Peterson, Johnson, and Murray, LLC, City Attorneys
200 W. Adams, Suite 2125, Chicago, IL 60606

CITY OF ROCHELLE
Ogle County, Illinois

RESOLUTION NO. ____

**AN ORDINANCE WAIVING COMPETITIVE BIDDING REQUIREMENTS AND
AUTHORIZING THE PURCHASE OF ELSTER METERS FROM WESCO
DISTRIBUTION**

WHEREAS, Section 7 of Article VII of the 1970 Constitution of the State of Illinois provides that a municipality that is not a home rule unit shall only have the powers granted to them by law and as such the City of Rochelle, Ogle County, Illinois being a non-home rule unit pursuant to the provisions of said Section 7 of Article VII, and may exercise only the powers expressly granted by law; and

WHEREAS, the Illinois General Assembly granted non-home rule municipalities broad authority to “pass all ordinances and make all rules and regulations proper or necessary, to carry into effect the powers granted to municipalities.” 65 ILCS 5/1-2-1; and

WHEREAS, while “non-home rule municipalities have the authority to enact ordinances, such ordinances may in no event conflict with state law or prohibit what a state statute expressly permits . . . A local ordinance may impose more rigorous or definite regulations in addition to those enacted by the state legislature so long as they do not conflict with the statute.” (*Village of Wauconda v. Hutton*, 291 Ill. App. 3d 1058, 1060 (1997)); and

WHEREAS, the City needs to purchase Elster meters as part of its regular maintenance; and

WHEREAS, the City must procure the Elster meters through WESCO Distributors as they are the regional representative for Elster; and

WHEREAS, WESCO Distribution in Woodridge, Illinois has provided the City with a quote in the amount of \$117,320.00, for Elster meters; a copy of which is attached as “Exhibit 1”; and

WHEREAS, the City may waive competitive bidding requirements by a two-thirds vote of the City Council pursuant to 65 ILCS 5/8-9-1 of the Illinois Municipal Code and Section 2-371 of the Rochelle Municipal Code; and

WHEREAS, it has been determined by the Corporate Authorities of the City of Rochelle that it is in the best interest of the City and its residents to waive the competitive bidding requirements and approve the purchase of the Elster meters from WESCO Distribution.

**BE IT ORDAINED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF
ROCHELLE, ILLINOIS:**

SECTION ONE: That the City hereby incorporates all of the recitals above into this Ordinance as if fully set forth herein.

SECTION TWO: The Mayor and City Council of the City of Rochelle hereby waive the competitive bidding requirements and authorize the City Manager and/or his designee to execute all documents memorializing the purchase of Elster meters from WESCO Distributors, further described in the attached Exhibit 1, subject to review and revision as to form by the City Attorney.

SECTION THREE: If any provision of this Ordinance or application thereof to any person or circumstance is ruled unconstitutional or otherwise invalid, such invalidity shall not affect other provisions or applications of this Ordinance that can be given effect without the invalid application or provision, and each invalid provision or invalid application of this Ordinance is severable.

SECTION FOUR: Where the conditions imposed by any provisions of this Ordinance are more restrictive than comparable provisions imposed elsewhere in any other local law, ordinance, resolution, rule or regulation, the regulations of this Ordinance will govern.

SECTION FIVE: The City Clerk shall publish this Ordinance in pamphlet form.

SECTION SIX: This Ordinance shall be in full force and effect from and after its passage, approval and publication in pamphlet form as provided by law.

APPROVED THIS 12th day of November 2024

MAYOR

ATTEST:

CITY CLERK

EXHIBIT 1



Quote Number: SAM10102024002
Quoted provided by: Scott Mossbrooks
Customer: City of Rochelle
Requested by: Matt Boggs
Date: 10/10/2024
Quote Valid Until: 12/24/2024

Partial
Partial
Some
3
580
40

Make sure to include description and model number on the PO to Honeywell as well as all the other information you have included in the past. Craig Pratt can assist with getting CPEC and MeterCat program for meters being ordered for the first time. Must have CSPEC and Meter program on file for order to be accepted. Copy Craig Pratt and Scott Mossbrooks on all orders emailed to Honeywell.

Line Item		Meter Family; Meter Description		QTY	Sales Price Each	Total
1	RexU	Model Number(SMN/LMN):	ZH5W3A000004 ZH5W3A00004D,0000000ROCH-23	96	\$182.00	\$17,472.00
		Product	(ZH) RexU Standard 1-yr warranty			
		Service	(SW) Form 12S CL200			
		Main Board	(3) 120V			
		SD/Relays	(A) SERVICE DISCONNECT			
		Comm Option	(00) None			
		Misc Options	(0) NONE			
		Mesh Type	(0) Elster EnergyAxis			
		HW Ver	(4) Version 4 900 MHz 64K memory			
		Nameplate/Seal	BLANK NOT APPLICABLE			
		Lead time is currently 52 weeks or better ARO.				
2	RexU	Model Number(SMN/LMN):	ZHCW4A000004 ZHCW4A00004,000000ROCH-23	480	\$168.00	\$80,640.00
		Product	(ZH) RexU Standard 1-yr warranty			
		Service	(CW) Form 2S CL200			
		Main Board	(4) 240V			
		SD/Relays	(A) SERVICE DISCONNECT			
		Comm Option	(00) None			
		Misc Options	(0) NONE			
		Mesh Type	(0) Elster EnergyAxis			
		HW Ver	(4) Version 4 900 MHz 64K memory			
		Nameplate/Seal	BLANK NOT APPLICABLE			
		Lead time is currently 52 weeks or better ARO.				
3	A4CI	Model Number(SMN/LMN):	HCCWA30GB0R00 LMN for WESCO PO needed from Honeywell	4	\$421.00	\$1,684.00
		Product	(HC) A4 C&I			
		Service	(CW) Form 2S CL200			

Main Board	(A3) 120-480V, NO ENERGY FOR COMMS OUTAGE
SD/Relays	(0) None
Comm Option	(GB) GNIC, EXT OUTAGE, DIPOLE ANTENNA
Misc Options	(0) COVER WITH PORT PLATE
Features	(R0) PQM, VSS, IP, AA, 4Q
Regulatory	(0) BLANK NOT APPLICABLE
<i>Lead time is currently 12 weeks or better ARO for FAT meters</i>	

4	A4CI	Model Number(SMN/LMN):	HCCYA30GB0R00	LMN for WESCO PO needed from Honeywell	4	\$421.00	\$1,684.00
		Product	(HC) A4 C&I				
		Service	(CV) Form 25 CL320				
		Main Board	(A3) 120-480V, NO ENERGY FOR COMMS OUTAGE				
		SD/Relays	(0) None				
		Comm Option	(GB) GNIC, EXT OUTAGE, DIPOLE ANTENNA				
		Misc Options	(0) COVER WITH PORT PLATE				
		Features	(R0) PQM, VSS, IP, AA, 4Q				
		Regulatory	(0) BLANK NOT APPLICABLE				
		<i>Lead time is currently 12 weeks or better ARO for FAT meters</i>					
6	A4CI	Model Number(SMN/LMN):	HC3WA30GB0R00	LMN for WESCO PO needed from Honeywell	4	\$440.00	\$1,760.00
		Product	(HC) A4 C&I				
		Service	(3W) Form 16S CL200				
		Main Board	(A3) 120-480V, NO ENERGY FOR COMMS OUTAGE				
		SD/Relays	(0) None				
		Comm Option	(GB) GNIC, EXT OUTAGE, DIPOLE ANTENNA				
		Misc Options	(0) COVER WITH PORT PLATE				
		Features	(R0) PQM, VSS, IP, AA, 4Q				
		Regulatory	(0) BLANK NOT APPLICABLE				
		<i>Lead time is currently 12 weeks or better ARO for FAT meters</i>					
7	A4CI	Model Number(SMN/LMN):	HC3WA30GB0R00	LMN for WESCO PO needed from Honeywell	12	\$440.00	\$5,280.00
		Product	(HC) A4 C&I				
		Service	(3W) Form 16S CL200				
		Main Board	(A3) 120-480V, NO ENERGY FOR COMMS OUTAGE				
		SD/Relays	(0) None				
		Comm Option	(GB) GNIC, EXT OUTAGE, DIPOLE ANTENNA				
		Misc Options	(0) COVER WITH PORT PLATE				
		Features	(R0) PQM, VSS, IP, AA, 4Q				
		Regulatory	(0) BLANK NOT APPLICABLE				
		<i>Lead time is currently 52 weeks or better ARO.</i>					
8	A4CI	Model Number(SMN/LMN):	HC3YA30GB0R00	LMN for WESCO PO needed from Honeywell	4	\$440.00	\$1,760.00
		Product	(HC) A4 C&I				

Service	(3Y) Form 16S CL320	
Main Board	(A3) 120-480V, NO ENERGY FOR COMMS OUTAGE	
SD/Relays	(0) None	
Comm Option	(GB) GNIC, EXT OUTAGE, DIPOLE ANTENNA	
Misc Options	(0) COVER WITH PORT PLATE	
Features	(R0) PQM, VSS, IP, AA, 4Q	
Regulatory	(0) BLANK NOT APPLICABLE	
<i>Lead time is currently 12 weeks or better ARO for FAT meters</i>		

9 A4CI Model Number(SMN/LMN): **HC32A30GB0R00** LMN for WESCO PO needed from Honeywell 4 \$440.00 \$1,760.00

Product	(HC) A4 C&I	
Service	(32) Form 9S CL20	
Main Board	(A3) 120-480V, NO ENERGY FOR COMMS OUTAGE	
SD/Relays	(0) None	
Comm Option	(GB) GNIC, EXT OUTAGE, DIPOLE ANTENNA	
Misc Options	(0) COVER WITH PORT PLATE	
Features	(R0) PQM, VSS, IP, AA, 4Q	
Regulatory	(0) BLANK NOT APPLICABLE	
<i>Lead time is currently 12 weeks or better ARO for FAT meters</i>		

10 A4CI Model Number(SMN/LMN): **HC32A30GB0R00** LMN for WESCO PO needed from Honeywell 12 \$440.00 \$5,280.00

Product	(HC) A4 C&I	
Service	(32) Form 9S CL20	
Main Board	(A3) 120-480V, NO ENERGY FOR COMMS OUTAGE	
SD/Relays	(0) None	
Comm Option	(GB) GNIC, EXT OUTAGE, DIPOLE ANTENNA	
Misc Options	(0) COVER WITH PORT PLATE	
Features	(R0) PQM, VSS, IP, AA, 4Q	
Regulatory	(0) BLANK NOT APPLICABLE	
<i>Lead time is currently 52 weeks or better ARO.</i>		

TOTAL \$117,320.00

STATE OF ILLINOIS)
)
COUNTY OF OGLE) SS.

CERTIFICATE

I, _____, City Clerk of the City of Rochelle, County of Ogle and State of Illinois, DO HEREBY CERTIFY that the foregoing is a true and correct copy of Ordinance No. _____, “AN ORDINANCE WAIVING COMPETITIVE BIDDING REQUIREMENTS AND AUTHORIZING THE PURCHASE OF ELSTER METERS FROM WESCO DISTRIBUTION” which was adopted by the Mayor and City Council of the City of Rochelle on November 12, 2024.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the corporate seal of the City of Rochelle this 12th day of November 2024.

CITY CLERK